

























Synthetic Intermediates and Reagents

Arylamines

| | | | |
|---|---|---|---|
| <p>K0013 42906-19-4</p>  <p>Formula : C₂₁H₁₉NO M.W. : 301.38 g/mole Grade : > 98% (HPLC)</p> | <p>K0019 4181-20-8</p>  <p>Formula : C₁₈H₁₂I₂N M.W. : 623.01 g/mole Grade : > 98% (HPLC)</p> | <p>K0030 4181-5-9</p>  <p>Formula : C₁₉H₁₅NO M.W. : 273.33 g/mole Grade : > 98% (HPLC)</p> | <p>K0060 531-91-9</p>  <p>Formula : C₂₄H₂₀N₂ M.W. : 336.43 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0061 16292-17-4</p>  <p>Formula : C₁₂H₉Br₂N M.W. : 327.01 g/mole Grade : > 98% (HPLC)</p> | <p>K0062 36809-26-4</p>  <p>Formula : C₁₈H₁₄BrN M.W. : 324.21 g/mole Grade : > 98% (HPLC)</p> | <p>K0063 202831-65-0</p>  <p>Formula : C₂₄H₁₈BrN M.W. : 400.31 g/mole Grade : > 98% (HPLC)</p> | <p>K0064 81090-53-1</p>  <p>Formula : C₁₈H₁₃Br₂N M.W. : 403.11 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0066 532-18-3</p>  <p>Formula : C₂₀H₁₅N M.W. : 269.34 g/mole Grade : > 98% (HPLC)</p> | <p>K0067 10311-61-2</p>  <p>Formula : C₂₆H₂₄N₂ M.W. : 364.48 g/mole Grade : > 98% (HPLC)</p> | <p>K0073 4669-06-1</p>  <p>Formula : C₂₀H₁₅N M.W. : 269.34 g/mole Grade : > 98% (HPLC)</p> | <p>K0151 845526-91-2</p>  <p>Formula : C₂₀H₁₈BrN M.W. : 352.27 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0154 287937-02-4</p>  <p>Formula : C₂₁H₁₉NO M.W. : 301.38 g/mole Grade : > 98% (HPLC)</p> | <p>K0215 1469780-16-2</p>  <p>Formula : C₁₉H₁₃Br₂NO M.W. : 431.12 g/mole Grade : > 98% (HPLC)</p> | <p>K0353 101-70-2</p>  <p>Formula : C₁₄H₁₅NO₂ M.W. : 229.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0355 20440-95-3</p>  <p>Formula : C₂₀H₁₉N M.W. : 273.37 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0388 287976-94-7</p>  <p>Formula : C₂₂H₂₁Br₂N M.W. : 459.22 g/mole Grade : > 98% (HPLC)</p> | <p>K0432 308144-65-2</p>  <p>Formula : C₂₈H₂₀BrN M.W. : 450.37 g/mole Grade : > 98% (HPLC)</p> | <p>K0463 352359-42-3</p>  <p>Formula : C₂₈H₂₀BrN M.W. : 450.37 g/mole Grade : > 98% (HPLC)</p> | <p>K0750 59131-00-9</p>  <p>Formula : C₂₆H₂₄N₂O₂ M.W. : 396.48 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0751 352359-43-4</p>  <p>Formula : C₃₈H₂₈N₂ M.W. : 512.64 g/mole Grade : > 97% (HPLC)</p> | <p>K0752 55389-75-8</p>  <p>Formula : C₁₆H₁₉N M.W. : 225.33 g/mole Grade : > 98% (HPLC)</p> | <p>K0753 34801-11-1</p>  <p>Formula : C₁₄H₁₅N M.W. : 197.28 g/mole Grade : > 98% (HPLC)</p> | <p>K0754 626-13-1</p>  <p>Formula : C₁₄H₁₅N M.W. : 197.28 g/mole Grade : > 98% (HPLC)</p> |

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

























Head Office: 31F-5, No. 99, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22175, Taiwan. TEL: +886-2-2697-5600, FAX: +886-2-2697-5601.


Factory: 2F, No. 17, R&D Road II, Science-Based Industrial Park, Hsin-Chu 30076, Taiwan. TEL: +886-3-666-3188, FAX: +886-3-666-9288.

Email: sales@lumtec.com.tw, Web: www.lumtec.com.tw


Synthetic Intermediates and Reagents

Arylamines


| | | | |
|--|---|--|---|
| <p>K0755 203710-89-8</p>  <p>Formula : C₂₀H₁₈BrN M.W. : 352.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0835 499128-71-1</p>  <p>Formula : C₃₀H₂₂BrN M.W. : 476.41 g/mole Grade : > 98% (HPLC)</p> | <p>K0837 194416-45-0</p>  <p>Formula : C₂₀H₁₈BrNO₂ M.W. : 384.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0852 78600-31-4</p>  <p>Formula : C₁₈H₁₄BrN M.W. : 324.21 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0853 854938-56-0</p>  <p>Formula : C₄₆H₃₂N₂O₂ M.W. : 644.76 g/mole Grade : > 95% (HPLC)</p> | <p>K0867 1467099-22-4</p>  <p>Formula : C₃₁H₂₀BrN M.W. : 486.4 g/mole Grade : > 98% (HPLC)</p> | <p>K0881 6267-02-3</p>  <p>Formula : C₁₅H₁₅N M.W. : 209.29 g/mole Grade : > 98% (HPLC)</p> | <p>K0882 58751-07-8</p>  <p>Formula : C₁₄H₁₅NO₂ M.W. : 229.27 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0883 3661-49-2</p>  <p>Formula : C₁₄H₁₅NO₂ M.W. : 229.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0884 1548941-62-3</p>  <p>Formula : C₃₂H₃₂IN M.W. : 557.51 g/mole Grade : > 98% (HPLC)</p> | <p>K0886 3282-99-3</p>  <p>Formula : C₁₈H₂₂N₂ M.W. : 266.38 g/mole Grade : > 98% (HPLC)</p> | <p>K0893 1342892-15-2</p>  <p>Formula : C₂₁H₁₈BrN M.W. : 364.28 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0894 71041-21-9</p>  <p>Formula : C₁₈H₁₂BrNO M.W. : 338.2 g/mole Grade : > 98% (HPLC)</p> | <p>K0899 92-67-1</p>  <p>Formula : C₁₂H₁₁N M.W. : 169.22 g/mole Grade : > 98% (HPLC)</p> | <p>K0916 152670-41-2</p>  <p>Formula : C₃₂H₂₄N₂ M.W. : 436.55 g/mole Grade : > 98% (HPLC)</p> | <p>K0940 1241891-64-4</p>  <p>Formula : C₃₁H₂₀BrN M.W. : 486.4 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0964 663943-27-9</p>  <p>Formula : C₂₁H₁₉Br₂N M.W. : 445.19 g/mole Grade : > 98%</p> | <p>K1129 7293-45-0</p>  <p>Formula : C₁₈H₁₅N M.W. : 245.32 g/mole Grade : > 98%</p> | <p>K1131 2243-47-2</p>  <p>Formula : C₁₂H₁₁N M.W. : 169.22 g/mole Grade : > 99%</p> | <p>K1132 90-41-5</p>  <p>Formula : C₁₂H₁₁N M.W. : 169.22 g/mole Grade : > 99%</p> |
| <p>K1133 135-88-6</p>  <p>Formula : C₁₆H₁₃N M.W. : 219.28 g/mole Grade : > 99%</p> | <p>K1134 90-30-2</p>  <p>Formula : C₁₆H₁₃N M.W. : 219.28 g/mole Grade : > 99%</p> | <p>K1135 3920-79-4</p>  <p>Formula : C₂₀H₁₅N M.W. : 269.34 g/mole Grade : > 99%</p> | <p>K1136 737-89-3</p>  <p>Formula : C₂₀H₁₅N M.W. : 269.34 g/mole Grade : > 99%</p> |

K1137 | 102113-98-4



Formula : C₂₄H₁₉N
 M.W. : 321.41 g/mole
 Grade : > 99%

K1138 | 1160294-96-1



Formula : C₃₆H₂₆N₂
 M.W. : 486.61 g/mole
 Grade : > 99%

K1139 | 620-93-9



Formula : C₁₄H₁₅N
 M.W. : 197.28 g/mole
 Grade : > 99%

K1140 | 329180-20-3



Formula : C₂₆H₂₄N₂
 M.W. : 364.48 g/mole
 Grade : > 99%

K1141 | 308814-67-7



Formula : C₂₆H₂₄N₂
 M.W. : 364.48 g/mole
 Grade : > 99%

K1142 | 728039-63-2



Formula : C₃₆H₂₆BrN
 M.W. : 552.5 g/mole
 Grade : > 99%

K1143 | 101716-43-2



Formula : C₁₈H₁₄N₂
 M.W. : 258.32 g/mole
 Grade : > 99%

K1144 | 4627-22-9



Formula : C₂₀H₂₇N
 M.W. : 281.44 g/mole
 Grade : > 99%

K1145 | 5805-39-0



Formula : C₁₃H₁₁N₃
 M.W. : 209.25 g/mole
 Grade : > 99%

K1146 | 343239-58-7



Formula : C₂₄H₁₉N
 M.W. : 321.41 g/mole
 Grade : > 98%

K1290 | 1132796-42-9



Formula : C₂₅H₃₅N
 M.W. : 349.55 g/mole
 Grade : > 97%

K1294 | 4496-49-5



Formula : C₁₆H₁₉N
 M.W. : 225.33 g/mole
 Grade : > 98% (HPLC)

K1282 | 1160294-93-8



Formula : C₁₈H₁₄BrN
 M.W. : 324.21 g/mole
 Grade : > 98%

K1285 | 620-84-8


Formula : C₁₃H₁₃N
 M.W. : 183.25 g/mole
 Grade : > 98%

K1312 | 1198395-24-2


Formula : C₂₇H₂₃N
 M.W. : 361.48 g/mole
 Grade : > 98%


K1346 | 61613-22-7


Formula : C₁₂H₁₀BrN
 M.W. : 248.12 g/mole
 Grade : > 98%

Synthetic Intermediates and Reagents


Naphthalenes / Acenaphthenes

K0028 | 4542-77-2




Formula : C₁₂H₁₀Br₂
M.W. : 314.02 g/mole
Grade : > 98% (HPLC)

K0089 | 22856-30-0




Formula : C₁₂H₆N₂
M.W. : 178.19 g/mole
Grade : > 98% (HPLC)

K0139 | 13720-06-4




Formula : C₁₀H₆Br₂
M.W. : 285.96 g/mole
Grade : > 98% (HPLC)

K0143 | 305798-02-1




Formula : C₁₁H₈Br₂
M.W. : 299.99 g/mole
Grade : > 98% (HPLC)

K0413 | 18937-92-3




Formula : C₁₆H₁₁Br
M.W. : 283.16 g/mole
Grade : > 98% (HPLC)

K0589 | 132178-78-0




Formula : C₁₀H₆Br₂O₂
M.W. : 317.96 g/mole
Grade : > 98% (HPLC)

K0590 | 245093-97-4




Formula : C₁₄H₁₄Br₂O₄
M.W. : 406.07 g/mole
Grade : > 98% (HPLC)

K0872 | 71590-31-3



Formula : C₁₀H₉BrClN
M.W. : 258.54 g/mole
Grade : > 98% (HPLC)

K0932 | 93655-02-8



Formula : C₁₈H₁₄O₂
M.W. : 262.3 g/mole
Grade : > 98% (HPLC)

























K1289 | 32277-35-3



Formula : C₁₂H₁₀
M.W. : 154.21 g/mole
Grade : > 97%

Synthetic Intermediates and Reagents


Anthracenes / Phenanthracenes

| | | | |
|--|---|--|---|
| <p>K0035 572-83-8</p>  <p>Formula : C₁₄H₇BrO₂ M.W. : 287.11 g/mole Grade : > 98% (HPLC)</p> | <p>K0037 201731-79-5</p>  <p>Formula : C₂₆H₁₇Br M.W. : 409.32 g/mole Grade : > 97% (HPLC)</p> | <p>K0054 121848-75-7</p>  <p>Formula : C₂₈H₁₆Br₂ M.W. : 512.23 g/mole Grade : > 98% (HPLC)</p> | <p>K0058 474688-76-1</p>  <p>Formula : C₃₄H₂₁Br M.W. : 509.43 g/mole Grade : > 97% (HPLC)</p> |
| <p>K0076 400607-04-7</p>  <p>Formula : C₂₄H₁₅Br M.W. : 383.28 g/mole Grade : > 98% (HPLC)</p> | <p>K0077 7424-70-6</p>  <p>Formula : C₂₄H₁₆ M.W. : 304.38 g/mole Grade : > 98% (HPLC)</p> | <p>K0360 523-27-3</p>  <p>Formula : C₁₄H₈Br₂ M.W. : 336.02 g/mole Grade : > 98% (HPLC)</p> | <p>K0362 1055-23-8</p>  <p>Formula : C₂₈H₁₈ M.W. : 354.44 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0404 53348-05-3</p>  <p>Formula : C₁₄H₆Br₂O₂ M.W. : 366.0 g/mole Grade : > 97% (HPLC)</p> | <p>K0464 23674-20-6</p>  <p>Formula : C₂₀H₁₃Br M.W. : 333.22 g/mole Grade : > 98% (HPLC)</p> | <p>K0875 937372-45-7</p>  <p>Formula : C₂₁H₁₂BrN M.W. : 358.23 g/mole Grade : > 98% (HPLC)</p> | <p>K0877 23674-15-9</p>  <p>Formula : C₂₁H₁₆O M.W. : 284.35 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0901 474688-73-8</p>  <p>Formula : C₂₄H₁₅Br M.W. : 383.28 g/mole Grade : > 98% (HPLC)</p> | <p>K0909 1092390-01-6</p>  <p>Formula : C₃₀H₁₉Br M.W. : 459.38 g/mole Grade : > 98% (HPLC)</p> | <p>K0930 158902-11-5</p>  <p>Formula : C₂₁H₁₅BrO M.W. : 363.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0935 944801-33-6</p>  <p>Formula : C₃₀H₁₉Br M.W. : 459.38 g/mole Grade : > 98% (HPLC)</p> |
| <p>K1097 19111-87-6</p>  <p>Formula : C₁₈H₁₁Br M.W. : 307.18 g/mole Grade : > 98%</p> | <p>K1098 888041-37-0</p>  <p>Formula : C₁₈H₁₀Br₂ M.W. : 386.08 g/mole Grade : > 98%</p> | <p>K1099 1313514-53-2</p>  <p>Formula : C₂₄H₁₅Br M.W. : 383.28 g/mole Grade : > 98%</p> | <p>K1100 4877-80-9</p>  <p>Formula : C₁₈H₁₂O₆ M.W. : 324.28 g/mole Grade : > 98%</p> |
| <p>K1101 82632-80-2</p>  <p>Formula : C₁₈H₆Br₄ M.W. : 701.66 g/mole Grade : > 98%</p> | <p>K1102 62162-97-4</p>  <p>Formula : C₁₄H₉Br M.W. : 257.13 g/mole Grade : > 98%</p> | <p>K1103 715-50-4</p>  <p>Formula : C₁₄H₉Br M.W. : 257.13 g/mole Grade : > 98%</p> | <p>K1104 22426-14-8</p>  <p>Formula : C₁₂H₇BrN₂ M.W. : 259.1 g/mole Grade : > 98%</p> |

Synthetic Intermediates and Reagents


Anthracenes / Phenanthracenes

K1105 | 7321-27-9




Formula : C₁₄H₉Br
M.W. : 257.13 g/mole
Grade : > 98%

K1106 | 17135-78-3




Formula : C₁₄H₉Cl
M.W. : 212.67 g/mole
Grade : > 99%

K1107 | 625854-02-6




Formula : C₂₆H₁₇Br
M.W. : 409.32 g/mole
Grade : > 98%

K1108 | 13438-50-1




Formula : C₁₆H₉Br
M.W. : 281.15 g/mole
Grade : > 98%

K1109 | 561064-15-1




Formula : C₃₄H₂₀Br₂
M.W. : 588.33 g/mole
Grade : > 98%

K1110 | 845457-53-6



Formula : C₂₈H₁₇Br
M.W. : 433.34 g/mole
Grade : > 98%

K1111 | 39069-02-8




Formula : C₁₂H₆Br₂N₂
M.W. : 338 g/mole
Grade : > 99%

K1112 | 602-55-1




Formula : C₂₀H₁₄
M.W. : 254.33 g/mole
Grade : > 99%

K1113 | 26979-27-1




Formula : C₃₄H₂₂
M.W. : 430.54 g/mole
Grade : > 99%

K1115 | 929031-39-0




Formula : C₃₄H₂₁Br
M.W. : 509.43 g/mole
Grade : > 98%

K1117 | 474688-74-9



Formula : C₃₂H₂₁Br
M.W. : 485.41 g/mole
Grade : > 99%

K1118 | 1195975-03-1




Formula : C₃₂H₂₁Br
M.W. : 485.41 g/mole
Grade : > 98%

K1119 | 781-43-1



Formula : C₁₆H₁₄
M.W. : 206.28 g/mole
Grade : > 99%

K1121 | 886363-70-8




Formula : C₁₈H₁₆Br₂
M.W. : 394.14 g/mole
Grade : > 99%

Synthetic Intermediates and Reagents


Fluorenes / Fluoranthenes

K0001 | 171408-76-7




Formula : C₂₅H₁₅Br
M.W. : 395.29 g/mole
Grade : > 98% (HPLC)

K0002 | 171408-84-7



Formula : C₂₅H₁₄Br₂
M.W. : 474.19 g/mole
Grade : > 98% (HPLC)

K0003 | 128055-74-3




Formula : C₂₅H₁₂Br₄
M.W. : 631.98 g/mole
Grade : > 98% (HPLC)

K0004 | 159-66-0




Formula : C₂₅H₁₆
M.W. : 316.39 g/mole
Grade : > 98% (HPLC)

K0005 | 16433-88-8




Formula : C₁₃H₈Br₂
M.W. : 324.01 g/mole
Grade : > 98% (HPLC)

K0006 | 14348-75-5




Formula : C₁₃H₆Br₂O
M.W. : 337.99 g/mole
Grade : > 98% (HPLC)

K0009 | 3096-56-8




Formula : C₁₃H₇BrO
M.W. : 259.10 g/mole
Grade : > 98% (HPLC)

K0010 | 28320-32-3




Formula : C₁₅H₁₂Br₂
M.W. : 352.06 g/mole
Grade : > 98% (HPLC)

K0011 | 474918-33-7




Formula : C₂₇H₂₁Br
M.W. : 425.36 g/mole
Grade : > 98% (HPLC)

K0012 | 357645-37-5



Formula : C₂₇H₂₀Br₂
M.W. : 504.26 g/mole
Grade : > 98% (HPLC)

K0014 | 15499-84-0




Formula : C₂₅H₂₀N₂
M.W. : 348.44 g/mole
Grade : > 98% (HPLC)

K0020 | 486-25-9




Formula : C₁₃H₈O
M.W. : 180.20 g/mole
Grade : > 98% (HPLC)

K0023 | 28320-31-2




Formula : C₁₅H₁₃Br
M.W. : 273.17 g/mole
Grade : > 98% (HPLC)

K0024 | 851478-90-5




Formula : C₄₅H₃₈
M.W. : 578.78 g/mole
Grade : > 98% (HPLC)

K0025 | 128406-10-0



Formula : C₂₅H₁₆Br₂
M.W. : 476.20 g/mole
Grade : > 98% (HPLC)

K0032 | 790674-48-5




Formula : C₂₅H₁₄I₂
M.W. : 568.19 g/mole
Grade : > 98% (HPLC)

K0033 | 67665-45-6




Formula : C₂₅H₁₈N₂
M.W. : 346.42 g/mole
Grade : > 98% (HPLC)

K0050 | 302554-80-9




Formula : C₂₉H₄₁Br
M.W. : 469.54 g/mole
Grade : > 98% (HPLC)

K0086 | 198964-46-4




Formula : C₂₉H₄₀Br₂
M.W. : 548.44 g/mole
Grade : > 98% (HPLC)

K0088 | 188200-93-3




Formula : C₂₉H₄₀Br₂
M.W. : 548.44 g/mole
Grade : > 98% (HPLC)

K0126 |




Formula : C₅₉H₄₂Br₂N₂
M.W. : 938.79 g/mole
Grade : > 98% (HPLC)

K0295 | 187148-75-0




Formula : C₂₇H₃₆Br₂
M.W. : 520.38 g/mole
Grade : > 98% (HPLC)

K0344 | 1133-80-8



Formula : C₁₃H₉Br
M.W. : 245.11 g/mole
Grade : > 98% (HPLC)

























K0405 | 937082-81-0



Formula : C₂₅H₁₇Br
M.W. : 397.31 g/mole
Grade : > 97% (HPLC)

Synthetic Intermediates and Reagents


Fluorenes / Fluoranthenes

| | | | |
|---|---|---|--|
| <p>K0406 202831-64-9</p>  <p>Formula : C₂₉H₂₆BrN M.W. : 468.43 g/mole Grade : > 98% (HPLC)</p> | <p>K0412 1185855-21-3</p>  <p>Formula : C₂₉H₁₆Br₂ M.W. : 524.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0429 673474-73-2</p>  <p>Formula : C₂₃H₃₀Br₂N₂ M.W. : 494.31 g/mole Grade : > 98% (HPLC)</p> | <p>K0437 607739-64-0</p>  <p>Formula : C₄₅H₃₆Br₂ M.W. : 736.58 g/mole Grade : > 97% (HPLC)</p> |
| <p>K0450 198142-63-1</p>  <p>Formula : C₂₃H₁₂Br₂N₂ M.W. : 476.16 g/mole Grade : > 98% (HPLC)</p> | <p>K0467 50890-67-0</p>  <p>Formula : C₁₁H₆N₂O M.W. : 182.18 g/mole Grade : > 98% (HPLC)</p> | <p>K0468 171856-25-0</p>  <p>Formula : C₂₃H₁₄N₂ M.W. : 318.37 g/mole Grade : > 98% (HPLC)</p> | <p>K0469 738580-15-9</p>  <p>Formula : C₂₆H₃₂Br₂ M.W. : 504.34 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0470 746-47-4</p>  <p>Formula : C₂₆H₁₆ M.W. : 328.41 g/mole Grade : > 98% (HPLC)</p> | <p>K0531 1186096-65-0</p>  <p>Formula : C₂₆H₁₆O M.W. : 346.42 g/mole Grade : > 98% (HPLC)</p> | <p>K0573 438201-29-7</p>  <p>Formula : C₂₅H₃₁Br₃ M.W. : 571.23 g/mole Grade : > 98% (HPLC)</p> | <p>K0581 169169-89-5</p>  <p>Formula : C₂₅H₁₆Br₂O₂ M.W. : 508.2 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0582 1173170-47-2</p>  <p>Formula : C₅₇H₄₀N₂O₂ M.W. : 784.94 g/mole Grade : > 98% (HPLC)</p> | <p>K0604 1161009-88-6</p>  <p>Formula : C₂₅H₁₅Br M.W. : 395.29 g/mole Grade : > 98% (HPLC)</p> | <p>K0609 216312-73-1</p>  <p>Formula : C₁₃H₆Br₂O M.W. : 337.99 g/mole Grade : > 97% (HPLC)</p> | <p>K0626 295796-57-5</p>  <p>Formula : C₂₇H₃₄O₂ M.W. : 390.56 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0627 295796-56-4</p>  <p>Formula : C₂₇H₃₆O₂ M.W. : 394.59 g/mole Grade : > 98% (HPLC)</p> | <p>K0678 325461-30-1</p>  <p>Formula : C₃₃H₄₈Br₂ M.W. : 604.54 g/mole Grade : > 98% (HPLC)</p> | <p>K0759 108714-73-4</p>  <p>Formula : C₁₅H₁₅N M.W. : 209.29 g/mole Grade : > 98% (HPLC)</p> | <p>K0760 </p>  <p>Formula : C₂₀H₁₈O M.W. : 274.36 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0761 </p>  <p>Formula : C₂₀H₁₇BrO M.W. : 353.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0866 1242570-65-5</p>  <p>Formula : C₂₉H₁₆Br₂ M.W. : 524.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0867 1467099-22-4</p>  <p>Formula : C₃₁H₂₀BrN M.W. : 486.4 g/mole Grade : > 98% (HPLC)</p> | <p>K0868 1175203-78-7</p>  <p>Formula : C₂₉H₁₇Br M.W. : 445.35 g/mole Grade : > 98% (HPLC)</p> |

Synthetic Intermediates and Reagents


Fluorenes / Fluoranthenes

K0871 | 1260496-44-3




Formula : $C_{53}H_{52}Br_4N_2$
M.W. : 1036.61 g/mole
Grade : > 97% (HPLC)

K0874 | 124570-65-5




Formula : $C_{37}H_{52}Br_2O_2$
M.W. : 688.62 g/mole
Grade : > 97% (HPLC)

K0895 | 865702-19-8




Formula : $C_{15}H_{12}Br_2$
M.W. : 352.06 g/mole
Grade : > 98% (HPLC)

K0904 | 1262758-37-1




Formula : $C_{41}H_{50}BrN$
M.W. : 636.75 g/mole
Grade : > 98% (HPLC)

K0907 |




Formula : $C_{27}H_{19}Br$
M.W. : 423.34 g/mole
Grade : > 98% (HPLC)

K0933 |




Formula : $C_{37}H_{21}Br$
M.W. : 545.47 g/mole
Grade : > 98% (HPLC)

K0934 | 1056884-35-5




Formula : $C_{19}H_{14}Br_2$
M.W. : 402.12 g/mole
Grade : > 98% (HPLC)

K0941 | 2041-19-2



Formula : $C_{13}H_7BrO$
M.W. : 259.1 g/mole
Grade : > 98% (HPLC)

K1063 | 1198395-24-2




Formula : $C_{27}H_{23}N$
M.W. : 361.48 g/mole
Grade : > 99%

K1065 | 4269-17-4




Formula : $C_{13}H_7BrO$
M.W. : 259.1 g/mole
Grade : > 98%

K1066 | 474918-32-6




Formula : $C_{25}H_{17}Br$
M.W. : 397.31 g/mole
Grade : > 99%

K1067 | 1268519-74-9




Formula : $C_{25}H_{19}N$
M.W. : 333.43 g/mole
Grade : > 99%

K1068 | 899422-06-1




Formula : $C_{25}H_{15}BrO$
M.W. : 411.29 g/mole
Grade : > 98%

K1069 | 500717-23-7




Formula : $C_{30}H_{27}N$
M.W. : 401.54 g/mole
Grade : > 99%

K1070 | 1196107-73-9



Formula : $C_{33}H_{15}BrO_2$
M.W. : 403.27 g/mole
Grade : > 98%

K1071 | 1361227-58-8




Formula : $C_{25}H_{15}Br$
M.W. : 395.29 g/mole
Grade : > 99%

K1072 | 67665-47-8




Formula : $C_{25}H_{14}Br_2$
M.W. : 474.19 g/mole
Grade : > 98%

K1073 | 319906-45-1




Formula : $C_{15}H_{12}BrI$
M.W. : 399.06 g/mole
Grade : > 98%

K1074 | 287493-15-6




Formula : $C_{17}H_{17}Br$
M.W. : 301.22 g/mole
Grade : > 99%

K1075 | 88223-35-2




Formula : $C_{21}H_{25}Br$
M.W. : 357.33 g/mole
Grade : > 99%

K1076 | 226070-05-9




Formula : $C_{25}H_{33}Br$
M.W. : 413.43 g/mole
Grade : > 98%

K1077 | 1257251-75-4




Formula : $C_{25}H_{17}Br$
M.W. : 397.31 g/mole
Grade : > 99%

K1078 | 58775-05-6



Formula : $C_{21}H_{26}$
M.W. : 278.43 g/mole
Grade : > 99%






















K1079 | 123348-27-6



Formula : $C_{13}H_8BrI$
M.W. : 371.01 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Fluorenes / Fluoranthenes

| | | | |
|--|--|---|---|
| <p>K1080 20302-14-1</p>  <p>Formula : C₂₅H₁₈ M.W. : 318.41 g/mole Grade : > 99%</p> | <p>K1081 942615-32-9</p>  <p>Formula : C₁₅H₁₃Br M.W. : 273.17 g/mole Grade : > 99%</p> | <p>K1082 713125-22-5</p>  <p>Formula : C₂₅H₁₇Br M.W. : 397.31 g/mole Grade : > 98%</p> | <p>K1083 355832-04-1</p>  <p>Formula : C₂₁H₁₉N M.W. : 285.38 g/mole Grade : > 99%</p> |
| <p>K1084 186259-63-2</p>  <p>Formula : C₂₅H₁₆Br₂ M.W. : 476.2 g/mole Grade : > 98%</p> | <p>K1085 1689-64-1</p>  <p>Formula : C₁₃H₁₀O M.W. : 182.22 g/mole Grade : > 99%</p> | <p>K1086 24324-17-2</p>  <p>Formula : C₁₄H₁₂O M.W. : 196.24 g/mole Grade : > 99%</p> | <p>K1087 1190360-23-6</p>  <p>Formula : C₁₅H₁₃Br M.W. : 273.17 g/mole Grade : > 99%</p> |
| <p>K1089 1268520-04-2</p>  <p>Formula : C₃₇H₂₇N M.W. : 485.62 g/mole Grade : > 99%</p> | <p>K1090 954137-48-5</p>  <p>Formula : C₁₉H₁₅Br M.W. : 323.23 g/mole Grade : > 99%</p> | <p>K1091 112486-09-6</p>  <p>Formula : C₁₉H₁₆ M.W. : 244.33 g/mole Grade : > 98%</p> | <p>K1092 1547491-70-2</p>  <p>Formula : C₂₅H₁₇Br M.W. : 397.31 g/mole Grade : > 99%</p> |
| <p>K1093 1086641-47-5</p>  <p>Formula : C₁₉H₁₃BrO M.W. : 337.21 g/mole Grade : > 98%</p> | <p>K1094 1246562-40-2</p>  <p>Formula : C₃₃H₂₆BrN M.W. : 516.47 g/mole Grade : > 99%</p> | <p>K1095 868549-06-8</p>  <p>Formula : C₂₆H₁₉Br M.W. : 411.33 g/mole Grade : > 99%</p> | <p>K1096 853234-57-8</p>  <p>Formula : C₂₀H₈Br₂O₂ M.W. : 440.08 g/mole Grade : > 97%</p> |
| <p>K1243 1198396-29-0</p>  <p>Formula : C₁₉H₁₃Br M.W. : 323.23 g/mole Grade :</p> | <p>K1293 264281-45-0</p>  <p>Formula : C₃₂H₂₆Br₂ M.W. : 860.97 g/mole Grade : > 98% (HPLC)</p> | <p>K1296 92638-81-8</p>  <p>Formula : C₂₅H₁₇N M.W. : 331.41 g/mole Grade : > 98%</p> | <p>K1301 173312-18-0</p>  <p>Formula : C₁₉H₂₁Br M.W. : 329.27 g/mole Grade : > 98% (HPLC)</p> |
| <p>K1302 188200-91-1</p>  <p>Formula : C₂₁H₂₄Br₂ M.W. : 436.22 g/mole Grade : > 98% (HPLC)</p> | | | |

Synthetic Intermediates and Reagents


Pyrenes / Triphenylenes / Chrysenes

K0031 | 1714-29-0




Formula : C₁₆H₉Br
M.W. : 281.15 g/mole
Grade : > 98% (HPLC)

K0034 | 27973-29-1




Formula : C₁₆H₈Br₂
M.W. : 360.04 g/mole
Grade : > 98% (HPLC)

K0119 | 38303-35-4



Formula : C₁₆H₈Br₂
M.W. : 360.04 g/mole
Grade : > 97% (HPLC)

K0128 | 78751-74-3




Formula : C₂₀H₁₇Br
M.W. : 337.25 g/mole
Grade : > 95% (HPLC)

K0365 | 129-00-0




Formula : C₁₆H₁₀
M.W. : 202.25 g/mole
Grade : > 98% (HPLC)

K0516 | 16391-62-1




Formula : C₃₂H₂₀
M.W. : 404.50 g/mole
Grade : > 97% (HPLC)

K0762 | 187086-32-4




Formula : C₃₂H₁₉Br
M.W. : 483.40 g/mole
Grade : > 97% (HPLC)

K0763 | 1538574-70-7




Formula : C₂₇H₁₉Br
M.W. : 423.34 g/mole
Grade : > 98% (HPLC)

K0764 |



Formula : C₂₈H₂₁BrO
M.W. : 453.37 g/mole
Grade : > 98% (HPLC)

K0765 | 131222-99-6




Formula : C₁₈H₁₀Br₂
M.W. : 386.08 g/mole
Grade : > 96% (HPLC)

K0818 | 217-59-4




Formula : C₁₈H₁₂
M.W. : 228.29 g/mole
Grade : > 98% (HPLC)

K0888 | 7499-60-7




Formula : C₂₀H₁₄O₃
M.W. : 302.32 g/mole
Grade : > 98% (HPLC)

K0889 | 3443-45-6




Formula : C₂₀H₁₆O₂
M.W. : 288.34 g/mole
Grade : > 98% (HPLC)

K0903 | 345924-29-0




Formula : C₂₂H₁₃Br
M.W. : 357.24 g/mole
Grade : > 98% (HPLC)

K1295 | 950903-67-0



Formula : C₆₄H₃₄Br₂
M.W. : 962.76 g/mole
Grade : > 95%

























K1345 |



Formula : C₂₄H₁₃ClO
M.W. : 352.81 g/mole
Grade : > 98%

























Synthetic Intermediates and Reagents

Carbazole Derivatives

| | | | |
|--|--|---|---|
| <p>K0068 57103-20-5</p>  <p>Formula : C₁₈H₁₁Br₂N M.W. : 401.09 g/mole Grade : > 98% (HPLC)</p> | <p>K0074 57103-13-6</p>  <p>Formula : C₂₂H₂₁N M.W. : 299.41 g/mole Grade : > 98% (HPLC)</p> | <p>K0075 741293-42-5</p>  <p>Formula : C₂₂H₁₉Br₂N M.W. : 457.20 g/mole Grade : > 98% (HPLC)</p> | <p>K0112 1256704-63-8</p>  <p>Formula : C₂₅H₁₃Br₂N M.W. : 507.34 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0113 955964-73-5</p>  <p>Formula : C₂₉H₁₇Br₂N M.W. : 563.45 g/mole Grade : > 98% (HPLC)</p> | <p>K0125 136630-39-2</p>  <p>Formula : C₁₂H₇Br₂N M.W. : 325.00 g/mole Grade : > 98% (HPLC)</p> | <p>K0152 57102-42-8</p>  <p>Formula : C₁₈H₁₂BrN M.W. : 322.20 g/mole Grade : > 98% (HPLC)</p> | <p>K0324 882066-02-6</p>  <p>Formula : C₁₈H₁₀Br₂N₂ M.W. : 414.09 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0325 1095570-49-2</p>  <p>Formula : C₅₀H₇₄Br₂N₂ M.W. : 862.94 g/mole Grade : > 97% (HPLC)</p> | <p>K0326 </p>  <p>Formula : C₃₀H₃₄Br₂N₂ M.W. : 582.41 g/mole Grade : > 98% (HPLC)</p> | <p>K0327 882066-04-8</p>  <p>Formula : C₃₄H₄₂Br₂N₂ M.W. : 638.52 g/mole Grade : > 97% (HPLC)</p> | <p>K0328 951307-27-0</p>  <p>Formula : C₃₄H₄₂Br₂N₂ M.W. : 638.52 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0378 173063-52-0</p>  <p>Formula : C₂₀H₂₃Br₂N M.W. : 437.21 g/mole Grade : > 98% (HPLC)</p> | <p>K0433 111296-90-3</p>  <p>Formula : C₁₈H₁₂N₂ M.W. : 256.30 g/mole Grade : > 98% (HPLC)</p> | <p>K0449 60511-85-5</p>  <p>Formula : C₁₈H₁₂N₂ M.W. : 256.30 g/mole Grade : > 98% (HPLC)</p> | <p>K0480 </p>  <p>Formula : C₂₆H₁₈BrN M.W. : 424.33 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0499 185112-61-2</p>  <p>Formula : C₁₈H₁₂BrN M.W. : 322.20 g/mole Grade : > 98% (HPLC)</p> | <p>K0510 1296229-23-6</p>  <p>Formula : C₃₀H₁₉BrN₂ M.W. : 487.39 g/mole Grade : > 98% (HPLC)</p> | <p>K0565 109005-10-9</p>  <p>Formula : C₂₄H₁₅N₃ M.W. : 345.41 g/mole Grade : > 98% (HPLC)</p> | <p>K0576 18628-07-4</p>  <p>Formula : C₂₄H₁₆N₂ M.W. : 332.41 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0577 6825-20-3</p>  <p>Formula : C₁₂H₇Br₂N M.W. : 325.0 g/mole Grade : > 98% (HPLC)</p> | <p>K0578 5599-50-8</p>  <p>Formula : C₁₄H₁₃N M.W. : 195.26 g/mole Grade : > 98% (HPLC)</p> | <p>K0579 56525-79-2</p>  <p>Formula : C₂₄H₁₇N M.W. : 319.41 g/mole Grade : > 98% (HPLC)</p> | <p>K0583 37500-95-1</p>  <p>Formula : C₂₀H₂₅N M.W. : 279.42 g/mole Grade : > 98% (HPLC)</p> |

























Synthetic Intermediates and Reagents

Carbazole Derivatives

| | | | |
|---|---|---|--|
| <p>K0591 57103-02-3</p>  <p>Formula : C₁₂H₇I₂N M.W. : 419.0 g/mole Grade : > 98% (HPLC)</p> | <p>K0592 952308-18-8</p>  <p>Formula : C₁₈H₁₀I₃N M.W. : 620.99 g/mole Grade : > 98% (HPLC)</p> | <p>K0593 551951-04-3</p>  <p>Formula : C₅₂H₅₅N₃ M.W. : 722.01 g/mole Grade : > 97% (HPLC)</p> | <p>K0600 </p>  <p>Formula : C₁₇H₁₇NO M.W. : 251.32 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0601 </p>  <p>Formula : C₂₉H₂₄N₂O M.W. : 416.51 g/mole Grade : > 98% (HPLC)</p> | <p>K0611 1153-85-1</p>  <p>Formula : C₁₈H₁₂BrN M.W. : 322.21 g/mole Grade : > 98% (HPLC)</p> | <p>K0618 728045-10-1</p>  <p>Formula : C₃₇H₂₄N₂O M.W. : 512.6 g/mole Grade : > 98% (HPLC)</p> | <p>K0619 597570-65-5</p>  <p>Formula : C₃₈H₂₄N₂O₂ M.W. : 540.61 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0676 1268491-06-0</p>  <p>Formula : C₂₉H₄₁Br₂N M.W. : 563.45 g/mole Grade : > 98% (HPLC)</p> | <p>K0749 444796-09-2</p>  <p>Formula : C₁₈H₁₁Br₂N M.W. : 401.09 g/mole Grade : > 98% (HPLC)</p> | <p>K0766 111296-91-4</p>  <p>Formula : C₁₈H₁₂N₂ M.W. : 256.30 g/mole Grade : > 98% (HPLC)</p> | <p>K0824 3652-90-2</p>  <p>Formula : C₁₂H₈BrN M.W. : 246.11 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0829 1257220-47-5</p>  <p>Formula : C₂₁H₁₇N M.W. : 283.37 g/mole Grade : > 98% (HPLC)</p> | <p>K0838 150623-72-6</p>  <p>Formula : C₁₈H₁₀Br₃N M.W. : 409.16 g/mole Grade : > 98% (HPLC)</p> | <p>K0850 750573-26-3</p>  <p>Formula : C₁₈H₁₁Br₂N M.W. : 401.09 g/mole Grade : > 96% (HPLC)</p> | <p>K0851 1374147-31-5</p>  <p>Formula : C₁₇H₁₁BrN₂ M.W. : 323.19 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0871 1260496-44-3</p>  <p>Formula : C₅₃H₅₂Br₄N₂ M.W. : 1036.61 g/mole Grade : > 98% (HPLC)</p> | <p>K0896 1592-95-6</p>  <p>Formula : C₁₂H₈BrN M.W. : 246.11 g/mole Grade : > 98% (HPLC)</p> | <p>K0897 502161-03-7</p>  <p>Formula : C₁₈H₁₂IN M.W. : 369.21 g/mole Grade : > 98% (HPLC)</p> | <p>K0906 1024598-06-8</p>  <p>Formula : C₂₄H₁₆N₂ M.W. : 332.41 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0908 57103-01-2</p>  <p>Formula : C₁₄H₁₃NO₂ M.W. : 227.26 g/mole Grade : > 98% (HPLC)</p> | <p>K0922 1338919-70-2</p>  <p>Formula : C₁₈H₁₁NO M.W. : 257.29 g/mole Grade : > 98% (HPLC)</p> | <p>K0936 1445416-81-8</p>  <p>Formula : C₂₅H₁₆N₂S M.W. : 376.47 g/mole Grade : > 98% (HPLC)</p> | <p>K0949 1448296-00-1</p>  <p>Formula : C₂₄H₁₆N₂ M.W. : 332.41 g/mole Grade : > 98% (HPLC)</p> |

























Synthetic Intermediates and Reagents

Carbazole Derivatives

| | | | |
|---|---|---|--|
| <p>K0956 142116-85-6</p>  <p>Formula : C₂₀H₁₅NO M.W. : 285.34 g/mole Grade : > 98% (HPLC)</p> | <p>K0961 606129-90-2</p>  <p>Formula : C₃₆H₂₃N₃ M.W. : 497.59 g/mole Grade : > 98% (HPLC)</p> | <p>K0985 608527-58-8</p>  <p>Formula : C₃₆H₂₇N₃ M.W. : 501.62 g/mole Grade : > 98% (HPLC)</p> | <p>K0986 1122650-90-1</p>  <p>Formula : C₂₆H₂₀IN M.W. : 473.35 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0987 1329054-41-2</p>  <p>Formula : C₂₁H₁₇N M.W. : 283.37 g/mole Grade : > 98% (HPLC)</p> | <p>K0988 </p>  <p>Formula : C₂₄H₁₅F₂N M.W. : 355.38 g/mole Grade : > 98% (HPLC)</p> | <p>K0991 1685275-19-7</p>  <p>Formula : C₂₈H₁₉N₃O M.W. : 413.47 g/mole Grade : > 98% (HPLC)</p> | <p>K0992 1446911-64-3</p>  <p>Formula : C₁₇H₁₂N₂ M.W. : 244.29 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0993 </p>  <p>Formula : C₂₄H₁₅F₂N M.W. : 355.38 g/mole Grade : > 98% (HPLC)</p> | <p>K0994 </p>  <p>Formula : C₂₄H₁₅F₂N M.W. : 355.38 g/mole Grade : > 98% (HPLC)</p> | <p>K1003 16807-11-7</p>  <p>Formula : C₁₂H₈BrN M.W. : 246.1 g/mole Grade : > 98% (HPLC)</p> | <p>K1004 10537-08-3</p>  <p>Formula : C₁₂H₈ClN M.W. : 201.65 g/mole Grade : > 99% (HPLC)</p> |
| <p>K1005 86-79-3</p>  <p>Formula : C₁₂H₉NO M.W. : 183.21 g/mole Grade : > 98% (HPLC)</p> | <p>K1006 3652-89-9</p>  <p>Formula : C₁₂H₈BrN M.W. : 246.11 g/mole Grade : > 98% (HPLC)</p> | <p>K1007 1028647-93-9</p>  <p>Formula : C₂₄H₁₆BrN M.W. : 398.29 g/mole Grade : > 99.5% (HPLC)</p> | <p>K1008 1698-16-4</p>  <p>Formula : C₁₆H₁₀BrN M.W. : 296.16 g/mole Grade : > 99% (HPLC)</p> |
| <p>K1009 244-76-8</p>  <p>Formula : C₁₁H₉N₂ M.W. : 168.19 g/mole Grade : > 99% (HPLC)</p> | <p>K1010 6336-32-9</p>  <p>Formula : C₁₈H₁₂N₂ M.W. : 256.31 g/mole Grade : > 98% (HPLC)</p> | <p>K1012 902518-11-0</p>  <p>Formula : C₁₈H₁₂BrN M.W. : 322.21 g/mole Grade : > 98% (HPLC)</p> | <p>K1013 1807910-53-7</p>  <p>Formula : C₃₂H₂₀BrN M.W. : 498.41 g/mole Grade : > 98% (HPLC)</p> |
| <p>K1014 1984-49-2</p>  <p>Formula : C₂₄H₁₆N₂ M.W. : 332.41 g/mole Grade : > 98% (HPLC)</p> | <p>K1015 212385-73-4</p>  <p>Formula : C₂₄H₁₆BrN M.W. : 398.29 g/mole Grade : > 98% (HPLC)</p> | <p>K1016 </p>  <p>Formula : C₃₀H₂₁N M.W. : 395.49 g/mole Grade : > 98% (HPLC)</p> | <p>K1017 194-59-2</p>  <p>Formula : C₂₀H₁₃N M.W. : 267.32 g/mole Grade : > 99%</p> |

Synthetic Intermediates and Reagents

Carbazole Derivatives

| | | | |
|---|---|---|---|
| <p>K1018 88590-00-5</p>  <p>Formula : C₁₈H₁₃N M.W. : 243.31 g/mole Grade : > 99%</p> | <p>K1019 131409-18-2</p>  <p>Formula : C₁₆H₁₀BrN M.W. : 296.16 g/mole Grade : > 99%</p> | <p>K1020 127271-60-7</p>  <p>Formula : C₂₀H₂₄BrN M.W. : 358.32 g/mole Grade : > 98%</p> | <p>K1021 205-25-4</p>  <p>Formula : C₁₆H₁₁N M.W. : 217.27 g/mole Grade : > 99%</p> |
| <p>K1022 6933-49-9</p>  <p>Formula : C₁₃H₁₁NO M.W. : 197.23 g/mole Grade : > 98%</p> | <p>K1023 1221237-87-1</p>  <p>Formula : C₂₄H₁₇N M.W. : 319.41 g/mole Grade : > 99%</p> | <p>K1024 1393835-87-4</p>  <p>Formula : C₂₄H₁₆BrN M.W. : 398.29 g/mole Grade : > 99%</p> | <p>K1025 1226860-66-7</p>  <p>Formula : C₁₈H₁₁Br₂N M.W. : 401.09 g/mole Grade : > 99%</p> |
| <p>K1026 1365118-41-7</p>  <p>Formula : C₂₄H₁₆BrN M.W. : 398.29 g/mole Grade : > 99%</p> | <p>K1027 1028648-25-0</p>  <p>Formula : C₃₀H₂₀BrN M.W. : 474.39 g/mole Grade : > 98%</p> | <p>K1028 103012-26-6</p>  <p>Formula : C₁₈H₁₃N M.W. : 243.31 g/mole Grade : > 98%</p> | <p>K1030 882883-55-8</p>  <p>Formula : C₁₄H₁₁Br₂N M.W. : 353.05 g/mole Grade : > 99%</p> |
| <p>K1031 200878-50-8</p>  <p>Formula : C₁₃H₁₀BrNO M.W. : 276.13 g/mole Grade : > 98%</p> | <p>K1032 61822-18-2</p>  <p>Formula : C₁₄H₁₃NO₂ M.W. : 227.26 g/mole Grade : > 98%</p> | <p>K1033 746651-52-5</p>  <p>Formula : C₁₅H₁₃Br₂NO M.W. : 431.12 g/mole Grade : > 98%</p> | <p>K1034 917773-26-3</p>  <p>Formula : C₂₆H₂₇Br₂NO M.W. : 529.31 g/mole Grade : > 98%</p> |
| <p>K1035 946491-48-1</p>  <p>Formula : C₂₆H₂₇Br₂NO M.W. : 529.31 g/mole Grade : > 96%</p> | <p>K1036 865163-47-9</p>  <p>Formula : C₃₀H₃₅Br₂NO M.W. : 585.41 g/mole Grade : > 98%</p> | <p>K1037 84359-61-5</p>  <p>Formula : C₁₅H₁₄BrN M.W. : 288.18 g/mole Grade : > 98%</p> | <p>K1038 10420-20-9</p>  <p>Formula : C₁₆H₁₆BrN M.W. : 302.21 g/mole Grade : > 98%</p> |
| <p>K1039 94847-10-6</p>  <p>Formula : C₁₈H₂₀BrN M.W. : 330.26 g/mole Grade : > 98%</p> | <p>K1040 1609267-04-0</p>  <p>Formula : C₂₄H₁₆BrN M.W. : 398.29 g/mole Grade : > 98%</p> | <p>K1041 601454-33-5</p>  <p>Formula : C₂₆H₂₈BrN M.W. : 434.41 g/mole Grade : > 98%</p> | <p>K1042 1226810-15-6</p>  <p>Formula : C₂₄H₁₆N₂ M.W. : 332.4 g/mole Grade : > 98%</p> |

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

























Head Office: 31F-5, No. 99, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22175, Taiwan. TEL: +886-2-2697-5600, FAX: +886-2-2697-5601.

Factory: 2F, No. 17, R&D Road II, Science-Based Industrial Park, Hsin-Chu 30076, Taiwan. TEL: +886-3-666-3188, FAX: +886-3-666-9288.


Email: sales@lumtec.com.tw, Web: www.lumtec.com.tw

Synthetic Intermediates and Reagents

Carbazole Derivatives


| | | | |
|---|--|--|---|
| <p>K1043 1922121-94-5</p>  <p>Formula : C₂₄H₁₅NS M.W. : 349.45 g/mole Grade : > 98%</p> | <p>K1044 1922121-95-6</p>  <p>Formula : C₂₄H₁₅NO M.W. : 333.38 g/mole Grade : > 98% (HPLC)</p> | <p>K1045 1428551-28-3</p>  <p>Formula : C₂₄H₁₆BrN M.W. : 398.29 g/mole Grade : > 99%</p> | <p>K1046 1616607-88-5</p>  <p>Formula : C₂₄H₁₆BrN M.W. : 398.29 g/mole Grade : > 98%</p> |
| <p>K1047 339576-55-5</p>  <p>Formula : C₁₉H₁₄BrN M.W. : 336.23 g/mole Grade : > 98%</p> | <p>K1048 1384281-49-5</p>  <p>Formula : C₁₉H₁₃Br₂N M.W. : 415.12 g/mole Grade : > 98%</p> | <p>K1049 1345021-52-4</p>  <p>Formula : C₂₄H₁₅Br₂N M.W. : 477.19 g/mole Grade : > 98%</p> | <p>K1050 1401863-51-1</p>  <p>Formula : C₁₉H₁₄BrN M.W. : 336.23 g/mole Grade : > 98%</p> |
| <p>K1051 1255308-97-4</p>  <p>Formula : C₁₈H₁₁NS M.W. : 273.35 g/mole Grade : > 98%</p> | <p>K1052 86-28-2</p>  <p>Formula : C₁₄H₁₃N M.W. : 195.26 g/mole Grade : > 99%</p> | <p>K1053 31438-22-9</p>  <p>Formula : C₁₂H₈N₂O₂ M.W. : 212.2 g/mole Grade : > 98%</p> | <p>K1054 94994-62-4</p>  <p>Formula : C₁₈H₁₂BrN M.W. : 322.2 g/mole Grade : > 99%</p> |
| <p>K1056 894791-46-9</p>  <p>Formula : C₂₄H₁₆BrN M.W. : 398.29 g/mole Grade : > 99%</p> | <p>K1057 1160294-85-8</p>  <p>Formula : C₂₄H₁₆BrN M.W. : 398.29 g/mole Grade : > 99%</p> | <p>K1058 1060735-14-9</p>  <p>Formula : C₃₀H₂₀N₂ M.W. : 408.49 g/mole Grade : > 98%</p> | <p>K1059 1313395-18-4</p>  <p>Formula : C₂₂H₁₃NS M.W. : 323.41 g/mole Grade : > 99%</p> |
| <p>K1060 1174032-81-5</p>  <p>Formula : C₁₈H₁₀BrN M.W. : 320.18 g/mole Grade : > 99%</p> | <p>K1061 654676-12-7</p>  <p>Formula : C₁₈H₁₃Br₂N M.W. : 409.16 g/mole Grade : > 99%</p> | <p>K1062 1884420-79-4</p>  <p>Formula : C₃₀H₂₇Br₂N M.W. : 561.35 g/mole Grade : > 99%</p> | <p>K1306 1346571-68-3</p>  <p>Formula : C₂₄H₁₆N₂ M.W. : 332.4 g/mole Grade : > 98% (HPLC)</p> |
| <p>K1307 6558-85-6</p>  <p>Formula : C₁₆H₁₇N M.W. : 223.31 g/mole Grade : > 98% (HPLC)</p> | <p>K1308 </p>  <p>Formula : C₂₂H₂₀N₂ M.W. : 312.41 g/mole Grade : > 98% (HPLC)</p> | <p>K1309 </p>  <p>Formula : C₂₈H₂₄N₂ M.W. : 388.5 g/mole Grade : > 98% (HPLC)</p> | <p>K1326 750573-24-1</p>  <p>Formula : C₃₀H₁₉BrN₂ M.W. : 487.39 g/mole Grade : > 98%</p> |

K1340 | 1247053-55-9



















































Formula : C₂₄H₁₆N₂
M.W. : 332.41 g/mole
Grade : > 98%

























K1344 | 1316311-27-9



























Formula : C₂₄H₁₆N₂
M.W. : 332.4 g/mole
Grade : > 98%

| | | | |
|---|--|---|--|
| <p>K0026 866117-17-1</p>  <p>Formula : C₁₁H₈N₆ M.W. : 224.22 g/mole Grade : > 98% (HPLC)</p> | <p>K0052 5394-23-0</p>  <p>Formula : C₁₂H₆Cl₂N₂ M.W. : 249.10 g/mole Grade : > 97% (HPLC)</p> | <p>K0085 1134-35-6</p>  <p>Formula : C₁₂H₁₂N₂ M.W. : 184.24 g/mole Grade : > 98% (HPLC)</p> | <p>K0141 6813-38-3</p>  <p>Formula : C₁₂H₈N₂O₄ M.W. : 244.20 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0153 16567-18-3</p>  <p>Formula : C₉H₆BrN M.W. : 208.05 g/mole Grade : > 95% (HPLC)</p> | <p>K0218 1159905-88-0</p>  <p>Formula : C₂₀H₂₇Br₂NO₂ M.W. : 473.24 g/mole Grade : > 97% (HPLC)</p> | <p>K0267 148231-14-5</p>  <p>Formula : C₁₂H₁₂Br₂N₂ M.W. : 344.05 g/mole Grade : > 98% (HPLC)</p> | <p>K0310 </p>  <p>Formula : C₁₄H₁₅Br₂NO₂ M.W. : 389.08 g/mole Grade : > 97% (HPLC)</p> |
| <p>K0331 221241-11-8</p>  <p>Formula : C₅H₅Br₂N₃ M.W. : 266.92 g/mole Grade : > 98% (HPLC)</p> | <p>K0333 1236490-06-4</p>  <p>Formula : C₂₈H₂₄Br₂N₂ M.W. : 568.47 g/mole Grade : > 98% (HPLC)</p> | <p>K0340 19493-44-8</p>  <p>Formula : C₉H₆ClN M.W. : 163.60 g/mole Grade : > 98% (HPLC)</p> | <p>K0346 612-62-4</p>  <p>Formula : C₉H₆ClN M.W. : 163.60 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0349 54-96-6</p>  <p>Formula : C₅H₇N₃ M.W. : 109.13 g/mole Grade : > 97%</p> | <p>K0386 </p>  <p>Formula : C₁₈H₁₆ClN M.W. : 281.78 g/mole Grade : > 98% (HPLC)</p> | <p>K0387 1810-71-5</p>  <p>Formula : C₉H₆BrClN M.W. : 242.50 g/mole Grade : > 98% (HPLC)</p> | <p>K0392 3922-40-5</p>  <p>Formula : C₁₂H₈N₂O₂ M.W. : 212.20 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0430 1700-02-3</p>  <p>Formula : C₉H₅Cl₂N₃ M.W. : 226.06 g/mole Grade : > 98% (HPLC)</p> | <p>K0439 3842-55-5</p>  <p>Formula : C₁₅H₁₀ClN₃ M.W. : 267.71 g/mole Grade : > 98% (HPLC)</p> | <p>K0441 2620-76-0</p>  <p>Formula : C₁₉H₁₃BrN₂ M.W. : 349.22 g/mole Grade : > 98% (HPLC)</p> | <p>K0446 1229012-68-3</p>  <p>Formula : C₂₄H₁₄Cl₂N₂ M.W. : 401.29 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0452 1147081-44-4</p>  <p>Formula : C₂₈H₁₉BrN₂ M.W. : 463.37 g/mole Grade : > 98% (HPLC)</p> | <p>K0455 1030380-50-7</p>  <p>Formula : C₁₇H₁₀Cl₄N₂ M.W. : 384.09 g/mole Grade : > 96% (HPLC)</p> | <p>K0477 1314801-35-8</p>  <p>Formula : C₂₂H₃₄Br₂N₂O₃ M.W. : 534.32 g/mole Grade : > 98% (HPLC)</p> | <p>K0490 30363-03-2</p>  <p>Formula : C₂₁H₁₂Br₃N₃ M.W. : 546.05 g/mole Grade : > 98% (HPLC)</p> |

| | | | |
|---|---|---|--|
| <p>K0529 1147081-43-3</p>  <p>Formula : C₂₇H₁₇BrN₂ M.W. : 449.34 g/mole Grade : > 98% (HPLC)</p> | <p>K0530 1147081-45-5</p>  <p>Formula : C₂₈H₁₉BrN₂O M.W. : 479.37 g/mole Grade : > 98% (HPLC)</p> | <p>K0567 81167-60-4</p>  <p>Formula : C₉H₁₂ClN M.W. : 169.65 g/mole Grade : > 98% (HPLC)</p> | <p>K0571 1424369-37-8</p>  <p>Formula : C₁₁H₆ClNO M.W. : 203.62 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0584 38922-71-3</p>  <p>Formula : C₁₇H₁₂N₂ M.W. : 244.29 g/mole Grade : > 98% (HPLC)</p> | <p>K0603 760212-58-6</p>  <p>Formula : C₁₉H₁₃BrN₂ M.W. : 349.22 g/mole Grade : > 98% (HPLC)</p> | <p>K0605 86-76-0</p>  <p>Formula : C₁₂H₇BrO M.W. : 247.09 g/mole Grade : > 97% (HPLC)</p> | <p>K0606 10016-52-1</p>  <p>Formula : C₁₂H₆Br₂O M.W. : 325.98 g/mole Grade : > 97% (HPLC)</p> |
| <p>K0638 1265637-81-7</p>  <p>Formula : C₄₆H₇₀Br₂N₂O₂S₄ M.W. : 874.87 g/mole Grade : > 98% (NMR)</p> | <p>K0639 1329114-94-4</p>  <p>Formula : C₅₄H₈₆Br₂N₂O₂S₄ M.W. : 987.08 g/mole Grade : > 98% (NMR)</p> | <p>K0645 498572-73-9</p>  <p>Formula : C₃₆H₄₄Br₂N₂O₂ M.W. : 696.55 g/mole Grade : > 98% (HPLC)</p> | <p>K0680 2677220-47-3</p>  <p>Formula : C₁₀H₄O₄ M.W. : 188.14 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0767 10202-45-6</p>  <p>Formula : C₁₅H₉Cl₂N₃ M.W. : 302.16 g/mole Grade : > 98% (HPLC)</p> | <p>K0768 29176-55-4</p>  <p>Formula : C₁₂H₆Cl₂N₂ M.W. : 249.10 g/mole Grade : > 97% (HPLC)</p> | <p>K0769 7089-68-1</p>  <p>Formula : C₁₂H₇ClN₂ M.W. : 214.65 g/mole Grade : > 97% (HPLC)</p> | <p>K0770 15862-19-8</p>  <p>Formula : C₁₀H₇BrN₂ M.W. : 235.08 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0771 10495-73-5</p>  <p>Formula : C₁₀H₇BrN₂ M.W. : 235.08 g/mole Grade : > 98% (HPLC)</p> | <p>K0772 774-53-8</p>  <p>Formula : C₁₀H₇BrN₂ M.W. : 235.08 g/mole Grade : > 98% (HPLC)</p> | <p>K0816 1224430-28-7</p>  <p>Formula : C₆₂H₁₀₂Br₂N₂O₂S₂ M.W. : 1131.42 g/mole Grade : > 98% (NMR)</p> | <p>K0817 1084334-28-0</p>  <p>Formula : C₁₈H₁₁BrS M.W. : 339.25 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0833 66318-88-5</p>  <p>Formula : C₁₅H₁₁N M.W. : 205.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0841 1309387-42-5</p>  <p>Formula : C₄₆H₅₃BrN₂O₄ M.W. : 777.83 g/mole Grade : > 96% (NMR)</p> | <p>K0843 6528-85-4</p>  <p>Formula : C₁₄H₁₂N₂O M.W. : 224.26 g/mole Grade : > 98% (HPLC)</p> | <p>K0848 1266389-17-6</p>  <p>Formula : C₂₇H₁₇BrN₄ M.W. : 477.35 g/mole Grade : > 97% (HPLC)</p> |

























| | | | |
|--|---|--|---|
| <p>K0849 1097652-86-2</p>  <p>Formula : C₂₂H₁₂Cl₄N₂ M.W. : 446.16 g/mole Grade : > 95% (HPLC)</p> | <p>K0851 1374147-31-5</p>  <p>Formula : C₁₇H₁₁BrN₂ M.W. : 323.19 g/mole Grade : > 98% (HPLC)</p> | <p>K0854 2255-80-3</p>  <p>Formula : C₇H₅BrN₂S M.W. : 229.1 g/mole Grade : > 98% (HPLC)</p> | <p>K0855 1457-92-7</p>  <p>Formula : C₇H₆N₂S M.W. : 150.2 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0860 1424369-37-8</p>  <p>Formula : C₁₁H₆ClNO M.W. : 203.62 g/mole Grade : > 96% (HPLC)</p> | <p>K0861 73025-93-1</p>  <p>Formula : C₁₈H₂₁NS M.W. : 283.43 g/mole Grade : > 98% (HPLC)</p> | <p>K0862 1821646-85-6</p>  <p>Formula : C₁₅H₉BrN₂ M.W. : 297.15 g/mole Grade : > 98% (HPLC)</p> | <p>K0863 37694-95-4</p>  <p>Formula : C₁₅H₁₀N₂ M.W. : 218.25 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0864 946147-12-2</p>  <p>Formula : C₁₆H₁₂N₂ M.W. : 232.28 g/mole Grade : > 98% (HPLC)</p> | <p>K0865 132141-40-3</p>  <p>Formula : C₂₁H₁₄N₂ M.W. : 294.35 g/mole Grade : > 98% (HPLC)</p> | <p>K0869 2081424-25-8</p>  <p>Formula : C₂₀H₁₃Br₂N₃ M.W. : 455.15 g/mole Grade : > 98% (HPLC)</p> | <p>K0876 1492917-86-8</p>  <p>Formula : C₁₆H₁₁BrN₂ M.W. : 311.18 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0878 114415-25-7</p>  <p>Formula : C₁₂H₁₁NO₄ M.W. : 233.22 g/mole Grade : > 98% (HPLC)</p> | <p>K0880 864377-31-1</p>  <p>Formula : C₂₁H₁₄BrN₃ M.W. : 388.26 g/mole Grade : > 98% (HPLC)</p> | <p>K0891 58536-46-2</p>  <p>Formula : C₂₂H₁₅BrN₂ M.W. : 387.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0892 864377-28-6</p>  <p>Formula : C₂₂H₁₅BrN₂ M.W. : 387.27 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0911 20077-15-0</p>  <p>Formula : C₁₃H₇BrO₃S M.W. : 323.16 g/mole Grade : > 98% (HPLC)</p> | <p>K0912 1429119-69-6</p>  <p>Formula : C₄₈H₇₄Br₂N₂O₂S₂ M.W. : 935.05 g/mole Grade : > 98% (NMR)</p> | <p>K0915 1671-85-8</p>  <p>Formula : C₁₂H₉N₅ M.W. : 223.23 g/mole Grade : > 98% (HPLC)</p> | <p>K0917 29874-83-7</p>  <p>Formula : C₁₄H₉ClN₂ M.W. : 240.69 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0918 103028-31-5</p>  <p>Formula : C₁₀H₈BrNO M.W. : 238.08 g/mole Grade : > 98% (HPLC)</p> | <p>K0921 19654-19-4</p>  <p>Formula : C₁₃H₈BrNS M.W. : 290.18 g/mole Grade : > 98% (HPLC)</p> | <p>K0923 65662-88-6</p>  <p>Formula : C₁₂H₉BrS M.W. : 265.173 g/mole Grade : > 98% (HPLC)</p> | <p>K0924 23038-36-0</p>  <p>Formula : C₁₂H₇BrO₂S M.W. : 297.17 g/mole Grade : > 98% (HPLC)</p> |

| | | | |
|---|--|---|--|
| <p>K0925 53846-85-8</p>  <p>Formula : C₁₂H₇BrO₂S M.W. : 295.15 g/mole Grade : > 98% (HPLC)</p> | <p>K0936 1445416-81-8</p>  <p>Formula : C₂₅H₁₆N₂S M.W. : 376.47 g/mole Grade : > 98% (HPLC)</p> | <p>K0937 1353724-76-1</p>  <p>Formula : C₃₄H₄₆Br₂N₂O₂S₂ M.W. : 738.68 g/mole Grade : > 97% (NMR)</p> | <p>K0938 23449-08-3</p>  <p>Formula : C₂₁H₁₄BrN₃ M.W. : 388.26 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0939 </p>  <p>Formula : C₂₁H₁₉NS M.W. : 317.45 g/mole Grade : > 98% (HPLC)</p> | <p>K0950 909036-46-0</p>  <p>Formula : C₅H₄ClIN₂ M.W. : 254.46 g/mole Grade : > 98% (HPLC)</p> | <p>K0951 1235872-86-2</p>  <p>Formula : C₁₁H₅BrClNS M.W. : 298.59 g/mole Grade : > 98% (HPLC)</p> | <p>K0955 83817-44-1</p>  <p>Formula : C₁₄H₉BrN₃O M.W. : 301.14 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0957 1429119-68-5</p>  <p>Formula : C₄₈H₇₆N₂O₂S₂ M.W. : 777.26 g/mole Grade : > 97% (NMR)</p> | <p>K0975 890148-78-4</p>  <p>Formula : C₂₁H₁₂Br₃N₃ M.W. : 546.05 g/mole Grade : > 98% (HPLC)</p> | <p>K0989 861025-77-6</p>  <p>Formula : C₁₇H₁₂N₂O₂ M.W. : 276.29 g/mole Grade : > 98% (HPLC)</p> | <p>K0990 92545-83-0</p>  <p>Formula : C₁₁H₈BrNO M.W. : 250.09 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0998 182918-13-4</p>  <p>Formula : C₂₇H₁₈ClN₃ M.W. : 419.91 g/mole Grade : > 98% (HPLC)</p> | <p>K1001 1621089-66-4</p>  <p>Formula : C₇H₆IN₂O₂ M.W. : 291.05 g/mole Grade : > 98% (HPLC)</p> | <p>K1002 120491-90-9</p>  <p>Formula : C₁₁H₁₂INO₄ M.W. : 349.12 g/mole Grade : > 98% (HPLC)</p> | <p>K1147 5408-56-0</p>  <p>Formula : C₁₂H₇IO M.W. : 294.09 g/mole Grade : > 99%</p> |
| <p>K1148 5943-11--3</p>  <p>Formula : C₁₂H₈I₂O M.W. : 419.98 g/mole Grade : > 99%</p> | <p>K1149 607-68-1</p>  <p>Formula : C₈H₄Cl₂N₂ M.W. : 199.04 g/mole Grade : > 99%</p> | <p>K1150 201138-91-2</p>  <p>Formula : C₁₂H₈Br₂O M.W. : 325.98 g/mole Grade : > 99%</p> | <p>K1151 77989-15-2</p>  <p>Formula : C₂₁H₁₄BrN₃ M.W. : 388.26 g/mole Grade : > 98%</p> |
| <p>K1152 419557-33-8</p>  <p>Formula : C₁₃H₉BrN₂ M.W. : 273.13 g/mole Grade : > 99%</p> | <p>K1153 1627917-16-1</p>  <p>Formula : C₁₆H₉BrO M.W. : 297.15 g/mole Grade : > 99%</p> | <p>K1154 1202564-31-5</p>  <p>Formula : C₁₆H₉ClN₂ M.W. : 264.71 g/mole Grade : > 99%</p> | <p>K1155 1677677-90-5</p>  <p>Formula : C₂₂H₁₃ClN₂ M.W. : 340.81 g/mole Grade : > 99%</p> |


| | | | |
|---|---|---|---|
| <p>K1157 5471-63-6</p> <p>Formula : C₂₀H₁₄O M.W. : 270.32 g/mole Grade : > 99%</p> | <p>K1158 1956340-64-9</p> <p>Formula : C₃₄H₂₃BrN₂ M.W. : 539.46 g/mole Grade : > 99%</p> | <p>K1159 34658-66-7</p> <p>Formula : C₁₃H₉BrN₂ M.W. : 273.13 g/mole Grade : > 99%</p> | <p>K1160 760212-40-6</p> <p>Formula : C₁₉H₁₃BrN₂ M.W. : 349.22 g/mole Grade : > 99%</p> |
| <p>K1161 63996-36-1</p> <p>Formula : C₁₁H₈BrN M.W. : 234.09 g/mole Grade : > 99%</p> | <p>K1162 4295-12-9</p> <p>Formula : C₁₀H₈ClN M.W. : 177.63 g/mole Grade : > 99%</p> | <p>K1163 1319720-64-3</p> <p>Formula : C₂₁H₁₈BrN M.W. : 364.28 g/mole Grade : > 99%</p> | <p>K1164 27012-25-5</p> <p>Formula : C₁₁H₈BrN M.W. : 234.09 g/mole Grade : > 99%</p> |
| <p>K1244 112642-69-0</p> <p>Formula : C₁₄H₂₁N₃ M.W. : 231.34 g/mole Grade : > 98%</p> | <p>K1245 890704-00-4</p> <p>Formula : C₁₂H₁₆BrN₃ M.W. : 282.18 g/mole Grade : > 98%</p> | <p>K1246 960509-83-5</p> <p>Formula : C₁₄H₁₉Br₂N₃ M.W. : 389.13 g/mole Grade : > 98% (HPLC)</p> | <p>K1247 890704-02-6</p> <p>Formula : C₁₂H₁₄Br₂N₃ M.W. : 439.97 g/mole Grade : > 98%</p> |
| <p>K1248 1254062-41-3</p> <p>Formula : C₂₂H₂₃Br₂N₃S₂ M.W. : 553.38 g/mole Grade : > 98% (HPLC)</p> | <p>K1249 1198843-27-4</p> <p>Formula : C₂₀H₁₃Br₂N₃ M.W. : 455.15 g/mole Grade : > 98%</p> | <p>K1252 1147124-23-9</p> <p>Formula : C₃₂H₄₀Br₂N₂O₂ M.W. : 644.48 g/mole Grade : > 98% (HPLC)</p> | <p>K1253 1263379-85-6</p> <p>Formula : C₅₆H₈₈Br₂N₂O₂ M.W. : 981.12 g/mole Grade : > 98% (HPLC)</p> |
| <p>K1254 623558-68-9</p> <p>Formula : C₈H₇N₃OS M.W. : 193.23 g/mole Grade : > 98%</p> | <p>K1255 1040390-19-9</p> <p>Formula : C₈Br₂N₂S₂ M.W. : 299.99 g/mole Grade : > 98%</p> | <p>K1256 29608-87-5</p> <p>Formula : C₁₂H₆N₂S₄ M.W. : 306.45 g/mole Grade : > 98%</p> | <p>K1257 14162-94-8</p> <p>Formula : C₁₀H₇ClN₂ M.W. : 190.63 g/mole Grade : > 98%</p> |
| <p>K1258 14162-95-9</p> <p>Formula : C₁₀H₇BrN₂ M.W. : 235.08 g/mole Grade : > 98%</p> | <p>K1259 831225-81-1</p> <p>Formula : C₁₀H₆I₂N₂ M.W. : 407.98 g/mole Grade : > 98%</p> | <p>K1260 1762-41-0</p> <p>Formula : C₁₀H₆Cl₂N₂ M.W. : 225.07 g/mole Grade : > 98%</p> | <p>K1261 18511-71-2</p> <p>Formula : C₁₀H₆Br₂N₂ M.W. : 313.98 g/mole Grade : > 98%</p> |

Synthetic Intermediates and Reagents

Heterocyclics


| | | | |
|--|---|---|--|
| <p>K1262 18511-69-8</p>  <p>Formula : C₁₀H₁₀N₄ M.W. : 186.21 g/mole Grade : > 98%</p> | <p>K1264 71071-46-0</p>  <p>Formula : C₁₀H₁₂N₂O₄ M.W. : 272.26 g/mole Grade : > 98%</p> | <p>K1265 56100-19-7</p>  <p>Formula : C₁₁H₁₀N₂ M.W. : 170.21 g/mole Grade : > 98%</p> | <p>K1266 1748-89-6</p>  <p>Formula : C₁₁H₈N₂O₂ M.W. : 200.19 g/mole Grade : > 98%</p> |
| <p>K1267 917874-25-0</p>  <p>Formula : C₁₂H₁₀N₂O₂ M.W. : 214.22 g/mole Grade : > 98%</p> | <p>K1268 1802-30-8</p>  <p>Formula : C₁₂H₈N₂O₄ M.W. : 244.21 g/mole Grade : > 98%</p> | <p>K1269 1970-80-5</p>  <p>Formula : C₁₁H₈N₂O₂ M.W. : 200.19 g/mole Grade : > 98%</p> | <p>K1271 162612-08-0</p>  <p>Formula : C₁₀H₇ClN₂ M.W. : 190.63 g/mole Grade : > 98%</p> |
| <p>K1272 15862-18-7</p>  <p>Formula : C₁₀H₈Br₂N₂ M.W. : 313.98 g/mole Grade : > 98%</p> | <p>K1274 149817-62-9</p>  <p>Formula : C₁₅H₁₀BrN₃ M.W. : 312.16 g/mole Grade : > 98%</p> | <p>K1275 89972-76-9</p>  <p>Formula : C₂₁H₁₄BrN₃ M.W. : 388.26 g/mole Grade : > 98%</p> | <p>K1276 194800-58-3</p>  <p>Formula : C₂₅H₂₄N₃O₃P M.W. : 445.45 g/mole Grade : > 98%</p> |
| <p>K1277 161583-75-1</p>  <p>Formula : C₁₉H₂₀N₃O₃P M.W. : 369.35 g/mole Grade : > 98%</p> | <p>K1278 216018-58-5</p>  <p>Formula : C₁₈H₁₁N₃O₆ M.W. : 365.3 g/mole Grade : > 98%</p> | <p>K1283 27427-92-5</p>  <p>Formula : C₅H₄N₂O M.W. : 108.1 g/mole Grade : > 99%</p> | <p>K1286 1937210-90-6</p>  <p>Formula : C₁₈H₁₁ClN₂ M.W. : 290.75 g/mole Grade : > 98%</p> |
| <p>K1300 101579-12-8</p>  <p>Formula : C₁₈H₈Br₂N₄ M.W. : 440.09 g/mole Grade : > 98% (HPLC)</p> | <p>K1304 2061376-86-9</p>  <p>Formula : C₂₃H₁₈FN₃ M.W. : 355.41 g/mole Grade : > 98% (HPLC)</p> | <p>K1305 2061376-85-8</p>  <p>Formula : C₂₂H₁₆FN₃ M.W. : 341.38 g/mole Grade : > 98% (HPLC)</p> | <p>K1318 142646-58-0</p>  <p>Formula : C₂₈H₄₄N₂ M.W. : 408.66 g/mole Grade : > 99%</p> |
| <p>K1319 123640-38-0</p>  <p>Formula : C₁₁H₉N₅ M.W. : 211.23 g/mole Grade : > 99%</p> | <p>K1320 874628-17-8</p>  <p>Formula : C₃₈H₄₄N₂O₂ M.W. : 560.77 g/mole Grade : > 99%</p> | <p>K1321 23569-17-7</p>  <p>Formula : C₉H₁₃NO M.W. : 151.21 g/mole Grade : > 99%</p> | <p>K1325 150239-89-7</p>  <p>Formula : C₁₆H₁₁BrN₂ M.W. : 311.18 g/mole Grade : > 98%</p> |

K1341 | 391-54-8




Formula : C₁₂H₇FO
M.W. : 186.18 g/mole
Grade : > 98%

K1347 | 66127-01-3




Formula : C₁₂H₇BrN₂
M.W. : 259.11 g/mole
Grade : > 98%

K1369 | 15770-21-5




Formula : C₉H₉N₂O
M.W. : 160.17 g/mole
Grade : > 95%

K1370 | 21211-65-4




Formula : C₉H₁₀N₂
M.W. : 146.19 g/mole
Grade : > 98%

K1371 | 21401-55-8




Formula : C₉H₈N₂S
M.W. : 176.24 g/mole
Grade : > 95%

K1372 | 159152-14-4




Formula : C₁₈H₂₀N₂
M.W. : 264.36 g/mole
Grade : > 95%

K1373 | 107798-98-1




Formula : C₁₅H₁₄N₂
M.W. : 222.29 g/mole
Grade : > 95%

K1374 | 147804-55-5




Formula : C₁₆H₁₆N₂
M.W. : 236.31 g/mole
Grade : > 95%

K1375 | 176446-62-1




Formula : C₁₆H₁₆N₂O
M.W. : 252.31 g/mole
Grade : > 95%

K1376 | 870992-10-2



Formula : C₁₉H₁₉BF₂N₂O
M.W. : 341.18 g/mole
Grade : > 95%

K1377 | 321895-93-6




Formula : C₁₉H₂₀BF₂N₃
M.W. : 339.19 g/mole
Grade : > 95%

Synthetic Intermediates and Reagents


Iridium Complexes / Ligands

K0036 | 562824-27-5




Formula : $C_{44}H_{24}Cl_2Ir_2N_4F_8$
M.W. : 1216.02 g/mole
Grade : > 98% (NMR)

K0042 | 391604-55-0



Formula : $C_{11}H_7F_2N$
M.W. : 191.18 g/mole
Grade : > 98% (HPLC)

K0043 | 38210-35-4




Formula : $C_{13}H_9NS$
M.W. : 211.28 g/mole
Grade : > 98% (HPLC)

K0044 | 3297-72-1




Formula : $C_{15}H_{11}N$
M.W. : 205.25 g/mole
Grade : > 98% (HPLC)

K0045 | 612-96-4




Formula : $C_{15}H_{11}N$
M.W. : 205.25 g/mole
Grade : > 98% (HPLC)

K0046 | 889750-37-2



Formula : $C_{24}H_{19}N$
M.W. : 321.41 g/mole
Grade : > 98% (HPLC)

K0047 | 435277-99-9




Formula : $C_{24}H_{19}N$
M.W. : 321.41 g/mole
Grade : > 98% (HPLC)

K0055 | 39778-14-8




Formula : $C_{14}H_{13}In_2$
M.W. : 336.17 g/mole
Grade : > 97% (HPLC)

K0144 | 87065-50-7



Formula : $C_{21}H_{23}N$
M.W. : 289.41 g/mole
Grade : > 98% (HPLC)

K0145 | 837-97-8



Formula : $C_{14}H_9NO_2$
M.W. : 223.23 g/mole
Grade : > 98% (HPLC)

K0147 | 33893-89-9




Formula : $C_6H_5N_5$
M.W. : 147.14 g/mole
Grade : > 98% (HPLC)

K0148 | 4373-61-9



Formula : $C_{12}H_{11}N$
M.W. : 169.22 g/mole
Grade : > 98% (HPLC)

K0149 | 4789-76-8




Formula : $C_{16}H_{13}N$
M.W. : 219.28 g/mole
Grade : > 98% (HPLC)

K0390 | 536753-86-3




Formula : $C_{17}H_{12}N_2$
M.W. : 244.29 g/mole
Grade : > 98% (HPLC)

K0440 | 603109-48-4




Formula : $C_{64}H_{32}Cl_2Ir_2N_4$
M.W. : 1072.09 g/mole
Grade : > 97% (HPLC)

K0473 | 883129-97-3




Formula : $C_{48}H_{20}Cl_2F_8Ir_2N_8$
M.W. : 1316.05 g/mole
Grade : > 75% (NMR)

K0474 | 1193263-65-8




Formula : $C_{52}H_{28}Cl_2F_{20}Ir_2N_4$
M.W. : 1544.11 g/mole
Grade : > 95% (NMR)

K0484 | 1056874-43-1



Formula : $C_{68}H_{56}Cl_2Ir_2N_4$
M.W. : 1384.54 g/mole
Grade : > 95% (NMR)

K0496 | 435278-09-4




Formula : $C_{21}H_{23}N$
M.W. : 289.41 g/mole
Grade : > 98% (HPLC)

K0517 | 81820-65-7




Formula : $C_{13}H_9NS$
M.W. : 211.28 g/mole
Grade : > 98% (HPLC)

K0518 | 1350748-60-5




Formula : $C_{17}H_{17}NS$
M.W. : 267.39 g/mole
Grade : > 98% (HPLC)

K0520 | 1056451-44-5




Formula : $C_{17}H_{15}N$
M.W. : 233.31 g/mole
Grade : > 98% (HPLC)

K0521 |



Formula : $C_{24}H_{22}N_2$
M.W. : 338.44 g/mole
Grade : > 98% (HPLC)

























K0532 | 458541-39-4



Formula : $C_{17}H_{13}N$
M.W. : 231.29 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents

Iridium Complexes / Ligands

| | | | |
|---|---|---|--|
| <p>K0559 914306-50-6</p>  <p>Formula : C₂₁H₂₄N₂ M.W. : 304.43 g/mole Grade : > 98% (HPLC)</p> | <p>K0568 1314639-66-1</p>  <p>Formula : C₁₄H₁₄F₂N₂ M.W. : 248.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0580 909405-17-0</p>  <p>Formula : C₁₇H₁₅N M.W. : 233.31 g/mole Grade : > 98% (HPLC)</p> | <p>K0585 736928-20-4</p>  <p>Formula : C₁₇H₁₁N₂ M.W. : 370.19 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0599 </p>  <p>Formula : C₁₉H₁₇N M.W. : 259.34 g/mole Grade : > 98% (HPLC)</p> | <p>K0613 25364-47-0</p>  <p>Formula : C₁₅H₂₀N₂ M.W. : 228.33 g/mole Grade : > 98% (HPLC)</p> | <p>K0773 1101187-10-3</p>  <p>Formula : C₁₃H₁₃N M.W. : 183.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0774 851775-42-3</p>  <p>Formula : C₁₃H₁₃N M.W. : 183.25 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0775 1012310-87-0</p>  <p>Formula : C₁₃H₁₃N M.W. : 183.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0776 101893-57-6</p>  <p>Formula : C₁₃H₁₃N M.W. : 183.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0777 85237-71-4</p>  <p>Formula : C₁₃H₁₃N M.W. : 183.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0778 80635-92-3</p>  <p>Formula : C₁₃H₁₃N M.W. : 183.25 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0779 25363-46-6</p>  <p>Formula : C₁₃H₁₃N M.W. : 183.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0780 64291-96-9</p>  <p>Formula : C₁₃H₁₃N M.W. : 183.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0781 15827-72-2</p>  <p>Formula : C₁₇H₁₃N M.W. : 231.29 g/mole Grade : > 98% (HPLC)</p> | <p>K0782 156021-08-8</p>  <p>Formula : C₁₈H₁₅N M.W. : 245.32 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0783 26274-35-1</p>  <p>Formula : C₁₇H₁₃N M.W. : 231.29 g/mole Grade : > 98% (HPLC)</p> | <p>K0784 </p>  <p>Formula : C₅₂H₄₈Cl₂Ir₂N₄ M.W. : 1184.30 g/mole Grade : > 95% (NMR)</p> | <p>K0785 </p>  <p>Formula : C₅₂H₄₈Cl₂Ir₂N₄ M.W. : 1184.30 g/mole Grade : > 95% (NMR)</p> | <p>K0786 1607469-50-0</p>  <p>Formula : C₅₂H₄₈Cl₂Ir₂N₄ M.W. : 1184.30 g/mole Grade : > 95% (NMR)</p> |
| <p>K0833 66318-88-5</p>  <p>Formula : C₁₅H₁₁N M.W. : 205.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0856 512180-22-2</p>  <p>Formula : C₁₅H₉F₂N M.W. : 241.24 g/mole Grade : > 98% (HPLC)</p> | <p>K0859 1361941-59-4</p>  <p>Formula : C₁₂H₁₅N₃ M.W. : 201.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0873 1431374-74-1</p>  <p>Formula : C₁₁H₆F₃N M.W. : 209.17 g/mole Grade : > 98% (HPLC)</p> |

K0879 | 25700-11-2




Formula : $C_8H_7N_3$
M.W. : 145.16 g/mole
Grade : > 98% (HPLC)

K0913 | 1008-89-5




Formula : $C_{11}H_9N$
M.W. : 155.2 g/mole
Grade : > 98% (HPLC)

K0914 | 14996-61-3




Formula : $IrCl_3 \cdot xH_2O$
M.W. : 298.58 (anhydrous basis)
Grade : >99% Ir Content : >52%

K0943 | 391250-41-2



Formula : $C_{12}H_9F_2N$
M.W. : 205.2 g/mole
Grade : > 98% (HPLC)

K1000 | 1268634-30-5




Formula : $C_{18}H_{17}N$
M.W. : 247.33 g/mole
Grade : >98% (HPLC)

Synthetic Intermediates and Reagents


Silanes Derivatives

K0069 | 18737-40-1




Formula : $C_{24}H_{19}BrSi$
 M.W. : 415.40 g/mole
 Grade : > 98% (HPLC)

K0101 | 188690-66-6




Formula : $C_{20}H_{26}Br_2S_2Si$
 M.W. : 520.46 g/mole
 Grade : > 97% (HPLC)

K0102 | 1160106-14-8




Formula : $C_{24}H_{36}Br_2S_2Si$
 M.W. : 576.57 g/mole
 Grade : > 97% (HPLC)

K0103 | 1089687-05-7




Formula : $C_{24}H_{36}Br_2S_2Si$
 M.W. : 576.57 g/mole
 Grade : > 98% (HPLC)

K0219 | 906372-08-5




Formula : $C_{20}H_{30}S_2Si$
 M.W. : 362.67 g/mole
 Grade : > 98% (HPLC)

K0220 | 1207627-85-7




Formula : $C_{24}H_{38}S_2Si$
 M.W. : 418.77 g/mole
 Grade : > 97% (HPLC)

K0391 | 438546-40-8




Formula : $C_{24}H_{16}Br_4Si$
 M.W. : 652.09 g/mole
 Grade : > 98% (HPLC)

K0414 | 8981182-24-2




Formula : $C_{28}H_{42}Si$
 M.W. : 406.72 g/mole
 Grade : > 97% (HPLC)

K0491 | 207742-50-5




Formula : $C_{14}H_{20}Br_2S_2Si_2$
 M.W. : 468.42 g/mole
 Grade : > 98% (HPLC)

K0533 | 1030856-97-3



Formula : $C_{24}H_{18}Br_2Si$
 M.W. : 494.29 g/mole
 Grade : > 98% (HPLC)

























K0536 | 18733-91-0



Formula : $C_{24}H_{18}Br_2Si$
 M.W. : 494.29 g/mole
 Grade : > 98% (HPLC)

























Synthetic Intermediates and Reagents

Thiophenes Derivatives

| | | | |
|---|---|--|--|
| <p>K0092 15155-41-6</p>  <p>Formula : C₆H₂Br₂N₂S M.W. : 293.97 g/mole Grade : > 98% (HPLC)</p> | <p>K0094 288071-87-4</p>  <p>Formula : C₁₄H₆Br₂N₂S₃ M.W. : 458.21 g/mole Grade : > 98% (HPLC)</p> | <p>K0098 528570-55-0</p>  <p>Formula : C₂₁H₂₈Br₂S₂ M.W. : 504.39 g/mole Grade : > 98% (HPLC)</p> | <p>K0099 478404-10-3</p>  <p>Formula : C₂₅H₃₆Br₂S₂ M.W. : 560.49 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0100 365547-21-3</p>  <p>Formula : C₂₅H₃₆Br₂S₂ M.W. : 560.49 g/mole Grade : > 98% (HPLC)</p> | <p>K0101 188690-66-6</p>  <p>Formula : C₂₀H₂₆Br₂S₂Si M.W. : 520.46 g/mole Grade : > 97% (HPLC)</p> | <p>K0102 1160106-14-8</p>  <p>Formula : C₂₄H₃₆Br₂S₂Si M.W. : 576.57 g/mole Grade : > 97% (HPLC)</p> | <p>K0103 1089687-05-7</p>  <p>Formula : C₂₄H₃₆Br₂S₂Si M.W. : 576.57 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0104 129415-75-5</p>  <p>Formula : C₂₆H₃₆Br₂O₂S₂ M.W. : 604.50 g/mole Grade : > 98% (HPLC)</p> | <p>K0105 1098102-93-2</p>  <p>Formula : C₁₉H₂₆Br₂O₂S₂ M.W. : 510.35 g/mole Grade : > 98% (HPLC)</p> | <p>K0106 1000623-95-9</p>  <p>Formula : C₃₀H₃₈Br₂N₂O₂S₂ M.W. : 682.57 g/mole Grade : > 98% (HPLC)</p> | <p>K0107 180729-93-5</p>  <p>Formula : C₁₈H₂₆Br₂N₂S₂ M.W. : 494.35 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0108 853722-91-5</p>  <p>Formula : C₂₆H₃₀Br₂N₂S₄ M.W. : 658.60 g/mole Grade : > 98% (HPLC)</p> | <p>K0110 359017-65-5</p>  <p>Formula : C₂₂H₂₆Br₂O₂S₂ M.W. : 548.39 g/mole Grade : > 98% (HPLC)</p> | <p>K0111 1226782-13-3</p>  <p>Formula : C₂₆H₃₆Br₂O₂S₂ M.W. : 604.50 g/mole Grade : > 98% (HPLC)</p> | <p>K0115 655249-04-0</p>  <p>Formula : C₁₄H₁₇BrS₂ M.W. : 329.32 g/mole Grade : > 95% (HPLC)</p> |
| <p>K0116 1214906-01-0</p>  <p>Formula : C₂₆H₃₀Br₂N₂O₂S₂ M.W. : 626.47 g/mole Grade : > 98% (NMR)</p> | <p>K0117 1057401-13-4</p>  <p>Formula : C₃₀H₃₈Br₂N₂O₂S₂ M.W. : 682.57 g/mole Grade : > 98% (NMR)</p> | <p>K0122 1308671-90-0</p>  <p>Formula : C₃₀H₃₉BrN₂O₂S₂ M.W. : 603.68 g/mole Grade : > 98% (NMR)</p> | <p>K0123 258527-25-2</p>  <p>Formula : C₉H₄Br₂S₂ M.W. : 336.07 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0127 1693-86-3</p>  <p>Formula : C₁₀H₆S M.W. : 168.30 g/mole Grade : > 98% (HPLC)</p> | <p>K0130 389-58-2</p>  <p>Formula : C₉H₆S₂ M.W. : 178.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0132 116971-11-0</p>  <p>Formula : C₁₀H₁₄Br₂S M.W. : 326.09 g/mole Grade : > 98% (HPLC)</p> | <p>K0140 32281-36-0</p>  <p>Formula : C₁₀H₄O₂S₂ M.W. : 220.27 g/mole Grade : > 98% (HPLC)</p> |

























Synthetic Intermediates and Reagents

Thiophenes Derivatives

| | | | |
|---|--|--|---|
| <p>K0212 359017-55-3</p>  <p>Formula : $C_{22}H_{30}O_2S_2$ M.W. : 390.60 g/mole Grade : > 98% (HPLC)</p> | <p>K0213 1160823-77-7</p>  <p>Formula : $C_{26}H_{38}O_2S_2$ M.W. : 446.71 g/mole Grade : > 98% (HPLC)</p> | <p>K0214 1098102-94-3</p>  <p>Formula : $C_{26}H_{38}O_2S_2$ M.W. : 446.71 g/mole Grade : > 98% (HPLC)</p> | <p>K0216 333432-27-2</p>  <p>Formula : $C_5HBr_2N_3S$ M.W. : 294.95 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0219 906372-08-5</p>  <p>Formula : $C_{20}H_{30}S_2Si$ M.W. : 362.67 g/mole Grade : > 98% (HPLC)</p> | <p>K0220 1207627-85-7</p>  <p>Formula : $C_{24}H_{38}S_2Si$ M.W. : 418.77 g/mole Grade : > 97% (HPLC)</p> | <p>K0260 566939-58-0</p>  <p>Formula : $C_{14}H_{17}Br_2NO_2S$ M.W. : 423.16 g/mole Grade : > 98% (HPLC)</p> | <p>K0262 1057401-08-7</p>  <p>Formula : $C_{30}H_{40}N_2O_2S_2$ M.W. : 524.78 g/mole Grade : > 97% (NMR)</p> |
| <p>K0263 852435-01-9</p>  <p>Formula : $C_{26}H_{32}N_2O_2S_2$ M.W. : 468.67 g/mole Grade : > 97% (NMR)</p> | <p>K0264 1185885-86-2</p>  <p>Formula : $C_{30}H_{40}N_2O_2S_2$ M.W. : 524.78 g/mole Grade : > 97% (NMR)</p> | <p>K0268 444177-63-3</p>  <p>Formula : $C_{12}H_{18}Br_2S$ M.W. : 354.14 g/mole Grade : > 98% (HPLC)</p> | <p>K0269 149703-84-4</p>  <p>Formula : $C_{12}H_{18}Br_2S$ M.W. : 354.14 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0271 492-97-7</p>  <p>Formula : $C_8H_6S_2$ M.W. : 166.26 g/mole Grade : > 98% (HPLC)</p> | <p>K0272 173448-31-2</p>  <p>Formula : $C_{14}H_{18}S_2$ M.W. : 250.42 g/mole Grade : > 98% (HPLC)</p> | <p>K0276 250-84-0</p>  <p>Formula : $C_8H_6S_2$ M.W. : 140.23 g/mole Grade : > 98% (HPLC)</p> | <p>K0277 251-41-2</p>  <p>Formula : $C_8H_6S_2$ M.W. : 140.23 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0278 4805-22-5</p>  <p>Formula : $C_8H_4Br_2S_2$ M.W. : 324.06 g/mole Grade : > 98% (HPLC)</p> | <p>K0279 3593-75-7</p>  <p>Formula : $C_9H_6S_3$ M.W. : 196.31 g/mole Grade : > 97% (HPLC)</p> | <p>K0280 2404-89-9</p>  <p>Formula : $C_8H_6S_2$ M.W. : 166.26 g/mole Grade : > 96% (HPLC)</p> | <p>K0281 116971-10-9</p>  <p>Formula : $C_8H_{10}Br_2S$ M.W. : 298.04 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0282 69249-61-2</p>  <p>Formula : $C_{10}H_{15}BrS$ M.W. : 247.20 g/mole Grade : > 98% (HPLC)</p> | <p>K0283 211737-28-9</p>  <p>Formula : $C_{10}H_{15}BrS$ M.W. : 247.20 g/mole Grade : > 98% (HPLC)</p> | <p>K0284 98057-08-0</p>  <p>Formula : $C_{12}H_6Br_2S_3$ M.W. : 406.18 g/mole Grade : > 98% (HPLC)</p> | <p>K0285 1081-34-1</p>  <p>Formula : $C_{12}H_6S_3$ M.W. : 248.39 g/mole Grade : > 98% (HPLC)</p> |

Synthetic Intermediates and Reagents

Thiophenes Derivatives

| | | | |
|---|---|--|--|
| <p>K0286 145543-83-5</p>  <p>Formula : C₁₂H₁₉BrS M.W. : 275.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0287 158956-23-1</p>  <p>Formula : C₁₄H₂₂Br₂S M.W. : 382.20 g/mole Grade : > 98% (HPLC)</p> | <p>K0288 65016-55-9</p>  <p>Formula : C₁₄H₂₄S M.W. : 224.41 g/mole Grade : > 98% (HPLC)</p> | <p>K0289 148256-63-7</p>  <p>Formula : C₁₆H₂₆Br₂S M.W. : 410.25 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0290 104934-52-3</p>  <p>Formula : C₁₆H₂₆S M.W. : 252.46 g/mole Grade : > 98% (HPLC)</p> | <p>K0291 139100-06-4</p>  <p>Formula : C₁₆H₂₇BrS M.W. : 331.35 g/mole Grade : > 96% (HPLC)</p> | <p>K0297 566939-56-8</p>  <p>Formula : C₁₂H₁₃Br₂NO₂S M.W. : 395.11 g/mole Grade : > 98% (HPLC)</p> | <p>K0298 1231160-83-0</p>  <p>Formula : C₁₄H₁₇Br₂NO₂S M.W. : 423.16 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0305 121134-38-1</p>  <p>Formula : C₁₂H₂₀S M.W. : 196.35 g/mole Grade : > 98% (HPLC)</p> | <p>K0307 65016-62-8</p>  <p>Formula : C₁₂H₂₀S M.W. : 196.35 g/mole Grade : > 98% (HPLC)</p> | <p>K0308 303734-52-3</p>  <p>Formula : C₁₂H₁₉BrS M.W. : 275.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0309 144012-09-9</p>  <p>Formula : C₁₄H₂₃BrS M.W. : 303.30 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0312 609369-40-6</p>  <p>Formula : C₁₅H₁₈OS₂ M.W. : 278.43 g/mole Grade : > 98% (HPLC)</p> | <p>K0313 942435-50-9</p>  <p>Formula : C₁₆H₂₀S₂ M.W. : 276.46 g/mole Grade : > 97% (HPLC)</p> | <p>K0314 1000623-98-2</p>  <p>Formula : C₆₆H₇₀Br₂N₂O₂S₂ M.W. : 907.00 g/mole Grade : > 98% (HPLC)</p> | <p>K0315 180729-92-4</p>  <p>Formula : C₁₈H₂₈N₂S₂ M.W. : 336.56 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0330 1049034-71-0</p>  <p>Formula : C₆₄H₇₂Br₂S₂ M.W. : 1065.19 g/mole Grade : > 98% (HPLC)</p> | <p>K0343 2536-91-6</p>  <p>Formula : C₈H₈N₂S M.W. : 164.23 g/mole Grade : > 97% (HPLC)</p> | <p>K0368 88-13-1</p>  <p>Formula : C₅H₄O₂S M.W. : 128.15 g/mole Grade : > 97% (HPLC)</p> | <p>K0376 1134789-63-1</p>  <p>Formula : C₁₅H₈Br₃N₃S₃ M.W. : 564.14 g/mole Grade : > 96% (HPLC)</p> |
| <p>K0379 182631-76-1</p>  <p>Formula : C₁₈H₁₂N₂S₂ M.W. : 320.43 g/mole Grade : > 98% (HPLC)</p> | <p>K0380 753470-95-0</p>  <p>Formula : C₃₂H₅₂Br₂S₂ M.W. : 660.69 g/mole Grade : > 98% (HPLC)</p> | <p>K0381 888491-16-5</p>  <p>Formula : C₃₆H₆₀Br₂S₂ M.W. : 716.80 g/mole Grade : > 98% (HPLC)</p> | <p>K0382 143746-72-9</p>  <p>Formula : C₁₈H₈O₂S₂ M.W. : 320.38 g/mole Grade : > 98% (NMR)</p> |

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

























Head Office: 31F-5, No. 99, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22175, Taiwan. TEL: +886-2-2697-5600, FAX: +886-2-2697-5601.

Factory: 2F, No. 17, R&D Road II, Science-Based Industrial Park, Hsin-Chu 30076, Taiwan. TEL: +886-3-666-3188, FAX: +886-3-666-9288.

Email: sales@lumtec.com.tw, Web: www.lumtec.com.tw

























Synthetic Intermediates and Reagents

Thiophenes Derivatives

| | | | |
|---|--|---|---|
| <p>K0383 25143-53-5</p>  <p>Formula : $C_8H_2Br_4S_2$ M.W. : 481.85 g/mole Grade : > 98% (HPLC)</p> | <p>K0393 31574-87-5</p>  <p>Formula : $C_{12}H_6Br_2S$ M.W. : 342.05 g/mole Grade : > 98% (HPLC)</p> | <p>K0407 153312-86-8</p>  <p>Formula : $C_{21}H_{30}S_2$ M.W. : 346.59 g/mole Grade : > 98% (HPLC)</p> | <p>K0408 4282-29-5</p>  <p>Formula : $C_4H_4O_4S$ M.W. : 172.16 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0409 773881-47-3</p>  <p>Formula : $C_{18}H_{25}Br_2NO_2S$ M.W. : 479.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0415 25796-77-4</p>  <p>Formula : $C_9H_4OS_2$ M.W. : 192.26 g/mole Grade : > 98% (HPLC)</p> | <p>K0416 6007-85-8</p>  <p>Formula : $C_6H_2O_3S$ M.W. : 154.14 g/mole Grade : > 98% (HPLC)</p> | <p>K0421 936711-08-9</p>  <p>Formula : $C_{32}H_{40}Br_2N_2S_2$ M.W. : 676.61 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0422 120451-23-3</p>  <p>Formula : $C_{32}H_{40}Br_2N_2S_2$ M.W. : 676.61 g/mole Grade : > 98% (HPLC)</p> | <p>K0424 </p>  <p>Formula : $C_{20}H_{17}Br_2NO_2S_3$ M.W. : 559.36 g/mole Grade : > 98% (HPLC)</p> | <p>K0425 1286745-60-5</p>  <p>Formula : $C_{22}H_{21}Br_2NO_2S_3$ M.W. : 587.4 g/mole Grade : > 98% (HPLC)</p> | <p>K0426 1286745-57-0</p>  <p>Formula : $C_{22}H_{21}Br_2NO_2S_3$ M.W. : 587.41 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0427 165617-59-4</p>  <p>Formula : $C_6Br_2N_4S_2$ M.W. : 352.03 g/mole Grade : > 98%</p> | <p>K0431 2160-62-5</p>  <p>Formula : C_5H_2BrNS M.W. : 188.05 g/mole Grade : > 98% (HPLC)</p> | <p>K0434 1160823-76-6</p>  <p>Formula : $C_{15}H_{17}Br_2FO_2S_2$ M.W. : 472.23 g/mole Grade : > 98% (HPLC)</p> | <p>K0435 1202249-72-6</p>  <p>Formula : $C_{14}H_{15}Br_2FOS_2$ M.W. : 442.20 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0443 1347736-74-6</p>  <p>Formula : $C_6HBBr_2FN_2S$ M.W. : 311.96 g/mole Grade : > 97% (HPLC)</p> | <p>K0445 1260685-63-9</p>  <p>Formula : $C_{54}H_{86}Br_2N_2O_2S_2$ M.W. : 1019.21 g/mole Grade : > 98% (HPLC)</p> | <p>K0448 51751-44-1</p>  <p>Formula : $C_8H_4Br_2S_2$ M.W. : 324.06 g/mole Grade : > 98% (HPLC)</p> | <p>K0513 1613310-44-3</p>  <p>Formula : $C_{12}H_{11}BrN_2S$ M.W. : 295.20 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0514 305800-44-6</p>  <p>Formula : $C_9H_{11}BrOS$ M.W. : 247.15 g/mole Grade : > 98% (HPLC)</p> | <p>K0515 339985-36-3</p>  <p>Formula : $C_{30}H_{18}Br_3NS_3$ M.W. : 728.38 g/mole Grade : > 98% (HPLC)</p> | <p>K0517 81820-65-7</p>  <p>Formula : $C_{13}H_9NS$ M.W. : 211.28 g/mole Grade : > 98% (HPLC)</p> | <p>K0518 1350748-60-5</p>  <p>Formula : $C_{17}H_{17}NS$ M.W. : 267.39 g/mole Grade : > 98% (HPLC)</p> |

























Synthetic Intermediates and Reagents

Thiophenes Derivatives

| | | | |
|--|--|--|---|
| <p>K0538 1421862-27-2</p>  <p>Formula : C₃₄H₄₂O₂S₂ M.W. : 546.83 g/mole Grade : > 98% (HPLC)</p> | <p>K0539 1356371-05-5</p>  <p>Formula : C₁₆H₁₄Br₂O₂S₂ M.W. : 462.22 g/mole Grade : > 98% (HPLC)</p> | <p>K0540 1352642-35-3</p>  <p>Formula : C₃₄H₄₂S₄ M.W. : 578.96 g/mole Grade : > 98% (HPLC)</p> | <p>K0547 217-19-6</p>  <p>Formula : C₁₄H₈S₂ M.W. : 240.34 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0548 1224709-68-5</p>  <p>Formula : C₃₈H₅₄Br₂N₂O₂S₂ M.W. : 794.79 g/mole Grade : > 98% (HPLC)</p> | <p>K0553 143367-56-0</p>  <p>Formula : C₁₄H₂₂S₂Sn₂ M.W. : 491.87 g/mole Grade : > 98% (NMR)</p> | <p>K0554 1160823-78-8</p>  <p>Formula : C₃₂H₅₄O₂S₂Sn₂ M.W. : 772.32 g/mole Grade : > 98% (NMR)</p> | <p>K0555 1049034-67-4</p>  <p>Formula : C₆₄H₇₄S₂ M.W. : 907.4 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0557 1192352-08-1</p>  <p>Formula : C₂₂H₃₄Br₂N₂O₂S M.W. : 550.39 g/mole Grade : > 98% (HPLC)</p> | <p>K0558 1267540-02-2</p>  <p>Formula : C₅₄H₈₈N₂O₂S₂ M.W. : 861.42 g/mole Grade : > 98% (NMR)</p> | <p>K0560 1352642-37-5</p>  <p>Formula : C₄₀H₅₈S₄Sn₂ M.W. : 904.57 g/mole Grade : > 98% (NMR)</p> | <p>K0562 1295502-20-3</p>  <p>Formula : C₂₉H₄₆OS₂ M.W. : 474.8 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0572 118726-30-0</p>  <p>Formula : C₁₁H₆ClNS M.W. : 219.69 g/mole Grade : > 98% (HPLC)</p> | <p>K0594 190723-12-7</p>  <p>Formula : C₆H₂Br₂O₂S M.W. : 329.95 g/mole Grade : > 98% (HPLC)</p> | <p>K0620 86134-26-1</p>  <p>Formula : C₁₀H₂₀SSn₂ M.W. : 409.75 g/mole Grade : > 98% (NMR)</p> | <p>K0621 1264297-33-7</p>  <p>Formula : C₂₆H₃₂N₂O₂S₂ M.W. : 686.71 g/mole Grade : > 97% (HPLC)</p> |
| <p>K0622 135831-08-2</p>  <p>Formula : C₂₄H₃₂S₃ M.W. : 416.71 g/mole Grade : > 97% (HPLC)</p> | <p>K0623 155166-89-5</p>  <p>Formula : C₂₈H₄₀S₃ M.W. : 472.81 g/mole Grade : > 97% (HPLC)</p> | <p>K0624 1354631-87-0</p>  <p>Formula : C₃₈H₅₆N₂O₂S₂ M.W. : 636.99 g/mole Grade : > 98% (HPLC)</p> | <p>K0625 1044598-80-2</p>  <p>Formula : C₄₆H₇₂N₂O₂S₂ M.W. : 749.21 g/mole Grade : > 98% (NMR)</p> |
| <p>K0630 1098102-95-4</p>  <p>Formula : C₃₂H₅₄O₂S₂Sn₂ M.W. : 772.32 g/mole Grade : > 98% (NMR)</p> | <p>K0631 1044795-08-5</p>  <p>Formula : C₄₀H₇₀O₂S₂Sn₂ M.W. : 884.53 g/mole Grade : > 98% (NMR)</p> | <p>K0632 1160823-80-2</p>  <p>Formula : C₃₂H₅₄S₂Sn₂ M.W. : 740.32 g/mole Grade : > 98% (NMR)</p> | <p>K0633 1234306-33-2</p>  <p>Formula : C₄₀H₇₀S₂Sn₂ M.W. : 852.53 g/mole Grade : > 98% (NMR)</p> |

























Synthetic Intermediates and Reagents

Thiophenes Derivatives

| | | | |
|--|--|--|---|
| <p>K0634 215591-73-4</p>  <p>Formula : C₂₄H₃₀Br₂S₃ M.W. : 574.50 g/mole Grade : > 97% (HPLC)</p> | <p>K0635 1369657-88-4</p>  <p>Formula : C₅₀H₇₀Br₂N₂O₂S₄ M.W. : 1019.17 g/mole Grade : > 98% (NMR)</p> | <p>K0636 1270977-96-2</p>  <p>Formula : C₅₈H₈₆Br₂N₂O₂S₄ M.W. : 1131.38 g/mole Grade : > 98% (NMR)</p> | <p>K0637 1799951-38-4</p>  <p>Formula : C₂₆H₂₈Br₂N₂O₂S₂ M.W. : 784.26 g/mole Grade : > 98% (NMR)</p> |
| <p>K0640 1143585-35-6</p>  <p>Formula : C₅₄H₇₄Br₂N₂O₄S₆ M.W. : 1071.25 g/mole Grade : > 98% (NMR)</p> | <p>K0641 1474061-54-5</p>  <p>Formula : C₆₂H₉₀Br₂N₂O₄S₆ M.W. : 1183.46 g/mole Grade : > 98% (NMR)</p> | <p>K0644 1100761-34-9</p>  <p>Formula : C₄₄H₄₈Br₂N₂O₂S₂ M.W. : 860.8 g/mole Grade : > 98% (HPLC)</p> | <p>K0653 469912-82-1</p>  <p>Formula : C₁₂H₂₀S₂Sn₂ M.W. : 465.84 g/mole Grade : > 98% (NMR)</p> |
| <p>K0664 1025451-57-3</p>  <p>Formula : C₂₀H₂₄N₂S₃Sn₂ M.W. : 626.03 g/mole Grade : > 98% (NMR)</p> | <p>K0665 272-43-5</p>  <p>Formula : C₆H₄N₂S M.W. : 136.17 g/mole Grade : > 98% (HPLC)</p> | <p>K0666 1260224-09-6</p>  <p>Formula : C₂₆H₃₆Br₂N₄S₂ M.W. : 628.53 g/mole Grade : > 98% (HPLC)</p> | <p>K0667 2488708-32-1</p>  <p>Formula : C₂₆H₃₆Br₂N₄S₂ M.W. : 628.53 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0668 1279083-60-1</p>  <p>Formula : C₁₀H₈Br₂N₄S₂ M.W. : 404.1 g/mole Grade : > 98% (HPLC)</p> | <p>K0669 1044795-06-3</p>  <p>Formula : C₂₄H₃₂Br₂N₄S₂ M.W. : 740.74 g/mole Grade : > 98% (HPLC)</p> | <p>K0671 1044795-06-3</p>  <p>Formula : C₃₄H₅₂Br₂O₂S₂ M.W. : 716.71 g/mole Grade : > 98% (HPLC)</p> | <p>K0674 25121-87-3</p>  <p>Formula : C₆H₂Br₂S₂ M.W. : 298.02 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0675 124638-53-5</p>  <p>Formula : C₆Br₂S₂ M.W. : 455.81 g/mole Grade : > 98% (HPLC)</p> | <p>K0679 1044795-04-1</p>  <p>Formula : C₃₄H₅₀O₂S₂ M.W. : 558.92 g/mole Grade : > 98% (HPLC)</p> | <p>K0682 2377419-62-8</p>  <p>Formula : C₇₂H₉₀S₂ M.W. : 1019.62 g/mole Grade : > 98% (HPLC)</p> | <p>K0683 141029-75-6</p>  <p>Formula : C₁₆H₂₁NS₂ M.W. : 291.47 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0686 185350-30-5</p>  <p>Formula : C₂₈H₃₈Br₂S₃ M.W. : 630.6 g/mole Grade : > 98% (HPLC)</p> | <p>K0687 135926-94-2</p>  <p>Formula : C₂₀H₃₀S₂ M.W. : 334.58 g/mole Grade : > 98% (HPLC)</p> | <p>K0688 120762-66-5</p>  <p>Formula : C₂₄H₃₈S₂ M.W. : 390.69 g/mole Grade : > 98% (HPLC)</p> | <p>K0689 345633-76-3</p>  <p>Formula : C₃₂H₅₄S₂ M.W. : 502.9 g/mole Grade : > 98% (HPLC)</p> |

























Synthetic Intermediates and Reagents

Thiophenes Derivatives

| | | | |
|---|---|---|--|
| <p>K0690 1327275-63-7</p>  <p>Formula : C₁₆H₁₄S₂ M.W. : 254.34 g/mole Grade : > 98% (HPLC)</p> | <p>K0691 138058-53-4</p>  <p>Formula : C₂₄H₁₈S₂ M.W. : 390.69 g/mole Grade : > 98% (HPLC)</p> | <p>K0692 125607-30-9</p>  <p>Formula : C₂₀H₁₄S₂ M.W. : 334.58 g/mole Grade : > 98% (HPLC)</p> | <p>K0693 95748-95-1</p>  <p>Formula : C₂₄H₁₈S₂ M.W. : 390.69 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0694 211737-46-1</p>  <p>Formula : C₂₀H₁₄S₂ M.W. : 334.58 g/mole Grade : > 98% (HPLC)</p> | <p>K0695 165190-76-1</p>  <p>Formula : C₁₄H₈N₂S₃ M.W. : 300.42 g/mole Grade : > 98% (HPLC)</p> | <p>K0696 2322929-69-9</p>  <p>Formula : C₁₈H₁₄S₂ M.W. : 308.54 g/mole Grade : > 98% (HPLC)</p> | <p>K0697 1357811-10-9</p>  <p>Formula : C₂₂H₁₆S₂ M.W. : 364.65 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0698 31486-86-9</p>  <p>Formula : C₇H₆OS₂ M.W. : 168.24 g/mole Grade : > 98% (HPLC)</p> | <p>K0699 40985-58-8</p>  <p>Formula : C₇H₅NS₂ M.W. : 165.24 g/mole Grade : > 98% (HPLC)</p> | <p>K0700 59918-60-4</p>  <p>Formula : C₁₀H₆N₄S₂ M.W. : 246.31 g/mole Grade : > 98% (HPLC)</p> | <p>K0701 1260224-08-5</p>  <p>Formula : C₂₆H₁₈N₄S₂ M.W. : 470.74 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0702 2488708-31-0</p>  <p>Formula : C₂₆H₁₈N₄S₂ M.W. : 470.74 g/mole Grade : > 98% (HPLC)</p> | <p>K0703 </p>  <p>Formula : C₂₄H₁₄N₄S₂ M.W. : 582.95 g/mole Grade : > 98% (HPLC)</p> | <p>K0704 1279083-55-4</p>  <p>Formula : C₂₂H₁₄N₄S₂ M.W. : 414.63 g/mole Grade : > 98% (HPLC)</p> | <p>K0705 </p>  <p>Formula : C₂₆H₁₈N₄S₂ M.W. : 470.74 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0706 </p>  <p>Formula : C₂₆H₁₈N₄S₂ M.W. : 470.74 g/mole Grade : > 98% (HPLC)</p> | <p>K0707 </p>  <p>Formula : C₃₄H₂₂N₄S₂ M.W. : 582.95 g/mole Grade : > 98% (HPLC)</p> | <p>K0709 1269004-56-9</p>  <p>Formula : C₃₈H₄₄N₂O₂S₄ M.W. : 689.03 g/mole Grade : > 98% (NMR)</p> | <p>K0715 1231160-82-9</p>  <p>Formula : C₁₄H₁₃NO₂S M.W. : 265.37 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0716 773881-43-9</p>  <p>Formula : C₁₄H₉NO₂S M.W. : 265.37 g/mole Grade : > 98% (HPLC)</p> | <p>K0717 773881-44-0</p>  <p>Formula : C₁₈H₁₇NO₂S M.W. : 321.48 g/mole Grade : > 98% (HPLC)</p> | <p>K0718 1286745-49-0</p>  <p>Formula : C₂₂H₁₃NO₂S₃ M.W. : 429.62 g/mole Grade : > 98% (HPLC)</p> | <p>K0719 188917-41-1</p>  <p>Formula : C₂₄H₁₂S₃ M.W. : 416.71 g/mole Grade : > 98% (HPLC)</p> |

























Synthetic Intermediates and Reagents

Thiophenes Derivatives

| | | | |
|---|--|--|--|
| <p>K0720 188917-43-3</p>  <p>Formula : C₂₈H₂₀S₃ M.W. : 472.81 g/mole Grade : > 98% (HPLC)</p> | <p>K0721 7342-41-8</p>  <p>Formula : C₁₃H₈OS₃ M.W. : 276.4 g/mole Grade : > 98% (HPLC)</p> | <p>K0722 13130-50-2</p>  <p>Formula : C₁₄H₈O₂S₃ M.W. : 304.41 g/mole Grade : > 98% (HPLC)</p> | <p>K0723 100943-46-2</p>  <p>Formula : C₁₁H₁₆OS M.W. : 196.31 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0724 73792-02-6</p>  <p>Formula : C₁₃H₂₀OS M.W. : 224.36 g/mole Grade : > 98% (HPLC)</p> | <p>K0725 93164-73-9</p>  <p>Formula : C₁₆H₂₂S₂ M.W. : 278.48 g/mole Grade : > 98% (HPLC)</p> | <p>K0726 172514-64-6</p>  <p>Formula : C₁₆H₂₁BrS₂ M.W. : 357.37 g/mole Grade : > 98% (HPLC)</p> | <p>K0731 3779-27-9</p>  <p>Formula : C₉H₆OS₂ M.W. : 194.27 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0732 32364-72-0</p>  <p>Formula : C₁₀H₆O₂S₂ M.W. : 222.28 g/mole Grade : > 98% (HPLC)</p> | <p>K0733 945265-56-5</p>  <p>Formula : C₁₉H₂₄OS₂ M.W. : 332.52 g/mole Grade : > 98% (HPLC)</p> | <p>K0735 1003-09-4</p>  <p>Formula : C₄H₃BrS M.W. : 163.04 g/mole Grade : > 98% (HPLC)</p> | <p>K0736 400713-59-9</p>  <p>Formula : C₃₂H₄₆S₃ M.W. : 528.92 g/mole Grade : > 97% (HPLC)</p> |
| <p>K0737 3141-26-2</p>  <p>Formula : C₄H₂Br₂S M.W. : 241.93 g/mole Grade : > 98% (HPLC)</p> | <p>K0738 3141-27-3</p>  <p>Formula : C₄H₂Br₂S M.W. : 241.93 g/mole Grade : > 98% (HPLC)</p> | <p>K0739 3598-03-0</p>  <p>Formula : C₄Br₄S M.W. : 399.72 g/mole Grade : > 98% (HPLC)</p> | <p>K0741 98-03-3</p>  <p>Formula : C₅H₂OS M.W. : 112.15 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0742 932-95-6</p>  <p>Formula : C₆H₄O₂S M.W. : 140.16 g/mole Grade : > 98% (HPLC)</p> | <p>K0743 16278-99-2</p>  <p>Formula : C₉H₅NS₂ M.W. : 191.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0744 110230-97-2</p>  <p>Formula : C₁₃H₇NS₃ M.W. : 273.4 g/mole Grade : > 98% (HPLC)</p> | <p>K0745 52431-30-8</p>  <p>Formula : C₄Br₂N₂O₄S M.W. : 331.93 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0816 1224430-28-7</p>  <p>Formula : C₆₂H₁₀₂Br₂N₂O₂S₂ M.W. : 1131.42 g/mole Grade : > 98% (NMR)</p> | <p>K0817 1084334-28-0</p>  <p>Formula : C₁₈H₁₁BrS M.W. : 339.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0820 1192352-09-2</p>  <p>Formula : C₃₀H₄₀N₂O₂S₃ M.W. : 556.85 g/mole Grade : > 98% (HPLC)</p> | <p>K0821 207805-24-1</p>  <p>Formula : C₆H₂Br₂N₂S M.W. : 293.97 g/mole Grade : > 98% (HPLC)</p> |

Synthetic Intermediates and Reagents


Thiophenes Derivatives

| | | | |
|---|---|--|--|
| <p>K0823 1234306-29-6</p>  <p>Formula : $C_{26}H_{38}S_2$ M.W. : 414.71 g/mole Grade : > 98% (HPLC)</p> | <p>K0825 1359115-82-4</p>  <p>Formula : $C_{30}H_{37}Br_2NO_2S_3$ M.W. : 699.62 g/mole Grade : > 98% (HPLC)</p> | <p>K0827 1948278-62-3</p>  <p>Formula : $C_{31}H_{40}N_2O_2S_3$ M.W. : 584.86 g/mole Grade : > 98% (HPLC)</p> | <p>K0828 291535-21-2</p>  <p>Formula : $C_{11}H_{15}BrOS$ M.W. : 275.21 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0836 13640-78-3</p>  <p>Formula : $C_{10}H_8S_2$ M.W. : 192.3 g/mole Grade : > 98% (HPLC)</p> | <p>K0854 2255-80-3</p>  <p>Formula : $C_7H_5BrN_2S$ M.W. : 229.10 g/mole Grade : > 98% (HPLC)</p> | <p>K0870 1342311-48-1</p>  <p>Formula : $C_{29}H_{39}BrOS_3$ M.W. : 579.72 g/mole Grade : > 98% (HPLC)</p> | <p>K0902 22439-61-8</p>  <p>Formula : $C_{12}H_7BrS$ M.W. : 263.15 g/mole Grade : > 96% (HPLC)</p> |
| <p>K0905 34722-01-5</p>  <p>Formula : $C_8H_{12}S$ M.W. : 140.25 g/mole Grade : > 98% (HPLC)</p> | <p>K0910 1283598-36-6</p>  <p>Formula : $C_{30}H_{36}Br_2F_2N_2S_3$ M.W. : 718.62 g/mole Grade : > 98% (HPLC)</p> | <p>K0926 1494614-27-5</p>  <p>Formula : $C_{14}H_{20}S_2$ M.W. : 252.44 g/mole Grade : > 98% (HPLC)</p> | <p>K0927 1494614-30-0</p>  <p>Formula : $C_{38}H_{42}S_6$ M.W. : 691.13 g/mole Grade : > 96% (HPLC)</p> |
| <p>K0958 1190764-15-8</p>  <p>Formula : $C_{25}H_{17}Br_2NOS$ M.W. : 539.28 g/mole Grade : > 98% (HPLC)</p> | <p>K0960 636588-79-9</p>  <p>Formula : $C_9H_2Br_2OS_2$ M.W. : 350.05 g/mole Grade : > 98% (HPLC)</p> | <p>K0974 500199-09-7</p>  <p>Formula : $C_{18}H_{31}BrS$ M.W. : 359.41 g/mole Grade : > 98% (HPLC)</p> | <p>K0976 </p>  <p>Formula : $C_{13}H_{18}BrNS$ M.W. : 300.26 g/mole Grade : > 95% (HPLC)</p> |
| <p>K0977 1196714-93-8</p>  <p>Formula : $C_{13}H_{19}BrOS$ M.W. : 303.26 g/mole Grade : > 95% (HPLC)</p> | <p>K0983 1613389-30-2</p>  <p>Formula : $C_{40}H_{56}S_6Sn_2$ M.W. : 968.7 g/mole Grade : > 98% (NMR)</p> | <p>K0984 1415929-78-0</p>  <p>Formula : $C_{34}H_{38}Br_2O_2S_4$ M.W. : 766.73 g/mole Grade : > 98% (HPLC)</p> | <p>K1122 97511-05-2</p>  <p>Formula : $C_{12}H_7BrS$ M.W. : 263.15 g/mole Grade : > 99%</p> |
| <p>K1123 132034-89-0</p>  <p>Formula : $C_{12}H_7IS$ M.W. : 310.15 g/mole Grade : > 98%</p> | <p>K1124 205-43-6</p>  <p>Formula : $C_{16}H_{10}S$ M.W. : 234.32 g/mole Grade : > 98%</p> | <p>K1125 669773-34-6</p>  <p>Formula : $C_{12}H_6Br_2S$ M.W. : 342.05 g/mole Grade : > 99%</p> | <p>K1126 13781-37-8</p>  <p>Formula : $C_{10}H_7IS$ M.W. : 286.13 g/mole Grade : > 99%</p> |

Synthetic Intermediates and Reagents

Thiophenes Derivatives

K1127 | 118621-30-0




Formula : $C_{10}H_{11}BrS$
M.W. : 315.23 g/mole
Grade : > 98%

K1128 | 126213-50-1




Formula : $C_6H_6O_2S$
M.W. : 142.18 g/mole
Grade : > 99%

K1199 | 196491-93-7




Formula : $C_{10}H_2Br_2O_2S_2$
M.W. : 378.06 g/mole
Grade : > 98%

K1200 | 1294515-75-5




Formula : $C_{26}H_{36}Br_2O_2S_2$
M.W. : 604.5 g/mole
Grade : > 98%

K1201 | 1321590-78-6




Formula : $C_{34}H_{54}O_2S_2$
M.W. : 558.92 g/mole
Grade : > 98%

K1202 | 1336893-15-2




Formula : $C_{34}H_{52}Br_2O_2S_2$
M.W. : 716.71 g/mole
Grade : > 98%

K1203 | 1320201-19-1




Formula : $C_{50}H_{86}O_2S_2$
M.W. : 783.35 g/mole
Grade : > 98%

K1204 | 1684289-37-9




Formula : $C_{50}H_{84}Br_2O_2S_2$
M.W. : 941.14 g/mole
Grade : > 98%

K1205 | 1443120-32-8




Formula : $C_{42}H_{58}S_4$
M.W. : 691.17 g/mole
Grade : > 98%

K1206 | 1421924-02-8




Formula : $C_{42}H_{56}S_4$
M.W. : 691.17 g/mole
Grade : > 98%

K1207 | 777079-55-7




Formula : $C_{14}H_6Br_2N_2O_2S_2$
M.W. : 458.15 g/mole
Grade : > 98%

K1208 | 1046864-84-9




Formula : $C_{24}H_{22}Br_2N_2O_6S_2$
M.W. : 658.38 g/mole
Grade : > 98%

K1209 | 1613705-06-8




Formula : $C_{36}H_{56}N_2O_2S_2Sn_2$
M.W. : 850.39 g/mole
Grade : > 98% (NMR)

K1210 | 1392422-47-7




Formula : $C_{36}H_{56}N_2O_2S_2Sn_2$
M.W. : 850.39 g/mole
Grade : > 98%

K1211 | 1312588-15-0




Formula : $C_{62}H_{104}N_2O_2S_2$
M.W. : 973.63 g/mole
Grade : > 98%

K1212 | 1296131-04-8




Formula : $C_{28}H_{36}N_2O_6S_2$
M.W. : 592.72 g/mole
Grade : > 98%

K1213 | 1254353-37-1




Formula : $C_{22}H_{36}N_2O_2S$
M.W. : 392.6 g/mole
Grade : > 98%

K1214 | 1293389-28-2




Formula : $C_6H_2F_2N_2S$
M.W. : 172.16 g/mole
Grade : > 98%

K1215 | 1402460-83-6




Formula : $C_{20}H_{18}BrFN_2S_3$
M.W. : 481.47 g/mole
Grade : > 98%

K1216 | 1171974-28-9




Formula : $C_{30}H_{40}N_2S_3$
M.W. : 524.85 g/mole
Grade : > 98%

K1217 | 1304773-89-4




Formula : $C_{14}H_4Br_2F_2N_2S_3$
M.W. : 494.19 g/mole
Grade : > 98%

K1218 | 1293389-32-8




Formula : $C_{30}H_{36}Br_2F_2N_2S_3$
M.W. : 718.62 g/mole
Grade : > 98%

K1219 | 1334686-71-3



Formula : $C_{38}H_{54}Br_2N_2O_2S_3$
M.W. : 826.85 g/mole
Grade : > 98%

K1220 | 761416-46-0




Formula : $C_{26}H_{32}N_2S_3$
M.W. : 468.74 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K1221 | 444579-39-9




Formula : $C_{26}H_{30}Br_2N_2S_3$
M.W. : 626.53 g/mole
Grade : > 98%

K1222 | 457931-23-6




Formula : $C_{30}H_{38}Br_2N_2S_3$
M.W. : 682.64 g/mole
Grade : > 98%

K1223 | 1179993-72-6




Formula : $C_{38}H_{54}Br_2N_2S_3$
M.W. : 794.85 g/mole
Grade : > 98%

K1225 | 190723-14-9




Formula : $C_{10}H_9Br_2NO_2S$
M.W. : 367.06 g/mole
Grade : > 98%

K1226 | 910788-24-8




Formula : $C_{16}H_8S_5$
M.W. : 360.56 g/mole
Grade : > 98% (HPLC)

K1227 | 881838-94-4



Formula : $C_{20}H_{12}S_3$
M.W. : 348.5 g/mole
Grade : > 98%

K1228 | 241-13-4




Formula : $C_{16}H_8S_3$
M.W. : 296.43 g/mole
Grade : > 98%

K1230 | 392662-65-6




Formula : $C_6H_2Br_2S_2$
M.W. : 298.02 g/mole
Grade : > 98%

K1231 | 21210-90-2




Formula : $C_{14}H_8S_4$
M.W. : 304.47 g/mole
Grade : > 98%

K1232 | 17347-32-9




Formula : C_8H_6BrS
M.W. : 213.09 g/mole
Grade : > 98%

K1233 | 1224430-39-0




Formula : $C_{11}H_{15}NS$
M.W. : 193.31 g/mole
Grade : > 98%

K1234 | 222554-30-5




Formula : $C_{11}H_{16}OS$
M.W. : 196.31 g/mole
Grade : > 98%

K1235 | 210705-84-3




Formula : $C_{10}H_{13}BrS$
M.W. : 247.19 g/mole
Grade : > 98%

K1236 | 565186-12-1




Formula : $C_{12}H_{19}IS$
M.W. : 322.25 g/mole
Grade : > 98%

K1237 | 133750-15-9



Formula : $C_{12}H_{18}I_2S$
M.W. : 448.15 g/mole
Grade : > 98%

K1238 | 81020-78-2




Formula : $C_8H_3BrN_2S$
M.W. : 239.09 g/mole
Grade : > 98%

K1239 | 632-15-5




Formula : C_6H_8S
M.W. : 112.19 g/mole
Grade : > 98%

K1240 | 1015423-45-6




Formula : $C_6Br_2O_3S$
M.W. : 311.94 g/mole
Grade : > 98%

K1241 | 178931-63-0




Formula : $C_{18}H_{24}S_3Sn_2$
M.W. : 573.99 g/mole
Grade : > 98%

K1242 | 1040858-84-1




Formula : $C_{30}H_{38}Br_2S_2$
M.W. : 622.56 g/mole
Grade : > 98%

K1288 | 1295502-26-9




Formula : $C_{29}H_{44}Br_2OS_2$
M.W. : 632.6 g/mole
Grade : > 98% (NMR)

K1291 | 1809080-29-2




Formula : $C_{34}H_{40}Br_2S_4$
M.W. : 736.75 g/mole
Grade : > 98%

K1292 | 1987866-20-5



Formula : $C_{50}H_{72}Br_2S_4$
M.W. : 961.17 g/mole
Grade : > 98%

K1297 | 1619967-09-7




Formula : $C_{14}H_{20}F_2S_2Sn_2$
M.W. : 527.86 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K1315 | 1047684-56-9




Formula : $C_{30}H_{36}N_2S_2$
M.W. : 488.75 g/mole
Grade : > 99%

K1316 | 1146182-96-8




Formula : $C_{30}H_{36}N_2S_4$
M.W. : 552.88 g/mole
Grade : > 99%

K1279 | 1450590-76-7




Formula : $C_{26}H_{28}Br_2F_2N_2S_3$
M.W. : 662.51 g/mole
Grade : > 98% (HPLC)

K1280 | 119269-24-8




Formula : $C_{20}H_{36}S$
M.W. : 308.56 g/mole
Grade :

K1281 | 110851-66-6




Formula : $C_{18}H_{32}S$
M.W. : 280.51 g/mole
Grade :

K1310 | 1887135-96-7




Formula : $C_{30}H_{37}Br_2F_2N_3S_2$
M.W. : 701.57 g/mole
Grade : > 98%

K1322 | 1514905-25-9




Formula : $C_{40}H_{56}F_2S_4Sn_2$
M.W. : 940.55 g/mole
Grade : > 98%

K1328 |




Formula : $C_{32}H_{52}Br_2S_2$
M.W. : 660.69 g/mole
Grade : > 98%

K1331 | 2239295-69-1




Formula : $C_{40}H_{56}Cl_2S_4Sn_2$
M.W. : 973.46 g/mole
Grade : > 98%

K1333 | 1439937-07-1




Formula : $C_{50}H_{70}Br_2O_2S_4$
M.W. : 991.16 g/mole
Grade : > 98%

K1336 | 1402460-13-2



Formula : $C_{48}H_{74}S_4Sn_2$
M.W. : 1016.78 g/mole
Grade : > 98%

























K1337 | 1887135-97-8



Formula : $C_{48}H_{74}S_6Sn_2$
M.W. : 1080.91 g/mole
Grade : > 98%

























Synthetic Intermediates and Reagents

Benzene Derivatives

| | | | |
|--|---|--|--|
| <p>K0007 69571-02-4</p>  <p>Formula : C₁₄H₁₂I₂ M.W. : 434.05 g/mole Grade : > 98% (HPLC)</p> | <p>K0008 17919-34-5</p>  <p>Formula : C₂₂H₃₂O₆P₂ M.W. : 454.43 g/mole Grade : > 98% (HPLC)</p> | <p>K0072 96761-85-2</p>  <p>Formula : C₂₄H₁₅Br₃ M.W. : 543.09 g/mole Grade : > 98% (HPLC)</p> | <p>K0078 1591-30-6</p>  <p>Formula : C₁₄H₈N₂ M.W. : 204.23 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0079 787-70-2</p>  <p>Formula : C₁₄H₁₀O₄ M.W. : 242.23 g/mole Grade : > 98% (HPLC)</p> | <p>K0090 146370-51-6</p>  <p>Formula : C₁₅H₂₄O₂ M.W. : 236.35 g/mole Grade : > 98% (HPLC)</p> | <p>K0091 209625-37-6</p>  <p>Formula : C₁₇H₁₆Br₂O₂ M.W. : 422.20 g/mole Grade : > 97% (HPLC)</p> | <p>K0118 3268-21-1</p>  <p>Formula : C₁₀H₁₂I₄ M.W. : 386.01 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0129 16400-50-3</p>  <p>Formula : C₁₂H₈Br₄ M.W. : 469.79 g/mole Grade : > 96% (HPLC)</p> | <p>K0131 439797-69-0</p>  <p>Formula : C₁₂H₇Br₂NO₂ M.W. : 357.00 g/mole Grade : > 98% (HPLC)</p> | <p>K0142 13029-09-9</p>  <p>Formula : C₁₂H₈Br₂ M.W. : 312.00 g/mole Grade : > 98% (HPLC)</p> | <p>K0146 129013-83-8</p>  <p>Formula : C₁₁H₈BrN M.W. : 234.09 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0211 91371-12-9</p>  <p>Formula : C₁₂H₆Br₂N₂O₄ M.W. : 402.00 g/mole Grade : > 98% (HPLC)</p> | <p>K0337 626-39-1</p>  <p>Formula : C₆H₃Br₃ M.W. : 314.80 g/mole Grade : > 98% (HPLC)</p> | <p>K0338 106-37-6</p>  <p>Formula : C₆H₄Br₂ M.W. : 235.90 g/mole Grade : > 98% (HPLC)</p> | <p>K0339 589-87-7</p>  <p>Formula : C₆H₄BrI M.W. : 282.90 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0351 3988-03-2</p>  <p>Formula : C₁₃H₈Br₂O M.W. : 340.01 g/mole Grade : > 98% (HPLC)</p> | <p>K0352 92-86-4</p>  <p>Formula : C₁₂H₈Br₂ M.W. : 312.00 g/mole Grade : > 98% (HPLC)</p> | <p>K0354 611-97-2</p>  <p>Formula : C₁₃H₁₄O M.W. : 210.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0356 15796-82-4</p>  <p>Formula : C₂₁H₂₆O M.W. : 294.43 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0357 1122-91-4</p>  <p>Formula : C₇H₅BrO M.W. : 185.02 g/mole Grade : > 98% (HPLC)</p> | <p>K0358 92-66-0</p>  <p>Formula : C₁₂H₉Br M.W. : 233.10 g/mole Grade : > 98% (HPLC)</p> | <p>K0385 852138-89-7</p>  <p>Formula : C₁₂H₆Br₂I₂ M.W. : 563.79 g/mole Grade : > 96% (HPLC)</p> | <p>K0389 7511-49-1</p>  <p>Formula : C₂₄H₁₅Br₄ M.W. : 543.09 g/mole Grade : > 98% (HPLC)</p> |

























Synthetic Intermediates and Reagents

Benzene Derivatives

| | | | |
|--|--|---|---|
| <p>K0394 500729-84-0</p>  <p>Formula : C₁₈H₁₀Cl₄ M.W. : 368.08 g/mole Grade : > 98% (HPLC)</p> | <p>K0395 103068-20-8</p>  <p>Formula : C₁₈H₁₃Br M.W. : 309.20 g/mole Grade : > 98% (HPLC)</p> | <p>K0410 24239-82-5</p>  <p>Formula : C₆H₂Br₂N₂O₄ M.W. : 325.90 g/mole Grade : > 98% (HPLC)</p> | <p>K0456 1100761-32-7</p>  <p>Formula : C₃₀H₄₂O₄ M.W. : 466.65 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0569 18869-30-2</p>  <p>Formula : C₁₄H₁₀Br₂ M.W. : 338.04 g/mole Grade : > 98% (HPLC)</p> | <p>K0570 84907-53-9</p>  <p>Formula : C₁₆H₁₂O₂ M.W. : 236.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0574 </p>  <p>Formula : C₃₉H₃₂O₆S₂ M.W. : 660.8 g/mole Grade : > 98% (HPLC)</p> | <p>K0586 93869-52-4</p>  <p>Formula : C₁₈H₁₃Br₂OP M.W. : 436.08 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0587 1415633-83-8</p>  <p>Formula : C₃₀H₂₁Br₂OP M.W. : 588.27 g/mole Grade : > 98% (HPLC)</p> | <p>K0598 86949-86-2</p>  <p>Formula : C₁₄H₁₃Cl M.W. : 216.71 g/mole Grade : > 98% (HPLC)</p> | <p>K0610 1650594-31-2</p>  <p>Formula : C₂₂H₃₆O₁₀ M.W. : 460.52 g/mole Grade : > 98% (HPLC)</p> | <p>K0614 860815-31-2</p>  <p>Formula : C₁₈H₂₇BrO₃ M.W. : 371.31 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0615 746633-97-6</p>  <p>Formula : C₁₈H₂₇BrO₂ M.W. : 355.31 g/mole Grade : > 98% (HPLC)</p> | <p>K0647 69272-50-0</p>  <p>Formula : C₆H₆Br₂N₂ M.W. : 265.93 g/mole Grade : > 98% (HPLC)</p> | <p>K0649 498572-72-8</p>  <p>Formula : C₃₀H₄₂O₄ M.W. : 466.65 g/mole Grade : > 98% (HPLC)</p> | <p>K0756 287919-00-0</p>  <p>Formula : C₁₉H₃₀Br₂O₂ M.W. : 450.25 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0757 121623-97-0</p>  <p>Formula : C₉H₂F₄N₂ M.W. : 214.12 g/mole Grade : > 98% (HPLC)</p> | <p>K0758 96392-77-7</p>  <p>Formula : C₁₆H₁₄Br₂ M.W. : 366.09 g/mole Grade : > 98% (HPLC)</p> | <p>K0839 117635-21-9</p>  <p>Formula : C₁₈H₂₈Br₂ M.W. : 404.22 g/mole Grade : > 98% (HPLC)</p> | <p>K0887 13209-33-1</p>  <p>Formula : C₈H₄Cl₂O₂ M.W. : 203.02 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0900 577-19-5</p>  <p>Formula : C₆H₄BrNO₂ M.W. : 202.01 g/mole Grade : > 98% (HPLC)</p> | <p>K0928 52827-70-0</p>  <p>Formula : C₈H₁₀ClN M.W. : 155.62 g/mole Grade : > 98% (HPLC)</p> | <p>K0929 52331-02-9</p>  <p>Formula : C₈H₈Cl₂ M.W. : 175.06 g/mole Grade : > 98% (HPLC)</p> | <p>K0942 39655-12-4</p>  <p>Formula : C₁₂H₈BrI M.W. : 359 g/mole Grade : > 98% (HPLC)</p> |

Synthetic Intermediates and Reagents

Benzene Derivatives

| | | | |
|--|--|---|--|
| <p>K0944 160892-07-9</p>  <p>Formula : $C_8H_3BrN_2$ M.W. : 207.03 g/mole Grade : > 98% (HPLC)</p> | <p>K0945 28342-75-8</p>  <p>Formula : $C_6H_2Br_2F_2$ M.W. : 271.88 g/mole Grade : > 98% (HPLC)</p> | <p>K0946 2368-49-2</p>  <p>Formula : $C_6Br_3F_3$ M.W. : 368.77 g/mole Grade : > 98% (HPLC)</p> | <p>K0952 245731-57-1</p>  <p>Formula : $C_{21}H_{32}O_6$ M.W. : 380.48 g/mole Grade : > 98% (HPLC)</p> |
| <p>K0953 245731-58-2</p>  <p>Formula : $C_{17}H_{28}O_4$ M.W. : 296.4 g/mole Grade : > 98% (HPLC)</p> | <p>K0954 203251-22-3</p>  <p>Formula : $C_{17}H_{24}O_4$ M.W. : 292.37 g/mole Grade : > 98% (HPLC)</p> | <p>K0971 632-51-9</p>  <p>Formula : $C_{26}H_{20}$ M.W. : 332.44 g/mole Grade : > 98%</p> | <p>K0973 23703-22-2</p>  <p>Formula : $C_{12}H_{17}Br$ M.W. : 241.17 g/mole Grade : > 98%</p> |
| <p>K0978 224558-17-2</p>  <p>Formula : $C_{15}H_{22}Br_2O_2$ M.W. : 394.14 g/mole Grade : > 95% (HPLC)</p> | <p>K0996 10540-37-1</p>  <p>Formula : $C_{12}H_8FI$ M.W. : 298.09 g/mole Grade : > 98% (HPLC)</p> | <p>K0999 942132-66-3</p>  <p>Formula : $C_{14}H_{12}Br_2$ M.W. : 340.05 g/mole Grade : > 98% (HPLC)</p> | <p>K1167 92-88-6</p>  <p>Formula : $C_{12}H_{10}O_2$ M.W. : 186.21 g/mole Grade : > 99%</p> |
| <p>K1168 20442-79-9</p>  <p>Formula : $C_{12}H_{10}$ M.W. : 280.1 g/mole Grade : > 98%</p> | <p>K1169 1591-31-7</p>  <p>Formula : $C_{12}H_{10}$ M.W. : 280.1 g/mole Grade : > 98%</p> | <p>K1170 1762-84-1</p>  <p>Formula : $C_{18}H_{13}Br$ M.W. : 309.2 g/mole Grade : > 99%</p> | <p>K1171 95962-62-2</p>  <p>Formula : $C_{18}H_{12}Br_2$ M.W. : 388.1 g/mole Grade : > 98%</p> |
| <p>K1172 844856-42-4</p>  <p>Formula : $C_{12}H_9BrCl$ M.W. : 267.55 g/mole Grade : > 98%</p> | <p>K1173 101-55-3</p>  <p>Formula : $C_{12}H_9BrO$ M.W. : 249.1 g/mole Grade : > 98%</p> | <p>K1174 59080-32-9</p>  <p>Formula : $C_{12}H_8Br_2$ M.W. : 312 g/mole Grade : > 98%</p> | <p>K1175 2052-07-5</p>  <p>Formula : $C_{12}H_9Br$ M.W. : 233.1 g/mole Grade : > 99%</p> |
| <p>K1176 2113-57-7</p>  <p>Formula : $C_{12}H_9Br$ M.W. : 233.1 g/mole Grade : > 99%</p> | <p>K1177 187275-73-6</p>  <p>Formula : $C_{12}H_8BrI$ M.W. : 359 g/mole Grade : > 98%</p> | <p>K1178 92-69-3</p>  <p>Formula : $C_{12}H_{10}O$ M.W. : 170.21 g/mole Grade : > 98%</p> | <p>K1179 644-08-6</p>  <p>Formula : $C_{13}H_{12}$ M.W. : 168.23 g/mole Grade : > 98%</p> |

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.






















Head Office: 31F-5, No. 99, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22175, Taiwan. TEL: +886-2-2697-5600, FAX: +886-2-2697-5601.

Factory: 2F, No. 17, R&D Road II, Science-Based Industrial Park, Hsin-Chu 30076, Taiwan. TEL: +886-3-666-3188, FAX: +886-3-666-9288.

Email: sales@lumtec.com.tw, Web: www.lumtec.com.tw

























Synthetic Intermediates and Reagents

Benzene Derivatives

| | | | |
|--|---|---|---|
| <p>K1180 643-93-6</p>  <p>Formula : C₁₃H₁₂ M.W. : 168.23 g/mole Grade : > 99%</p> | <p>K1181 14704-31-5</p>  <p>Formula : C₁₃H₁₁Br M.W. : 247.13 g/mole Grade : > 99%</p> | <p>K1182 2567-29-5</p>  <p>Formula : C₁₃H₁₁Br M.W. : 247.13 g/mole Grade : > 99%</p> | <p>K1183 16400-51-4</p>  <p>Formula : C₁₂H₈Br₂ M.W. : 312 g/mole Grade : > 99%</p> |
| <p>K1184 3001-15-8</p>  <p>Formula : C₁₂H₈Br₂ M.W. : 406 g/mole Grade : > 99%</p> | <p>K1185 105946-82-5</p>  <p>Formula : C₁₂H₈Br M.W. : 359 g/mole Grade : > 99%</p> | <p>K1186 50670-49-0</p>  <p>Formula : C₁₃H₁₁Br M.W. : 247.13 g/mole Grade : > 99%</p> | <p>K1187 55290-86-3</p>  <p>Formula : C₁₃H₁₁I M.W. : 294.13 g/mole Grade : > 99%</p> |
| <p>K1188 83-53-4</p>  <p>Formula : C₁₀H₈Br₂ M.W. : 285.96 g/mole Grade : > 99%</p> | <p>K1189 59951-65-4</p>  <p>Formula : C₁₆H₁₁Br M.W. : 283.16 g/mole Grade : > 98%</p> | <p>K1190 667940-23-0</p>  <p>Formula : C₁₆H₁₁Br M.W. : 283.16 g/mole Grade : > 99%</p> | <p>K1191 204530-94-9</p>  <p>Formula : C₁₆H₁₁Br M.W. : 283.16 g/mole Grade : > 96%</p> |
| <p>K1192 2674-34-2</p>  <p>Formula : C₈H₈Br₂O₂ M.W. : 295.96 g/mole Grade : > 99%</p> | <p>K1193 127257-79-8</p>  <p>Formula : C₂₂H₁₄Br₂ M.W. : 438.15 g/mole Grade : > 99%</p> | <p>K1194 22082-99-1</p>  <p>Formula : C₁₆H₁₁Br M.W. : 283.16 g/mole Grade : > 99%</p> | <p>K1195 35450-34-1</p>  <p>Formula : C₁₂H₈BrNO₂ M.W. : 278.1 g/mole Grade : > 99%</p> |
| <p>K1196 86-00-0</p>  <p>Formula : C₁₂H₉NO₂ M.W. : 199.21 g/mole Grade : > 99%</p> | <p>K1197 609-73-4</p>  <p>Formula : C₉H₇INO₂ M.W. : 249.01 g/mole Grade : > 99%</p> | <p>K1314 1266674-69-4</p>  <p>Formula : C₁₈H₁₂Br₂I₂N M.W. : 576.01 g/mole Grade : >99%</p> | <p>K1317 851228-26-7</p>  <p>Formula : C₁₈H₂₅ClO₂ M.W. : 312.87 g/mole Grade : >99%</p> |
| <p>K1324 17788-94-2</p>  <p>Formula : C₁₈H₁₂Br₂ M.W. : 388.1 g/mole Grade : >98%</p> | | | |

Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|---|--|--|---|
| <p>B0003 100622-34-2</p>  <p>Formula : C₁₄H₁₁BO₂ M.W. : 222.04 g/mole Grade : > 97%</p> | <p>B0004 98-80-6</p>  <p>Formula : C₆H₇BO₂ M.W. : 121.92 g/mole Grade : > 97%</p> | <p>B0005 4688-76-0</p>  <p>Formula : C₁₂H₁₁BO₂ M.W. : 198.02 g/mole Grade : > 97%</p> | <p>B0021 16152-51-5</p>  <p>Formula : C₉H₁₃BO₂ M.W. : 164.01 g/mole Grade : > 98%</p> |
| <p>B0022 151169-74-3</p>  <p>Formula : C₆H₅BCl₂O₂ M.W. : 190.81 g/mole Grade : > 97%</p> | <p>B0037 90002-36-1</p>  <p>Formula : C₈H₁₁BO₂ M.W. : 149.98 g/mole Grade : > 96%</p> | <p>B0045 163517-62-2</p>  <p>Formula : C₇H₈BF₂O₂ M.W. : 153.95 g/mole Grade : > 96%</p> | <p>B0047 166328-16-1</p>  <p>Formula : C₇H₈BF₂O₂ M.W. : 153.95 g/mole Grade : > 97%</p> |
| <p>B0048 168267-99-0</p>  <p>Formula : C₇H₈BF₂O₂ M.W. : 153.95 g/mole Grade : > 97%</p> | <p>B0052 156641-98-4</p>  <p>Formula : C₁₁H₁₁BO₃ M.W. : 202.01 g/mole Grade : > 97%</p> | <p>B0053 163105-89-3</p>  <p>Formula : C₆H₈BNO₃ M.W. : 152.94 g/mole Grade : > 98%</p> | <p>B0054 208399-66-0</p>  <p>Formula : C₈H₁₁BO₃ M.W. : 165.98 g/mole Grade : > 97%</p> |
| <p>B0055 127972-00-3</p>  <p>Formula : C₈H₁₁BO₃ M.W. : 165.98 g/mole Grade : > 97%</p> | <p>B0063 68572-87-2</p>  <p>Formula : C₁₄H₁₁BO₂ M.W. : 222.05 g/mole Grade : > 97%</p> | <p>B0067 164461-18-1</p>  <p>Formula : C₁₆H₁₁BO₂ M.W. : 246.07 g/mole Grade : > 97%</p> | <p>B0078 182482-25-3</p>  <p>Formula : C₆H₃BF₃O₂ M.W. : 175.9 g/mole Grade : > 97%</p> |
| <p>B0079 143418-49-9</p>  <p>Formula : C₆H₃BF₃O₂ M.W. : 175.9 g/mole Grade : > 95%</p> | <p>B0080 175676-65-0</p>  <p>Formula : C₇H₆BF₃O₃ M.W. : 205.93 g/mole Grade : > 98%</p> | <p>B0081 139301-27-2</p>  <p>Formula : C₇H₆BF₃O₃ M.W. : 205.93 g/mole Grade : > 97%</p> | <p>B0082 201802-67-7</p>  <p>Formula : C₁₈H₁₆BNO₂ M.W. : 289.14 g/mole Grade : > 97%</p> |
| <p>B0083 122775-35-3</p>  <p>Formula : C₈H₁₁BO₄ M.W. : 181.98 g/mole Grade : > 97%</p> | <p>B0087 4151-80-8</p>  <p>Formula : C₁₂H₁₂B₂O₄ M.W. : 241.84 g/mole Grade : > 98%</p> | <p>B0090 172975-69-8</p>  <p>Formula : C₈H₁₁BO₂ M.W. : 149.98 g/mole Grade : > 98%</p> | <p>B0091 5980-97-2</p>  <p>Formula : C₉H₁₃BO₂ M.W. : 164.01 g/mole Grade : > 98%</p> |

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Head Office: 31F-5, No. 99, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22175, Taiwan. TEL: +886-2-2697-5600, FAX: +886-2-2697-5601.


Factory: 2F, No. 17, R&D Road II, Science-Based Industrial Park, Hsin-Chu 30076, Taiwan. TEL: +886-3-666-3188, FAX: +886-3-666-9288.

Email: sales@lumtec.com.tw, Web: www.lumtec.com.tw

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B0092 | 711026-06-1




Formula : $C_{45}H_{72}B_2O_4$
M.W. : 698.67 g/mole
Grade : > 97%

B0094 | 861455-18-7




Formula : $C_{37}H_{38}B_2O_4$
M.W. : 568.32 g/mole
Grade : > 97%

B1001 | 78887-39-5




Formula : $C_8H_{10}BNO_3$
M.W. : 178.98 g/mole
Grade : > 98%

B1002 | 169760-16-1




Formula : $C_8H_{10}BNO_3$
M.W. : 178.98 g/mole
Grade : > 97%

B1003 | 101251-09-6




Formula : $C_8H_{10}BNO_3$
M.W. : 178.98 g/mole
Grade : > 95%

B1004 | 204841-19-0




Formula : $C_8H_9BO_3$
M.W. : 163.96 g/mole
Grade : > 97%

B1005 | 149104-90-5




Formula : $C_8H_9BO_3$
M.W. : 163.96 g/mole
Grade : > 97%

B1006 | 206551-43-1




Formula : $C_6H_7BO_3S$
M.W. : 169.99 g/mole
Grade : > 96%

B1007 | 123088-59-5




Formula : $C_7H_8BNO_3$
M.W. : 164.95 g/mole
Grade : > 98%

B1008 | 85006-23-1




Formula : $C_6H_9BClNO_2$
M.W. : 173.41 g/mole
Grade : > 95%

B1009 | 98437-23-1




Formula : $C_8H_7BO_2S$
M.W. : 178.02 g/mole
Grade : > 97%

B1010 | 164014-95-3




Formula : $C_8H_9BO_4$
M.W. : 179.97 g/mole
Grade : > 98%

B1011 | 98437-24-2




Formula : $C_8H_7BO_3$
M.W. : 161.95 g/mole
Grade : > 97%

B1012 | 268218-94-6




Formula : $C_{13}H_{11}BO_3$
M.W. : 226.04 g/mole
Grade : > 97%

B1013 | 184000-11-1




Formula : $C_{14}H_{13}BO_4$
M.W. : 256.06 g/mole
Grade : > 96%

B1014 | 133057-83-7




Formula : $C_{13}H_{12}BFO_3$
M.W. : 246.04 g/mole
Grade : > 98%

B1015 | 190661-29-1




Formula : $C_{13}H_{13}BO_3$
M.W. : 228.05 g/mole
Grade : > 98%

B1016 | 146631-00-7




Formula : $C_{13}H_{13}BO_3$
M.W. : 228.05 g/mole
Grade : > 98%

B1017 | 5122-95-2




Formula : $C_{12}H_{11}BO_2$
M.W. : 198.03 g/mole
Grade : > 97%

B1018 | 5122-94-1




Formula : $C_{12}H_{11}BO_2$
M.W. : 198.03 g/mole
Grade : > 98%

B1019 | 73852-19-4




Formula : $C_8H_5BF_6O_2$
M.W. : 257.93 g/mole
Grade : > 98%

B1020 | 380430-68-2




Formula : $C_{11}H_{16}BNO_4$
M.W. : 237.06 g/mole
Grade : > 95%

B1021 | 380430-49-9



Formula : $C_{11}H_{16}BNO_4$
M.W. : 237.06 g/mole
Grade : > 95%

B1022 | 135884-31-0




Formula : $C_9H_{14}BNO_4$
M.W. : 211.02 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1023 | 51323-43-4



Formula : $C_7H_8BBrO_2$
M.W. : 214.85 g/mole
Grade : > 95%

B1024 | 68162-47-0




Formula : $C_7H_8BBrO_2$
M.W. : 214.85 g/mole
Grade : > 97%

B1025 | 244205-40-1




Formula : $C_6H_6BBrO_2$
M.W. : 200.83 g/mole
Grade : > 96%

B1026 | 5467-74-3




Formula : $C_6H_6BBrO_2$
M.W. : 200.83 g/mole
Grade : > 97%

B1027 | 162607-17-2




Formula : $C_4H_4BBrO_2S$
M.W. : 206.85 g/mole
Grade : > 95%

B1028 | 105365-51-3




Formula : $C_{10}H_{15}BO_3$
M.W. : 194.04 g/mole
Grade : > 98%

B1029 | 145240-28-4




Formula : $C_{10}H_{15}BO_2$
M.W. : 178.04 g/mole
Grade : > 97%

B1030 | 4426-47-5




Formula : $C_4H_{11}BO_2$
M.W. : 101.94 g/mole
Grade : > 95%

B1031 | 123324-71-0




Formula : $C_{10}H_{15}BO_2$
M.W. : 178.04 g/mole
Grade : > 98%

B1032 | 101084-81-5




Formula : $C_7H_6BNO_6$
M.W. : 210.94 g/mole
Grade : > 95%

B1033 | 85107-54-6




Formula : $C_7H_6BNO_6$
M.W. : 210.94 g/mole
Grade : > 96%

B1034 | 25487-66-5




Formula : $C_7H_7BO_4$
M.W. : 165.94 g/mole
Grade : > 97%

B1035 | 14047-29-1




Formula : $C_7H_7BO_4$
M.W. : 165.94 g/mole
Grade : > 97%

B1036 | 144432-85-9




Formula : $C_6H_5BClFO_2$
M.W. : 174.37 g/mole
Grade : > 98%

B1037 | 175883-60-0




Formula : $C_7H_8BClO_3$
M.W. : 186.4 g/mole
Grade : > 96%

B1038 | 219735-99-6




Formula : $C_7H_8BClO_3$
M.W. : 186.4 g/mole
Grade : > 97%

B1039 | 175883-63-3




Formula : $C_7H_8BClO_2$
M.W. : 170.4 g/mole
Grade : > 97%

B1040 | 145349-62-8




Formula : $C_7H_8BClO_2$
M.W. : 170.4 g/mole
Grade : > 98%

B1041 | 148839-33-2



Formula : $C_7H_8BClO_2$
M.W. : 170.4 g/mole
Grade : > 97%

B1042 | 63503-60-6




Formula : $C_6H_6BClO_2$
M.W. : 156.37 g/mole
Grade : > 97%

B1043 | 3900-89-8




Formula : $C_6H_6BClO_2$
M.W. : 156.37 g/mole
Grade : > 98%

B1044 | 1679-18-1




Formula : $C_6H_6BClO_2$
M.W. : 156.37 g/mole
Grade : > 97%

B1045 | 162607-18-3



Formula : $C_4H_4BClO_2S$
M.W. : 162.4 g/mole
Grade : > 97%

B1046 | 150255-96-2




Formula : $C_7H_6BNO_2$
M.W. : 146.94 g/mole
Grade : > 97%

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1048 | 305832-67-1




Formula : $C_5H_4BNO_2S$
M.W. : 152.97 g/mole
Grade : > 97%

B1049 | 68716-47-2



Formula : $C_6H_5BCl_2O_2$
M.W. : 190.82 g/mole
Grade : > 98%

B1050 | 135145-90-3




Formula : $C_6H_5BCl_2O_2$
M.W. : 190.82 g/mole
Grade : > 98%

B1051 | 73852-17-2




Formula : $C_6H_5BCl_2O_2$
M.W. : 190.82 g/mole
Grade : > 98%

B1052 | 151169-75-4



Formula : $C_6H_5BCl_2O_2$
M.W. : 190.82 g/mole
Grade : > 96%

B1053 | 67492-50-6




Formula : $C_6H_5BCl_2O_2$
M.W. : 190.82 g/mole
Grade : > 97%

B1054 | 121219-16-7



Formula : $C_6H_5BF_2O_2$
M.W. : 157.91 g/mole
Grade : > 97%

B1055 | 144025-03-6



Formula : $C_6H_5BF_2O_2$
M.W. : 157.91 g/mole
Grade : > 98%

B1056 | 193353-34-3




Formula : $C_6H_5BF_2O_2$
M.W. : 157.91 g/mole
Grade : > 98%

B1057 | 162101-25-9




Formula : $C_6H_5BF_2O_2$
M.W. : 157.91 g/mole
Grade : > 98%

B1058 | 168267-41-2




Formula : $C_6H_5BF_2O_2$
M.W. : 157.91 g/mole
Grade : > 97%

B1059 | 156545-07-2




Formula : $C_6H_5BF_2O_2$
M.W. : 157.91 g/mole
Grade : > 98%

B1060 | 133730-34-4




Formula : $C_8H_{11}BO_4$
M.W. : 181.98 g/mole
Grade : > 95%

B1061 | 107099-99-0




Formula : $C_8H_{11}BO_4$
M.W. : 181.98 g/mole
Grade : > 97%

B1062 | 192182-54-0




Formula : $C_8H_{11}BO_4$
M.W. : 181.98 g/mole
Grade : > 97%

B1063 | 221006-70-8




Formula : $C_7H_{10}BNO_4$
M.W. : 182.97 g/mole
Grade : > 98%

B1064 | 55499-43-9



Formula : $C_8H_{11}BO_2$
M.W. : 149.98 g/mole
Grade : > 98%

B1065 | 301699-39-8



Formula : $C_9H_{13}BO_3$
M.W. : 180.01 g/mole
Grade : > 97%

B1066 | 183158-34-1



Formula : $C_8H_{11}BO_2$
M.W. : 149.98 g/mole
Grade : > 98%

B1067 | 85199-06-0




Formula : $C_8H_{11}BO_2$
M.W. : 149.98 g/mole
Grade : > 98%

B1068 | 100379-00-8



Formula : $C_8H_{11}BO_2$
M.W. : 149.98 g/mole
Grade : > 98%

B1069 | 4334-87-6




Formula : $C_9H_{11}BO_4$
M.W. : 193.99 g/mole
Grade : > 98%

B1070 | 380430-53-5



Formula : $C_9H_{11}BO_4$
M.W. : 193.99 g/mole
Grade : > 96%

























B1071 | 4334-88-7



Formula : $C_9H_{11}BO_4$
M.W. : 193.99 g/mole
Grade : > 98%

























Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|--|--|---|--|
| <p>B1072 22237-13-4</p>  <p>Formula : $C_8H_{11}BO_3$ M.W. : 165.98 g/mole Grade : > 97%</p> | <p>B1073 63139-21-9</p>  <p>Formula : $C_8H_{11}BO_2$ M.W. : 149.98 g/mole Grade : > 97%</p> | <p>B1074 178305-99-2</p>  <p>Formula : $C_{12}H_{10}BFO_2$ M.W. : 216.02 g/mole Grade : > 98%</p> | <p>B1075 149507-26-6</p>  <p>Formula : $C_7H_8BFO_3$ M.W. : 169.95 g/mole Grade : > 98%</p> |
| <p>B1076 179897-94-0</p>  <p>Formula : $C_7H_8BFO_3$ M.W. : 169.95 g/mole Grade : > 97%</p> | <p>B1077 139911-29-8</p>  <p>Formula : $C_7H_8BFO_2$ M.W. : 153.95 g/mole Grade : > 97%</p> | <p>B1078 139911-27-6</p>  <p>Formula : $C_7H_8BFO_2$ M.W. : 153.95 g/mole Grade : > 97%</p> | <p>B1079 768-35-4</p>  <p>Formula : $C_6H_6BFO_2$ M.W. : 139.92 g/mole Grade : > 97%</p> |
| <p>B1080 1993-03-9</p>  <p>Formula : $C_6H_6BFO_2$ M.W. : 139.92 g/mole Grade : > 98%</p> | <p>B1081 1765-93-1</p>  <p>Formula : $C_6H_6BFO_2$ M.W. : 139.92 g/mole Grade : > 98%</p> | <p>B1082 174669-73-9</p>  <p>Formula : $C_5H_5BFNO_2$ M.W. : 140.91 g/mole Grade : > 98%</p> | <p>B1083 351019-18-6</p>  <p>Formula : $C_5H_5BFNO_2$ M.W. : 140.91 g/mole Grade : > 98%</p> |
| <p>B1084 27329-70-0</p>  <p>Formula : $C_5H_5BO_4$ M.W. : 139.90 g/mole Grade : > 98%</p> | <p>B1085 87199-16-4</p>  <p>Formula : $C_7H_7BO_3$ M.W. : 149.94 g/mole Grade : > 97%</p> | <p>B1086 40138-16-7</p>  <p>Formula : $C_7H_7BO_3$ M.W. : 149.94 g/mole Grade : > 97%</p> | <p>B1087 87199-17-5</p>  <p>Formula : $C_7H_7BO_3$ M.W. : 149.94 g/mole Grade : > 97%</p> |
| <p>B1088 4347-31-3</p>  <p>Formula : $C_5H_5BO_3S$ M.W. : 155.97 g/mole Grade : > 98%</p> | <p>B1089 17303-83-2</p>  <p>Formula : $C_5H_5BO_3S$ M.W. : 155.97 g/mole Grade : > 96%</p> | <p>B1090 4347-33-5</p>  <p>Formula : $C_5H_5BO_3S$ M.W. : 155.97 g/mole Grade : > 97%</p> | <p>B1091 13331-23-2</p>  <p>Formula : $C_4H_5BO_3$ M.W. : 111.89 g/mole Grade : > 97%</p> |
| <p>B1092 87199-15-3</p>  <p>Formula : $C_7H_9BO_3$ M.W. : 151.96 g/mole Grade : > 98%</p> | <p>B1093 87199-14-2</p>  <p>Formula : $C_7H_9BO_3$ M.W. : 151.96 g/mole Grade : > 98%</p> | <p>B1094 59016-93-2</p>  <p>Formula : $C_7H_9BO_3$ M.W. : 151.96 g/mole Grade : > 96%</p> | <p>B1095 87199-18-6</p>  <p>Formula : $C_6H_7BO_3$ M.W. : 137.93 g/mole Grade : > 95%</p> |

























Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|--|--|--|--|
| <p>B1096 89466-08-0</p>  <p>Formula : C₆H₇BO₃ M.W. : 137.93 g/mole Grade : > 97%</p> | <p>B1097 71597-85-8</p>  <p>Formula : C₆H₇BO₃ M.W. : 137.93 g/mole Grade : > 98%</p> | <p>B1098 89787-12-2</p>  <p>Formula : C₉H₁₃BO₂ M.W. : 164.01 g/mole Grade : > 97%</p> | <p>B1099 380427-38-3</p>  <p>Formula : C₉H₁₃BO₂S M.W. : 196.07 g/mole Grade : > 96%</p> |
| <p>B1100 192182-56-2</p>  <p>Formula : C₉H₈BNO₂ M.W. : 172.98 g/mole Grade : > 96%</p> | <p>B1101 148355-75-3</p>  <p>Formula : C₇H₁₀BNO₄S M.W. : 215.03 g/mole Grade : > 98%</p> | <p>B1102 380430-57-9</p>  <p>Formula : C₇H₁₀BNO₄S M.W. : 215.03 g/mole Grade : > 95%</p> | <p>B1103 117342-20-8</p>  <p>Formula : C₈H₈BNO₆ M.W. : 224.96 g/mole Grade : > 98%</p> |
| <p>B1104 85107-55-7</p>  <p>Formula : C₈H₈BNO₆ M.W. : 224.96 g/mole Grade : > 97%</p> | <p>B1105 99769-19-4</p>  <p>Formula : C₈H₉BO₄ M.W. : 179.97 g/mole Grade : > 97%</p> | <p>B1106 374538-03-1</p>  <p>Formula : C₈H₉BO₄ M.W. : 179.97 g/mole Grade : > 97%</p> | <p>B1107 99768-12-4</p>  <p>Formula : C₈H₉BO₄ M.W. : 179.97 g/mole Grade : > 97%</p> |
| <p>B1108 10365-98-7</p>  <p>Formula : C₇H₉BO₃ M.W. : 151.96 g/mole Grade : > 98%</p> | <p>B1109 5720-06-9</p>  <p>Formula : C₇H₉BO₃ M.W. : 151.96 g/mole Grade : > 97%</p> | <p>B1110 5720-07-0</p>  <p>Formula : C₇H₉BO₃ M.W. : 151.96 g/mole Grade : > 97%</p> | <p>B1112 94839-07-3</p>  <p>Formula : C₇H₉BO₄ M.W. : 165.94 g/mole Grade : > 98%</p> |
| <p>B1115 17933-03-8</p>  <p>Formula : C₇H₉BO₂ M.W. : 135.96 g/mole Grade : > 97%</p> | <p>B1116 16419-60-6</p>  <p>Formula : C₇H₉BO₂ M.W. : 135.96 g/mole Grade : > 98%</p> | <p>B1117 5720-05-8</p>  <p>Formula : C₇H₉BO₂ M.W. : 135.96 g/mole Grade : > 97%</p> | <p>B1118 84110-40-7</p>  <p>Formula : C₄H₁₁BO₂ M.W. : 101.94 g/mole Grade : > 97%</p> |
| <p>B1119 362045-65-6</p>  <p>Formula : C₆H₁₀BINO₂ M.W. : 265.86 g/mole Grade : > 95%</p> | <p>B1120 168618-42-6</p>  <p>Formula : C₇H₉BO₂S M.W. : 168.02 g/mole Grade : > 98%</p> | <p>B1121 98546-51-1</p>  <p>Formula : C₇H₉BO₂S M.W. : 168.02 g/mole Grade : > 98%</p> | <p>B1122 13922-41-3</p>  <p>Formula : C₁₀H₈BO₂ M.W. : 171.99 g/mole Grade : > 98% (HPLC)</p> |

























Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|--|--|--|--|
| <p>B1123 32316-92-0</p>  <p>Formula : C₁₀H₉BO₂ M.W. : 171.99 g/mole Grade : > 98%</p> | <p>B1124 13331-27-6</p>  <p>Formula : C₆H₆BNO₄ M.W. : 166.93 g/mole Grade : > 97%</p> | <p>B1125 5570-19-4</p>  <p>Formula : C₆H₆BNO₄ M.W. : 166.93 g/mole Grade : > 97%</p> | <p>B1126 24067-17-2</p>  <p>Formula : C₆H₆BNO₄ M.W. : 166.93 g/mole Grade : > 98%</p> |
| <p>B1127 100124-07-0</p>  <p>Formula : C₁₂H₉BO₃S M.W. : 244.07 g/mole Grade : > 97%</p> | <p>B1128 4612-26-4</p>  <p>Formula : C₆H₈B₂O₄ M.W. : 165.75 g/mole Grade : > 98%</p> | <p>B1130 186497-67-6</p>  <p>Formula : C₉H₁₃BO₃ M.W. : 180.01 g/mole Grade : > 97%</p> | <p>B1132 1692-15-5</p>  <p>Formula : C₅H₆BNO₂ M.W. : 122.95 g/mole Grade : > 98%</p> |
| <p>B1133 191162-39-7</p>  <p>Formula : C₉H₈BNO₂ M.W. : 172.98 g/mole Grade : > 97%</p> | <p>B1134 86-58-8</p>  <p>Formula : C₉H₈BNO₂ M.W. : 172.98 g/mole Grade : > 98%</p> | <p>B1135 6165-68-0</p>  <p>Formula : C₄H₅BO₂S M.W. : 127.96 g/mole Grade : > 97%</p> | <p>B1136 6165-69-1</p>  <p>Formula : C₄H₅BO₂S M.W. : 127.96 g/mole Grade : > 98%</p> |
| <p>B1137 1423-26-3</p>  <p>Formula : C₇H₆BF₃O₂ M.W. : 189.93 g/mole Grade : > 97%</p> | <p>B1138 128796-39-4</p>  <p>Formula : C₇H₆BF₃O₂ M.W. : 189.93 g/mole Grade : > 97%</p> | <p>B1139 2156-04-9</p>  <p>Formula : C₉H₉BO₂ M.W. : 147.97 g/mole Grade : > 98%</p> | <p>B1140 552846-17-0</p>  <p>Formula : C₁₄H₂₃BN₂O₄ M.W. : 294.15 g/mole Grade : > 98%</p> |
| <p>B1141 159624-15-4</p>  <p>Formula : C₁₇H₂₆BNO₄ M.W. : 319.20 g/mole Grade : > 98%</p> | <p>B1142 330793-09-4</p>  <p>Formula : C₁₇H₂₆BNO₄ M.W. : 319.20 g/mole Grade : > 96%</p> | <p>B1143 330793-01-6</p>  <p>Formula : C₁₇H₂₆BNO₄ M.W. : 319.20 g/mole Grade : > 98%</p> | <p>B1144 480424-71-3</p>  <p>Formula : C₁₇H₂₅BO₅ M.W. : 320.19 g/mole Grade : > 95%</p> |
| <p>B1145 444120-94-9</p>  <p>Formula : C₁₁H₁₅BClNO₂ M.W. : 239.51 g/mole Grade : > 98%</p> | <p>B1147 195062-62-5</p>  <p>Formula : C₁₅H₂₁BO₄ M.W. : 276.14 g/mole Grade : > 96%</p> | <p>B1148 171364-80-0</p>  <p>Formula : C₁₄H₁₉BO₄ M.W. : 262.11 g/mole Grade : > 98%</p> | <p>B1149 380430-61-5</p>  <p>Formula : C₁₄H₂₀BNO₃ M.W. : 261.12 g/mole Grade : > 96%</p> |

























Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|---|--|--|--|
| <p>B1150 191171-55-8</p>  <p>Formula : C₁₂H₁₈BNO₂ M.W. : 219.09 g/mole Grade : > 98%</p> | <p>B1151 214360-73-3</p>  <p>Formula : C₁₂H₁₈BNO₂ M.W. : 219.09 g/mole Grade : > 97%</p> | <p>B1152 269409-73-6</p>  <p>Formula : C₁₃H₁₇BO₄ M.W. : 248.08 g/mole Grade : > 98%</p> | <p>B1153 180516-87-4</p>  <p>Formula : C₁₃H₁₇BO₄ M.W. : 248.08 g/mole Grade : > 97%</p> |
| <p>B1154 248924-59-6</p>  <p>Formula : C₁₀H₁₅BO₃ M.W. : 194.04 g/mole Grade : > 98%</p> | <p>B1155 269410-24-4</p>  <p>Formula : C₁₄H₁₈BNO₂ M.W. : 243.11 g/mole Grade : > 98%</p> | <p>B1156 685103-98-4</p>  <p>Formula : C₁₅H₁₈BNO₂ M.W. : 255.12 g/mole Grade : > 95%</p> | <p>B1157 190788-59-1</p>  <p>Formula : C₁₂H₁₆BNO₄ M.W. : 249.07 g/mole Grade : > 98%</p> |
| <p>B1158 171364-83-3</p>  <p>Formula : C₁₂H₁₆BNO₄ M.W. : 249.07 g/mole Grade : > 98%</p> | <p>B1159 480425-36-3</p>  <p>Formula : C₁₃H₁₈BNO₃ M.W. : 247.1 g/mole Grade : > 95%</p> | <p>B1160 380430-60-4</p>  <p>Formula : C₁₃H₂₀BNO₄S M.W. : 297.18 g/mole Grade : > 98%</p> | <p>B1161 269410-08-4</p>  <p>Formula : C₉H₁₅BN₂O₂ M.W. : 194.04 g/mole Grade : > 98%</p> |
| <p>B1162 329214-79-1</p>  <p>Formula : C₁₁H₁₆BNO₂ M.W. : 205.06 g/mole Grade : > 97%</p> | <p>B1163 181219-01-2</p>  <p>Formula : C₁₁H₁₆BNO₂ M.W. : 205.06 g/mole Grade : > 97%</p> | <p>B1164 485799-04-0</p>  <p>Formula : C₁₅H₂₃BN₂O₃ M.W. : 290.17 g/mole Grade : > 98%</p> | <p>B1165 214360-70-0</p>  <p>Formula : C₁₀H₁₅BO₂S M.W. : 210.10 g/mole Grade : > 98%</p> |
| <p>B1167 1073355-14-2</p>  <p>Formula : C₁₂H₁₅BN₂O₃ M.W. : 246.07 g/mole Grade : > 98%</p> | <p>B1168 236389-21-2</p>  <p>Formula : C₂₅H₁₇BO₂ M.W. : 360.21 g/mole Grade : > 97%</p> | <p>B1170 1193104-83-4</p>  <p>Formula : C₂₇H₂₃BO₂ M.W. : 390.28 g/mole Grade : > 97%</p> | <p>B1171 1706525-40-7</p>  <p>Formula : C₂₇H₂₄B₂O₄ M.W. : 434.1 g/mole Grade : > 97%</p> |
| <p>B1172 333432-28-3</p>  <p>Formula : C₁₅H₁₅BO₂ M.W. : 238.09 g/mole Grade : > 97%</p> | <p>B1175 597553-98-5</p>  <p>Formula : C₂₆H₁₉BO₂ M.W. : 374.24 g/mole Grade : > 97%</p> | <p>B1176 852475-03-7</p>  <p>Formula : C₂₄H₂₁BO₂Si M.W. : 380.32 g/mole Grade : > 97%</p> | <p>B1177 254755-24-3</p>  <p>Formula : C₃₇H₅₆B₂O₄ M.W. : 586.46 g/mole Grade : > 97% (HPLC)</p> |

























Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|--|--|--|--|
| <p>B1178 196207-58-6</p>  <p>Formula : C₄₁H₆₄B₂O₄ M.W. : 642.57 g/mole Grade : > 97%</p> | <p>B1179 357219-41-1</p>  <p>Formula : C₄₁H₆₄B₂O₄ M.W. : 642.57 g/mole Grade : > 95%</p> | <p>B1183 958261-51-3</p>  <p>Formula : C₄₁H₆₅B₂NO₄ M.W. : 657.58 g/mole Grade : > 97%</p> | <p>B1185 1240488-30-5</p>  <p>Formula : C₄₁H₆₅B₂NO₄ M.W. : 657.6 g/mole Grade : > 95%</p> |
| <p>B1186 542504-04-3</p>  <p>Formula : C₂₀H₁₉BO₂ M.W. : 302.2 g/mole Grade : > 97%</p> | <p>B1188 105365-50-2</p>  <p>Formula : C₁₂H₁₉BO₂ M.W. : 206.09 g/mole Grade : > 97%</p> | <p>B1189 1692-25-7</p>  <p>Formula : C₅H₆BNO₂ M.W. : 122.92 g/mole Grade : > 98%</p> | <p>B1190 134150-01-9</p>  <p>Formula : C₉H₁₃BO₂ M.W. : 164.01 g/mole Grade : > 97%</p> |
| <p>B1193 </p>  <p>Formula : C₄₂H₅₈B₂N₂O₄ M.W. : 676.5 g/mole Grade : > 95% (HPLC)</p> | <p>B1194 882066-06-0</p>  <p>Formula : C₄₆H₆₆B₂N₂O₄ M.W. : 732.7 g/mole Grade : > 95% (HPLC)</p> | <p>B1195 1507388-01-3</p>  <p>Formula : C₄₆H₆₆B₂N₂O₄ M.W. : 732.65 g/mole Grade : > 95% (HPLC)</p> | <p>B1196 175361-81-6</p>  <p>Formula : C₁₆H₂₆B₂O₄S M.W. : 336.06 g/mole Grade : > 97%</p> |
| <p>B1197 128312-11-8</p>  <p>Formula : C₇H₆BO₂S M.W. : 168.02 g/mole Grade : > 97%</p> | <p>B1198 55552-70-0</p>  <p>Formula : C₄H₆BO₃ M.W. : 111.89 g/mole Grade : > 98%</p> | <p>B1199 372963-49-0</p>  <p>Formula : C₆H₈BNO₂ M.W. : 136.95 g/mole Grade : > 97%</p> | <p>B1200 870777-29-0</p>  <p>Formula : C₈H₈BF₃O₃ M.W. : 182.96 g/mole Grade : > 95%</p> |
| <p>B1201 89466-07-9</p>  <p>Formula : C₆H₇BN₂O₄ M.W. : 181.94 g/mole Grade : > 95%</p> | <p>B1202 452972-09-7</p>  <p>Formula : C₅H₅BBrNO₂ M.W. : 201.81 g/mole Grade : > 98%</p> | <p>B1203 762287-57-0</p>  <p>Formula : C₇H₈BClO₃ M.W. : 186.4 g/mole Grade : > 98%</p> | <p>B1204 148493-34-9</p>  <p>Formula : C₅H₄BCl₂NO₂ M.W. : 191.81 g/mole Grade : > 98%</p> |
| <p>B1205 313545-72-1</p>  <p>Formula : C₆H₅BClFO₂ M.W. : 174.37 g/mole Grade : > 98%</p> | <p>B1206 223463-14-7</p>  <p>Formula : C₅H₅BBrNO₂ M.W. : 201.81 g/mole Grade : > 97%</p> | <p>B1207 452972-08-6</p>  <p>Formula : C₅H₅BBrNO₂ M.W. : 201.81 g/mole Grade : > 98%</p> | <p>B1208 381248-04-0</p>  <p>Formula : C₅H₅BClNO₂ M.W. : 157.36 g/mole Grade : > 97%</p> |

























Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|--|---|--|---|
| <p>B1209 182344-18-9</p>  <p>Formula : $C_7H_5BClF_3O_2$ M.W. : 224.37 g/mole Grade : > 98%</p> | <p>B1210 254993-59-4</p>  <p>Formula : $C_7H_5BClF_3O_2$ M.W. : 224.37 g/mole Grade : > 97%</p> | <p>B1211 163105-90-6</p>  <p>Formula : $C_6H_8BNO_3$ M.W. : 152.94 g/mole Grade : > 98%</p> | <p>B1212 308103-40-4</p>  <p>Formula : $C_8H_9BO_3$ M.W. : 163.97 g/mole Grade : > 97%</p> |
| <p>B1213 501435-91-2</p>  <p>Formula : $C_5H_4BBrFNO_2$ M.W. : 219.8 g/mole Grade : > 98%</p> | <p>B1214 854373-97-0</p>  <p>Formula : $C_7H_{10}BNO_3$ M.W. : 166.97 g/mole Grade : > 98%</p> | <p>B1215 89641-18-9</p>  <p>Formula : $C_8H_9BN_2O_4$ M.W. : 183.96 g/mole Grade : > 98%</p> | <p>B1216 136496-72-5</p>  <p>Formula : $C_7H_6BClO_4$ M.W. : 200.38 g/mole Grade : > 98%</p> |
| <p>B1217 216019-28-2</p>  <p>Formula : $C_9H_{13}BO_2$ M.W. : 164.01 g/mole Grade : > 97%</p> | <p>B1218 120153-08-4</p>  <p>Formula : $C_7H_6BFO_4$ M.W. : 183.93 g/mole Grade : > 98%</p> | <p>B1219 149105-19-1</p>  <p>Formula : $C_7H_7BO_4$ M.W. : 165.94 g/mole Grade : > 97%</p> | <p>B1220 138642-62-3</p>  <p>Formula : $C_7H_6BNO_2$ M.W. : 146.94 g/mole Grade : > 98%</p> |
| <p>B1221 182163-96-8</p>  <p>Formula : $C_9H_{13}BO_5$ M.W. : 212.01 g/mole Grade : > 98%</p> | <p>B1222 1423-27-4</p>  <p>Formula : $C_7H_6BF_3O_2$ M.W. : 189.93 g/mole Grade : > 97%</p> | <p>B1223 153254-09-2</p>  <p>Formula : $C_8H_8BF_3O_2$ M.W. : 257.93 g/mole Grade : > 98%</p> | <p>B1224 89598-96-9</p>  <p>Formula : $C_6H_5BBrO_2$ M.W. : 200.83 g/mole Grade : > 98%</p> |
| <p>B1225 91983-14-1</p>  <p>Formula : $C_7H_8BBrO_2$ M.W. : 214.85 g/mole Grade : > 95%</p> | <p>B1226 153624-46-5</p>  <p>Formula : $C_9H_{13}BO_3$ M.W. : 180.01 g/mole Grade : > 97%</p> | <p>B1227 121219-12-3</p>  <p>Formula : $C_{11}H_{17}BO_2$ M.W. : 192.06 g/mole Grade : > 97%</p> | <p>B1228 355386-94-6</p>  <p>Formula : $C_9H_8BNO_2$ M.W. : 172.98 g/mole Grade : > 98%</p> |
| <p>B1229 182281-01-2</p>  <p>Formula : $C_{11}H_{15}BO_4$ M.W. : 222.05 g/mole Grade : > 97%</p> | <p>B1230 913836-03-0</p>  <p>Formula : $C_8H_8BNO_4$ M.W. : 166.93 g/mole Grade : > 98%</p> | <p>B1231 192182-55-1</p>  <p>Formula : $C_9H_{10}BNO_2$ M.W. : 174.99 g/mole Grade : > 98%</p> | <p>B1232 936250-22-5</p>  <p>Formula : $C_4H_6BN_2O_2$ M.W. : 138.92 g/mole Grade : > 98%</p> |

























Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|--|--|--|---|
| <p>B1233 348098-29-3</p>  <p>Formula : C₅H₇BN₂O₂S M.W. : 170.0 g/mole Grade : > 98%</p> | <p>B1234 220465-43-0</p>  <p>Formula : C₈H₈BNO₃ M.W. : 177.0 g/mole Grade : > 97%</p> | <p>B1235 109299-79-8</p>  <p>Formula : C₁₂H₂₃BN₂O₅ M.W. : 286.1 g/mole Grade : > 98%</p> | <p>B1236 458532-96-2</p>  <p>Formula : C₅H₅BClNO₂ M.W. : 157.4 g/mole Grade : > 98%</p> |
| <p>B1238 213211-69-9</p>  <p>Formula : C₈H₁₁BO₃ M.W. : 166.0 g/mole Grade : > 97%</p> | <p>B1239 108238-09-1</p>  <p>Formula : C₁₂H₁₁BO₃ M.W. : 214.0 g/mole Grade : > 97%</p> | <p>B1240 351422-73-6</p>  <p>Formula : C₇H₈BNO₃ M.W. : 165.0 g/mole Grade : > 98%</p> | <p>B1241 90555-66-1</p>  <p>Formula : C₈H₁₁BO₃ M.W. : 166.0 g/mole Grade : > 98%</p> |
| <p>B1242 913835-82-2</p>  <p>Formula : C₁₁H₁₅BO₄ M.W. : 222.0 g/mole Grade : > 97%</p> | <p>B1243 156682-54-1</p>  <p>Formula : C₁₃H₁₃BO₃ M.W. : 228.1 g/mole Grade : > 96%</p> | <p>B1244 30418-59-8</p>  <p>Formula : C₆H₈BNO₂ M.W. : 136.9 g/mole Grade : > 98%</p> | <p>B1245 179113-90-7</p>  <p>Formula : C₇H₆BF₃O₃ M.W. : 205.9 g/mole Grade : > 97%</p> |
| <p>B1246 145349-76-4</p>  <p>Formula : C₈H₁₁BO₂S M.W. : 182.0 g/mole Grade : > 98%</p> | <p>B1247 70799-12-1</p>  <p>Formula : C₉H₁₄BNO₂ M.W. : 179.0 g/mole Grade : > 97%</p> | <p>B1248 947533-31-5</p>  <p>Formula : C₉H₁₃BN₂O₄ M.W. : 212.0 g/mole Grade : > 95%</p> | <p>B1249 34420-17-2</p>  <p>Formula : C₈H₁₁BO₂ M.W. : 150.0 g/mole Grade : > 98%</p> |
| <p>B1250 89694-48-4</p>  <p>Formula : C₇H₈BClO₃ M.W. : 186.4 g/mole Grade : > 96%</p> | <p>B1251 259209-20-6</p>  <p>Formula : C₆H₆BFO₃ M.W. : 155.92 g/mole Grade : > 95%</p> | <p>B1252 870774-25-7</p>  <p>Formula : C₁₆H₁₃BO₂ M.W. : 248.1 g/mole Grade : > 97%</p> | <p>B1253 173194-95-1</p>  <p>Formula : C₁₀H₉BO₃ M.W. : 188.0 g/mole Grade : > 97%</p> |
| <p>B1254 373384-14-6</p>  <p>Formula : C₉H₁₂BNO₃ M.W. : 193.0 g/mole Grade : > 98%</p> | <p>B1255 405520-68-5</p>  <p>Formula : C₉H₁₂BNO₃ M.W. : 193.0 g/mole Grade : > 98%</p> | <p>B1256 832695-88-2</p>  <p>Formula : C₈H₁₀BNO₃ M.W. : 179.0 g/mole Grade : > 98%</p> | <p>B1257 373384-18-0</p>  <p>Formula : C₇H₉BO₄S M.W. : 200.0 g/mole Grade : > 98%</p> |

























Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|---|---|---|---|
| <p>B1258 80460-73-7</p>  <p>Formula : C₆H₉BClNO₂ M.W. : 173.4 g/mole Grade : > 98%</p> | <p>B1259 5122-99-6</p>  <p>Formula : C₆H₆BO₂ M.W. : 247.8 g/mole Grade : > 98%</p> | <p>B1260 237429-33-3</p>  <p>Formula : C₆H₇BO₂S M.W. : 154.0 g/mole Grade : > 97%</p> | <p>B1261 279262-11-2</p>  <p>Formula : C₈H₁₁BO₃ M.W. : 166.0 g/mole Grade : > 98%</p> |
| <p>B1262 149104-88-1</p>  <p>Formula : C₇H₉BO₄S M.W. : 200.0 g/mole Grade : > 97%</p> | <p>B1263 4612-28-6</p>  <p>Formula : C₆H₈B₂O₄ M.W. : 165.7 g/mole Grade : > 97%</p> | <p>B1264 55499-44-0</p>  <p>Formula : C₈H₁₁BO₂ M.W. : 150.0 g/mole Grade : > 97%</p> | <p>B1265 23112-96-1</p>  <p>Formula : C₈H₁₁BO₄ M.W. : 182.0 g/mole Grade : > 97%</p> |
| <p>B1266 226396-32-3</p>  <p>Formula : C₆H₄BF₃O₂ M.W. : 175.9 g/mole Grade : > 98%</p> | <p>B1267 212779-19-6</p>  <p>Formula : C₆H₄BCl₃O₂ M.W. : 225.3 g/mole Grade : > 97%</p> | <p>B1268 247564-71-2</p>  <p>Formula : C₆H₄BF₃O₂ M.W. : 175.9 g/mole Grade : > 98%</p> | <p>B1269 247564-73-4</p>  <p>Formula : C₆H₄BF₃O₂ M.W. : 175.9 g/mole Grade : > 97%</p> |
| <p>B1270 247564-72-3</p>  <p>Formula : C₆H₄BF₃O₂ M.W. : 175.9 g/mole Grade : > 97%</p> | <p>B1271 73852-18-3</p>  <p>Formula : C₆H₄BCl₃O₂ M.W. : 225.3 g/mole Grade : > 97%</p> | <p>B1272 89694-46-2</p>  <p>Formula : C₇H₈BClO₃ M.W. : 186.4 g/mole Grade : > 97%</p> | <p>B1273 503309-11-3</p>  <p>Formula : C₇H₅BF₄O₂ M.W. : 207.9 g/mole Grade : > 98%</p> |
| <p>B1274 873566-75-7</p>  <p>Formula : C₆H₇BFNO₂ M.W. : 154.9 g/mole Grade : > 97%</p> | <p>B1275 845551-44-2</p>  <p>Formula : C₁₃H₁₂BClO₃ M.W. : 262.5 g/mole Grade : > 98%</p> | <p>B1276 505083-04-5</p>  <p>Formula : C₈H₈BFO₄ M.W. : 198.0 g/mole Grade : > 96%</p> | <p>B1277 874219-35-9</p>  <p>Formula : C₈H₈BFO₄ M.W. : 198.0 g/mole Grade : > 96%</p> |
| <p>B1278 160591-91-3</p>  <p>Formula : C₆H₅BClFO₂ M.W. : 174.4 g/mole Grade : > 98%</p> | <p>B1279 313545-41-4</p>  <p>Formula : C₇H₅BClF₃O₂ M.W. : 224.4 g/mole Grade : > 98%</p> | <p>B1280 137504-86-0</p>  <p>Formula : C₆H₅BClFO₂ M.W. : 174.4 g/mole Grade : > 98%</p> | <p>B1281 176976-42-4</p>  <p>Formula : C₇H₅BClF₃O₂ M.W. : 224.4 g/mole Grade : > 98%</p> |

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

| | | | |
|---|--|---|---|
| <p>B1282 109299-78-7</p>  <p>Formula : C₄H₅BN₂O₂ M.W. : 123.9 g/mole Grade : > 98%</p> | <p>B1283 108847-20-7</p>  <p>Formula : C₁₂H₉BO₂S M.W. : 228.1 g/mole Grade : > 97%</p> | <p>B1284 148546-82-1</p>  <p>Formula : C₆H₈BN₂O₂ M.W. : 136.9 g/mole Grade : > 98%</p> | <p>B1285 444120-91-6</p>  <p>Formula : C₅H₅BClNO₂ M.W. : 157.4 g/mole Grade : > 98%</p> |
| <p>B1286 872041-85-5</p>  <p>Formula : C₅H₅BClNO₂ M.W. : 157.4 g/mole Grade : > 97%</p> | <p>B1287 4433-63-0</p>  <p>Formula : C₂H₇BO₂ M.W. : 73.9 g/mole Grade : > 97%</p> | <p>B1288 411235-57-9</p>  <p>Formula : C₃H₇BO₂ M.W. : 85.9 g/mole Grade : > 98%</p> | <p>B1289 80041-89-0</p>  <p>Formula : C₃H₉BO₂ M.W. : 87.9 g/mole Grade : > 98%</p> |
| <p>B1290 4441-56-9</p>  <p>Formula : C₆H₁₃BO₂ M.W. : 128.0 g/mole Grade : > 99%</p> | <p>B1291 352535-96-7</p>  <p>Formula : C₇H₅BF₂O₂ M.W. : 207.9 g/mole Grade : > 98%</p> | <p>B1292 352303-67-4</p>  <p>Formula : C₇H₈BFO₃ M.W. : 169.9 g/mole Grade : > 98%</p> | <p>B1293 162101-31-7</p>  <p>Formula : C₇H₈BFO₃ M.W. : 169.9 g/mole Grade : > 98%</p> |
| <p>B1294 78495-63-3</p>  <p>Formula : C₇H₈BFO₃ M.W. : 169.9 g/mole Grade : > 98%</p> | <p>B1295 179899-07-1</p>  <p>Formula : C₇H₈BFO₃ M.W. : 169.9 g/mole Grade : > 98%</p> | <p>B1296 179923-32-1</p>  <p>Formula : C₆H₃BF₃O₂ M.W. : 193.9 g/mole Grade : > 95%</p> | <p>B1297 511295-00-4</p>  <p>Formula : C₆H₃BF₃O₂ M.W. : 193.9 g/mole Grade : > 95%</p> |
| <p>B1298 511295-01-5</p>  <p>Formula : C₆H₃BF₃O₂ M.W. : 193.9 g/mole Grade : > 96%</p> | <p>B1299 1582-24-7</p>  <p>Formula : C₆H₂BF₅O₂ M.W. : 211.9 g/mole Grade : > 95%</p> | <p>B1300 243140-14-9</p>  <p>Formula : C₁₀H₁₃BO₄ M.W. : 208.0 g/mole Grade : > 98%</p> | <p>B1301 121219-20-3</p>  <p>Formula : C₁₂H₁₇BF₂O₃ M.W. : 258.1 g/mole Grade : > 98%</p> |
| <p>B1302 40972-86-9</p>  <p>Formula : C₈H₁₁BO₄ M.W. : 182.0 g/mole Grade : > 98%</p> | <p>B1303 70523-24-9</p>  <p>Formula : C₁₈H₁₇BN₂O₄ M.W. : 336.1 g/mole Grade : > 95%</p> | <p>B1304 306935-93-3</p>  <p>Formula : C₁₂H₂₁BN₂O₄ M.W. : 268.1 g/mole Grade : > 97%</p> | <p>B1305 852228-14-9</p>  <p>Formula : C₅H₄BBr₂NO₂ M.W. : 280.7 g/mole Grade : > 97%</p> |

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1306 | 848779-87-3




Formula : $C_{13}H_{12}BFO_3$
M.W. : 246.0 g/mole
Grade : > 95%

B1307 | 779331-47-4




Formula : $C_{13}H_{12}BFO_3$
M.W. : 246.0 g/mole
Grade : > 98%

B1308 | 1003043-34-2




Formula : $C_6H_7BBNO_2$
M.W. : 215.8 g/mole
Grade : > 98%

B1309 | 874290-62-7




Formula : $C_7H_6BFO_4$
M.W. : 183.9 g/mole
Grade : > 96%

B1310 | 1003043-40-0




Formula : $C_6H_7BClNO_2$
M.W. : 171.4 g/mole
Grade : > 98%

B1311 | 313545-44-7




Formula : $C_8H_{10}BClO_3$
M.W. : 200.4 g/mole
Grade : > 97%

B1312 | 1022922-16-2




Formula : $C_7H_5BClF_3O_3$
M.W. : 240.4 g/mole
Grade : > 98%

B1313 | 936249-33-1




Formula : $C_7H_5BClNO_2$
M.W. : 181.4 g/mole
Grade : > 97%

B1314 | 444666-39-1




Formula : $C_6H_5BClFO_2$
M.W. : 174.4 g/mole
Grade : > 98%

B1315 | 1150114-78-5




Formula : $C_7H_6BClO_3$
M.W. : 184.4 g/mole
Grade : > 97%

B1316 | 957034-45-6




Formula : $C_8H_8BF_3O_2$
M.W. : 204.0 g/mole
Grade : > 97%

B1317 | 193353-35-4




Formula : $C_7H_8BClO_2$
M.W. : 170.4 g/mole
Grade : > 97%

B1318 | 867333-29-7




Formula : $C_6H_5BClNO_4$
M.W. : 201.4 g/mole
Grade : > 97%

B1319 | 126617-98-9




Formula : $C_8H_{11}BO_3$
M.W. : 166.0 g/mole
Grade : > 97%

B1320 | 279263-10-4




Formula : $C_9H_{10}BFO_3$
M.W. : 184.0 g/mole
Grade : > 98%

B1321 | 904326-92-7




Formula : $C_6H_7BFNO_2$
M.W. : 154.9 g/mole
Grade : > 98%

B1322 | 603122-84-5




Formula : $C_8H_8BFO_4$
M.W. : 198.0 g/mole
Grade : > 98%

B1323 | 170981-26-7




Formula : $C_7H_8BFO_2$
M.W. : 153.9 g/mole
Grade : > 98%

B1324 | 352534-79-3




Formula : $C_7H_7BFO_3$
M.W. : 167.9 g/mole
Grade : > 98%

B1325 | 1072952-25-0




Formula : $C_7H_8BFO_3$
M.W. : 169.9 g/mole
Grade : > 96%

B1326 | 127972-02-5




Formula : $C_8H_9BO_4$
M.W. : 180.0 g/mole
Grade : > 98%

B1327 | 419536-33-7




Formula : $C_{18}H_{14}BNO_2$
M.W. : 287.1 g/mole
Grade : > 98%

B1328 | 15016-42-9



Formula : $C_8H_9BO_2$
M.W. : 148.0 g/mole
Grade : > 97%

























B1329 | 850568-34-2



Formula : $C_{12}H_{16}BNO_3$
M.W. : 233.1 g/mole
Grade : > 97%

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

| | | | |
|---|---|---|--|
| <p>B1330 850568-78-4</p>  <p>Formula : C₁₀H₁₃BO₄ M.W. : 208.0 g/mole Grade : > 97%</p> | <p>B1331 864377-33-3</p>  <p>Formula : C₁₈H₁₄BNO₂ M.W. : 287.1 g/mole Grade : > 98%</p> | <p>B1332 352535-84-3</p>  <p>Formula : C₆H₄BBrF₂O₂ M.W. : 236.8 g/mole Grade : > 97%</p> | <p>B1333 827300-04-9</p>  <p>Formula : C₁₁H₁₅BO₄ M.W. : 222.0 g/mole Grade : > 97%</p> |
| <p>B1335 874219-36-0</p>  <p>Formula : C₉H₁₀BF₂O₄ M.W. : 212.0 g/mole Grade : > 97%</p> | <p>B1336 409108-13-0</p>  <p>Formula : C₁₂H₁₀BF₂O₂ M.W. : 216.0 g/mole Grade : > 97%</p> | <p>B1337 609807-25-2</p>  <p>Formula : C₇H₈BF₂O₃ M.W. : 169.9 g/mole Grade : > 98%</p> | <p>B1338 458532-97-3</p>  <p>Formula : C₅H₅BFNO₂ M.W. : 140.9 g/mole Grade : > 97%</p> |
| <p>B1339 851335-12-1</p>  <p>Formula : C₈H₉BO₅ M.W. : 196.0 g/mole Grade : > 97%</p> | <p>B1340 603122-41-4</p>  <p>Formula : C₉H₁₁BO₅ M.W. : 210.0 g/mole Grade : > 98%</p> | <p>B1341 166386-48-7</p>  <p>Formula : C₇H₉BO₃S M.W. : 184.0 g/mole Grade : > 97%</p> | <p>B1342 159191-44-3</p>  <p>Formula : C₂₀H₂₀BNO₂ M.W. : 317.2 g/mole Grade : > 97%</p> |
| <p>B1343 389621-80-1</p>  <p>Formula : C₁₁H₁₆BNO₃ M.W. : 221.1 g/mole Grade : > 97%</p> | <p>B1344 850568-12-6</p>  <p>Formula : C₉H₁₂BNO₃ M.W. : 193.0 g/mole Grade : > 97%</p> | <p>B1345 389621-83-4</p>  <p>Formula : C₁₂H₁₆BNO₃ M.W. : 233.1 g/mole Grade : > 97%</p> | <p>B1346 159191-56-7</p>  <p>Formula : C₁₂H₂₁BO₃Si M.W. : 252.2 g/mole Grade : > 97%</p> |
| <p>B1347 481725-35-3</p>  <p>Formula : C₈H₈BF₂O₃ M.W. : 182.0 g/mole Grade : > 97%</p> | <p>B1348 205672-21-5</p>  <p>Formula : C₁₃H₁₆BN₂O₃ M.W. : 273.1 g/mole Grade : > 97%</p> | <p>B1349 847560-49-0</p>  <p>Formula : C₁₄H₁₅BO₃ M.W. : 242.1 g/mole Grade : > 97%</p> | <p>B1351 338454-30-1</p>  <p>Formula : C₁₄H₁₅BO₃ M.W. : 242.1 g/mole Grade : > 97%</p> |
| <p>B1352 130870-00-7</p>  <p>Formula : C₈H₁₀BBro₂ M.W. : 228.9 g/mole Grade : > 97%</p> | <p>B1353 1162753-18-5</p>  <p>Formula : C₂₀H₂₀BNO₂ M.W. : 317.2 g/mole Grade : > 97%</p> | <p>B1354 209919-30-2</p>  <p>Formula : C₇H₈BClO₂ M.W. : 170.4 g/mole Grade : > 98%</p> | <p>B1355 151169-67-4</p>  <p>Formula : C₆H₅BClNO₄ M.W. : 201.4 g/mole Grade : > 97%</p> |

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1356 | 874288-38-7




Formula : C₉H₁₀BF₄O₄
M.W. : 212.0 g/mole
Grade : > 97%

B1357 | 374538-01-9




Formula : C₇H₆BF₃O₃
M.W. : 167.9 g/mole
Grade : > 98%

B1358 | 153624-38-5




Formula : C₁₀H₁₅BO₂
M.W. : 178.0 g/mole
Grade : > 98%

B1359 | 91062-38-3




Formula : C₁₀H₁₃BO₄
M.W. : 208.0 g/mole
Grade : > 97%

B1360 | 380430-70-6




Formula : C₁₁H₁₅BO₅
M.W. : 238.0 g/mole
Grade : > 98%

B1361 | 654067-65-9




Formula : C₂₀H₂₆BNO₂
M.W. : 317.2 g/mole
Grade : > 97% (HPLC)

B1362 | 352534-86-2




Formula : C₈H₁₀BClO₃
M.W. : 200.4 g/mole
Grade : > 96%

B1363 | 468718-30-1




Formula : C₇H₅BFNO₂
M.W. : 164.9 g/mole
Grade : > 98%

B1364 | 928053-97-8




Formula : C₇H₅BF₄O₂
M.W. : 207.9 g/mole
Grade : > 97%

B1365 | 850991-69-4




Formula : C₆H₈BNO₃
M.W. : 152.9 g/mole
Grade : > 96%

B1366 | 173999-18-3




Formula : C₆H₈BNO₂
M.W. : 136.9 g/mole
Grade : > 96%

B1367 | 16343-08-1




Formula : C₆H₁₃BO₂
M.W. : 130.0 g/mole
Grade : > 96%

B1368 | 4737-50-2




Formula : C₅H₁₃BO₂
M.W. : 116.0 g/mole
Grade : > 97%

B1369 | 138900-55-7




Formula : C₁₃H₂₆BNO₂Si
M.W. : 267.2 g/mole
Grade : > 98%

B1370 | 852362-22-2




Formula : C₁₀H₁₁BN₂O₂
M.W. : 202.0 g/mole
Grade : > 98%

B1371 | 104376-24-1




Formula : C₅H₁₁BO₂
M.W. : 114.0 g/mole
Grade : > 98%

B1372 | 763120-58-7




Formula : C₃H₅BN₂O₂
M.W. : 111.9 g/mole
Grade : > 98%

B1373 | 376584-63-3




Formula : C₃H₅BN₂O₂
M.W. : 111.9 g/mole
Grade : > 97%

B1374 | 951677-39-7




Formula : C₅H₄BCl₂NO₂
M.W. : 191.8 g/mole
Grade : > 97%

B1375 | 147222-88-6




Formula : C₁₃H₁₉BF₂O₃
M.W. : 272.1 g/mole
Grade : > 96%

B1376 | 170981-41-6




Formula : C₇H₇BF₂O₃
M.W. : 187.9 g/mole
Grade : > 98%

B1377 | 156684-91-2




Formula : C₁₁H₁₅BF₂O₃
M.W. : 244.0 g/mole
Grade : > 98%

B1378 | 957061-21-1



Formula : C₇H₇BF₂O₃
M.W. : 187.9 g/mole
Grade : > 98%

B1379 | 1263374-42-0




Formula : C₅H₄BF₂NO₂
M.W. : 158.9 g/mole
Grade : > 97%

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1380 | 1072952-26-1




Formula : $C_5H_6Cl_2NO_3$
M.W. : 209.8 g/mole
Grade : > 95%

B1381 | 897958-93-9




Formula : $C_7H_7BF_2O_3$
M.W. : 187.9 g/mole
Grade : > 98%

B1382 | 851756-54-2




Formula : $C_7H_7Cl_2O_3$
M.W. : 204.8 g/mole
Grade : > 98%

B1383 | 870779-02-5




Formula : $C_7H_7BF_2O_3$
M.W. : 187.9 g/mole
Grade : > 97%

B1384 | 1072952-27-2




Formula : $C_5H_6BF_2NO_3$
M.W. : 176.9 g/mole
Grade : > 96%

B1385 | 401816-16-8




Formula : $C_7H_4BF_2NO_2$
M.W. : 158.9 g/mole
Grade : > 97%

B1386 | 612833-41-7




Formula : $C_{14}H_{12}BF_3O_3$
M.W. : 296.05 g/mole
Grade : > 98%

B1387 | 4540-87-8




Formula : $C_{10}H_{14}BNO_4$
M.W. : 223.03 g/mole
Grade : > 98%

B1388 | 762263-92-3




Formula : $C_8H_{11}BO_4$
M.W. : 181.98 g/mole
Grade : > 98%

B1389 | 126617-98-9




Formula : $C_8H_{11}BO_3$
M.W. : 165.98 g/mole
Grade : > 97%

B1390 | 1072945-86-8




Formula : $C_7H_8BNO_4$
M.W. : 180.95 g/mole
Grade : > 98%

B1391 | 330804-03-0




Formula : $C_7H_9BO_4S$
M.W. : 200.02 g/mole
Grade : > 98%

B1392 | 579525-46-5




Formula : $C_7H_{11}BN_2O_3$
M.W. : 184.0 g/mole
Grade : > 98%

B1393 | 85107-53-5




Formula : $C_9H_{14}BNO_2$
M.W. : 179.02 g/mole
Grade : > 98%

B1394 | 115377-94-1




Formula : $C_{11}H_{16}BNO_4$
M.W. : 237.06 g/mole
Grade : > 96%

B1395 | 956283-09-3




Formula : $C_7H_{10}BNO_5S$
M.W. : 215.03 g/mole
Grade : > 95%

B1396 | 373384-12-4



Formula : $C_{11}H_{17}BO_3$
M.W. : 208.06 g/mole
Grade : > 97%

B1397 | 150691-04-6




Formula : $C_{10}H_{16}BNO_2S$
M.W. : 257.11 g/mole
Grade : > 97%

B1398 | 947533-39-3




Formula : $C_6H_5BF_3NO_2$
M.W. : 190.92 g/mole
Grade : > 98%

B1399 | 868662-36-6




Formula : $C_6H_5BF_3NO_2$
M.W. : 190.92 g/mole
Grade : > 97%

B1400 | 870777-20-1




Formula : $C_{14}H_{14}BBro_3$
M.W. : 320.97 g/mole
Grade : > 98%

B1401 | 1310384-22-5




Formula : $C_{14}H_{13}BO_4$
M.W. : 256.06 g/mole
Grade : > 97%

B1402 | 1072952-51-2



Formula : $C_5H_4BBrcINO_2$
M.W. : 236.26 g/mole
Grade : > 98%

B1403 | 1072951-43-9



Formula : $C_5H_4BBrcFNO_2$
M.W. : 219.8 g/mole
Grade : > 96%

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

























Head Office: 31F-5, No. 99, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22175, Taiwan. TEL: +886-2-2697-5600, FAX: +886-2-2697-5601.

Factory: 2F, No. 17, R&D Road II, Science-Based Industrial Park, Hsin-Chu 30076, Taiwan. TEL: +886-3-666-3188, FAX: +886-3-666-9288.

Email: sales@lumtec.com.tw, Web: www.lumtec.com.tw

























Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|--|---|--|---|
| <p>B1404 1072952-48-7</p>  <p>Formula : $C_6H_7BrBO_3$ M.W. : 231.84 g/mole Grade : > 98%</p> | <p>B1405 874290-62-7</p>  <p>Formula : $C_7H_6FO_4$ M.W. : 183.93 g/mole Grade : > 98%</p> | <p>B1406 465515-31-5</p>  <p>Formula : $C_5H_5BO_4S$ M.W. : 171.97 g/mole Grade : > 98%</p> | <p>B1407 957061-11-9</p>  <p>Formula : $C_7H_5BClF_3O_2$ M.W. : 224.37 g/mole Grade : > 98%</p> |
| <p>B1408 937595-71-6</p>  <p>Formula : $C_5H_4BClFNO_2$ M.W. : 175.35 g/mole Grade : > 96%</p> | <p>B1409 913836-08-5</p>  <p>Formula : $C_6H_7BClNO_2$ M.W. : 171.39 g/mole Grade : > 98%</p> | <p>B1410 913835-92-4</p>  <p>Formula : $C_8H_8BClO_4$ M.W. : 214.41 g/mole Grade : > 98%</p> | <p>B1411 1003042-59-8</p>  <p>Formula : $C_7H_8BClO_3$ M.W. : 186.4 g/mole Grade : > 97%</p> |
| <p>B1412 851756-52-0</p>  <p>Formula : $C_7H_5BClF_3O_2$ M.W. : 224.37 g/mole Grade : > 98%</p> | <p>B1413 1451392-26-9</p>  <p>Formula : $C_8H_9BClFO_4$ M.W. : 234.42 g/mole Grade : > 97%</p> | <p>B1414 957121-07-2</p>  <p>Formula : $C_6H_5BClFO_3$ M.W. : 190.36 g/mole Grade : > 98%</p> | <p>B1415 1003043-37-5</p>  <p>Formula : $C_8H_{11}BClNO_2$ M.W. : 199.44 g/mole Grade : > 97%</p> |
| <p>B1416 1003845-06-4</p>  <p>Formula : $C_4H_4BClN_2O_2$ M.W. : 158.35 g/mole Grade : > 98%</p> | <p>B1417 128676-84-6</p>  <p>Formula : $C_9H_7BClNO_2$ M.W. : 207.42 g/mole Grade : > 98%</p> | <p>B1418 756817-82-0</p>  <p>Formula : $C_6H_{10}BN_3O_2$ M.W. : 166.97 g/mole Grade : > 98%</p> | <p>B1419 1003042-92-9</p>  <p>Formula : $C_9H_{11}BO_4$ M.W. : 193.99 g/mole Grade : > 98%</p> |
| <p>B1420 957062-87-2</p>  <p>Formula : $C_9H_{10}BFO_4$ M.W. : 211.98 g/mole Grade : > 98%</p> | <p>B1421 762287-58-1</p>  <p>Formula : $C_7H_8BFO_2$ M.W. : 153.95 g/mole Grade : > 97%</p> | <p>B1422 871126-22-6</p>  <p>Formula : $C_7H_8BFO_3$ M.W. : 167.93 g/mole Grade : > 98%</p> | <p>B1423 1072944-18-3</p>  <p>Formula : $C_6H_7BFNO_2$ M.W. : 154.93 g/mole Grade : > 98%</p> |
| <p>B1424 406482-19-7</p>  <p>Formula : $C_7H_8BFO_3$ M.W. : 169.95 g/mole Grade : > 98%</p> | <p>B1425 313545-34-5</p>  <p>Formula : $C_7H_5BF_4O_2$ M.W. : 207.92 g/mole Grade : > 98%</p> | <p>B1426 401815-98-3</p>  <p>Formula : $C_5H_5BFNO_2$ M.W. : 140.91 g/mole Grade : > 98%</p> | <p>B1427 94838-88-7</p>  <p>Formula : $C_8H_7BO_5$ M.W. : 193.95 g/mole Grade : > 96%</p> |

Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|---|---|--|--|
| <p>B1428 139962-95-1</p>  <p>Formula : C₈H₉BO₄ M.W. : 179.97 g/mole Grade : > 97%</p> | <p>B1429 1218790-89-6</p>  <p>Formula : C₈H₆BF₃O₄ M.W. : 233.94 g/mole Grade : > 98%</p> | <p>B1430 40138-18-9</p>  <p>Formula : C₈H₉BO₄ M.W. : 179.97 g/mole Grade : > 97%</p> | <p>B1431 40138-17-8</p>  <p>Formula : C₈H₉BO₃ M.W. : 163.97 g/mole Grade : > 97%</p> |
| <p>B1432 1072944-17-2</p>  <p>Formula : C₇H₆BF₃O₃ M.W. : 205.93 g/mole Grade : > 98%</p> | <p>B1433 259209-22-8</p>  <p>Formula : C₇H₈BO₃ M.W. : 151.96 g/mole Grade : > 98%</p> | <p>B1434 104116-17-8</p>  <p>Formula : C₁₁H₁₁BO₃ M.W. : 202.01 g/mole Grade : > 98%</p> | <p>B1435 290832-43-8</p>  <p>Formula : C₈H₆BF₃O₄ M.W. : 235.95 g/mole Grade : > 98%</p> |
| <p>B1436 240139-82-6</p>  <p>Formula : C₈H₆BF₃O₃ M.W. : 219.95 g/mole Grade : > 98%</p> | <p>B1437 762262-09-9</p>  <p>Formula : C₆H₈BNO₃ M.W. : 152.94 g/mole Grade : > 98%</p> | <p>B1438 628692-15-9</p>  <p>Formula : C₅H₇BN₂O₃ M.W. : 153.93 g/mole Grade : > 98%</p> | <p>B1440 1072952-30-7</p>  <p>Formula : C₆H₁₀BNO₃ M.W. : 154.96 g/mole Grade : > 97%</p> |
| <p>B1441 16114-47-9</p>  <p>Formula : C₅H₈BNO₃ M.W. : 140.93 g/mole Grade : > 97%</p> | <p>B1442 1015480-87-1</p>  <p>Formula : C₆H₈BN₂O₄ M.W. : 183.96 g/mole Grade : > 98%</p> | <p>B1443 352525-94-1</p>  <p>Formula : C₇H₁₁BCINO₂ M.W. : 187.43 g/mole Grade : > 98%</p> | <p>B1444 1256355-31-3</p>  <p>Formula : C₁₄H₁₅BO₃ M.W. : 242.08 g/mole Grade : > 97%</p> |
| <p>B1445 850567-25-8</p>  <p>Formula : C₁₃H₁₈BNO₃ M.W. : 247.1 g/mole Grade : > 97%</p> | <p>B1447 723282-09-5</p>  <p>Formula : C₁₁H₁₆BNO₃ M.W. : 221.06 g/mole Grade : > 98%</p> | <p>B1448 216443-40-2</p>  <p>Formula : C₈H₁₁BO₄ M.W. : 181.98 g/mole Grade : > 98%</p> | <p>B1449 142273-84-5</p>  <p>Formula : C₈H₁₁BO₃ M.W. : 165.98 g/mole Grade : > 97%</p> |
| <p>B1450 178752-79-9</p>  <p>Formula : C₈H₁₂BNO₂ M.W. : 165.0 g/mole Grade : > 98%</p> | <p>B1451 723281-57-0</p>  <p>Formula : C₉H₁₂BNO₄ M.W. : 209.01 g/mole Grade : > 98%</p> | <p>B1452 625470-96-4</p>  <p>Formula : C₁₄H₁₄BNO₃ M.W. : 255.08 g/mole Grade : > 98%</p> | <p>B1453 199609-62-6</p>  <p>Formula : C₁₂H₁₈BNO₄ M.W. : 251.09 g/mole Grade : > 98%</p> |

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Head Office: 31F-5, No. 99, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22175, Taiwan. TEL: +886-2-2697-5600, FAX: +886-2-2697-5601.


Factory: 2F, No. 17, R&D Road II, Science-Based Industrial Park, Hsin-Chu 30076, Taiwan. TEL: +886-3-666-3188, FAX: +886-3-666-9288.

Email: sales@lumtec.com.tw, Web: www.lumtec.com.tw

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1454 | 858364-78-0




Formula : C₁₁H₁₇BO₃
M.W. : 208.06 g/mole
Grade : > 97%

B1455 | 99349-68-5




Formula : C₉H₁₀BNO₃
M.W. : 190.99 g/mole
Grade : > 98%

B1456 | 850689-36-0




Formula : C₆H₇BClNO₂
M.W. : 171.39 g/mole
Grade : > 98%

B1457 | 206658-89-1




Formula : C₆H₁₀BNO₃
M.W. : 154.96 g/mole
Grade : > 98%

B1458 | 1032231-32-5




Formula : C₇H₅BBrNO₂
M.W. : 225.84 g/mole
Grade : > 98%

B1460 | 913835-64-0




Formula : C₇H₅BBrF₃O₂
M.W. : 268.82 g/mole
Grade : > 98%

B1461 | 458532-99-5




Formula : C₅H₅BBrNO₂
M.W. : 201.81 g/mole
Grade : > 96%

B1462 | 101084-76-8




Formula : C₄H₄BBrO₂S
M.W. : 206.85 g/mole
Grade : > 98%

B1463 | 379669-72-4




Formula : C₄H₉BO₂
M.W. : 99.92 g/mole
Grade : > 97%

B1464 | 1072952-09-0




Formula : C₇H₆BFO₄
M.W. : 183.93 g/mole
Grade : > 98%

B1465 | 872460-12-3




Formula : C₇H₆BFO₄
M.W. : 183.93 g/mole
Grade : > 98%

B1466 | 913836-12-1




Formula : C₈H₉BO₃
M.W. : 195.97 g/mole
Grade : > 98%

B1467 | 1072952-23-8




Formula : C₅H₅BO₃
M.W. : 155.9 g/mole
Grade : > 98%

B1468 | 519054-53-6




Formula : C₅H₅BO₃S
M.W. : 171.97 g/mole
Grade : > 96%

B1469 | 1031226-45-5




Formula : C₆H₃BClF₂O₂
M.W. : 192.36 g/mole
Grade : > 97%

B1470 | 352535-82-1




Formula : C₆H₃BClF₂O₂
M.W. : 174.37 g/mole
Grade : > 98%

B1471 | 951655-50-8




Formula : C₆H₆BClO₃
M.W. : 172.37 g/mole
Grade : > 98%

B1472 | 957060-88-7




Formula : C₆H₇BClNO₃
M.W. : 187.39 g/mole
Grade : > 98%

B1473 | 942438-89-3




Formula : C₆H₇BClNO₃
M.W. : 187.39 g/mole
Grade : > 98%

B1474 | 313545-20-9




Formula : C₇H₈BClO₂
M.W. : 170.4 g/mole
Grade : > 97%

B1475 | 1072952-53-4



Formula : C₇H₆BClO₃
M.W. : 184.38 g/mole
Grade : > 96%

B1476 | 1256355-22-2




Formula : C₅H₄BClNO₃
M.W. : 175.38 g/mole
Grade : > 96%

B1477 | 324024-80-8



Formula : C₄H₄BClO₂S
M.W. : 162.4 g/mole
Grade : > 95%

B1478 | 214210-21-6




Formula : C₇H₅BFNO₂
M.W. : 164.93 g/mole
Grade : > 97%

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1479 | 1218790-94-3




Formula : $C_9H_{11}BO_3$
M.W. : 177.99 g/mole
Grade : > 98%

B1480 | 259209-24-0




Formula : $C_6H_6BFO_3$
M.W. : 155.92 g/mole
Grade : > 98%

B1481 | 762287-59-2




Formula : $C_7H_8BFO_3$
M.W. : 169.95 g/mole
Grade : > 95%

B1482 | 163517-61-1




Formula : $C_7H_8BFO_2$
M.W. : 153.95 g/mole
Grade : > 98%

B1484 | 1029880-18-9




Formula : $C_5H_7BFNO_3$
M.W. : 158.92 g/mole
Grade : > 98%

B1485 | 1106869-99-1




Formula : $C_8H_9BO_3$
M.W. : 163.97 g/mole
Grade : > 97%

B1487 | 4347-32-4




Formula : $C_5H_5BO_3S$
M.W. : 155.97 g/mole
Grade : > 98%

B1488 | 259209-17-1




Formula : $C_7H_9BO_4$
M.W. : 167.95 g/mole
Grade : > 98%

B1489 | 1072952-50-1




Formula : $C_6H_{10}BNO_4$
M.W. : 170.96 g/mole
Grade : > 98%

B1490 | 177735-09-0




Formula : $C_5H_5BO_2S$
M.W. : 141.98 g/mole
Grade : > 97%

B1491 | 1072952-49-8




Formula : $C_{10}H_{13}BO_6$
M.W. : 240.02 g/mole
Grade : > 98%

B1492 | 75705-21-4




Formula : $C_7H_{11}BClNO_2$
M.W. : 187.43 g/mole
Grade : > 98%

B1493 | 252663-48-2




Formula : $C_{11}H_{16}BNO_3$
M.W. : 221.06 g/mole
Grade : > 98%

B1494 | 762262-07-7




Formula : $C_{13}H_{18}BNO_3$
M.W. : 247.1 g/mole
Grade : > 97%

B1495 | 1218790-88-5




Formula : $C_9H_{11}BO_3$
M.W. : 165.98 g/mole
Grade : > 97%

B1497 | 919496-59-6




Formula : $C_9H_{14}BNO_2$
M.W. : 179.02 g/mole
Grade : > 96%

B1498 | 28611-39-4




Formula : $C_8H_{12}BNO_2$
M.W. : 165.0 g/mole
Grade : > 97%

B1499 | 1150114-73-0




Formula : $C_8H_{13}BClNO_2$
M.W. : 201.46 g/mole
Grade : > 98%

B1500 | 179055-26-6




Formula : $C_9H_{12}BNO_4$
M.W. : 209.01 g/mole
Grade : > 97%

B1501 | 252663-47-1




Formula : $C_{14}H_{14}BNO_3$
M.W. : 255.08 g/mole
Grade : > 98%

B1502 | 489446-42-6




Formula : $C_{12}H_{18}BNO_4$
M.W. : 251.09 g/mole
Grade : > 97%

B1503 | 121177-82-0




Formula : $C_8H_{10}BNO_3$
M.W. : 178.98 g/mole
Grade : > 98%

B1505 | 1024017-53-5



Formula : $C_{11}H_{17}BO_3$
M.W. : 208.06 g/mole
Grade : > 98%

B1506 | 850568-14-8




Formula : $C_{11}H_{16}BNO_3$
M.W. : 221.06 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1507 | 947533-41-7




Formula : $C_6H_5BF_3NO_2$
M.W. : 190.92 g/mole
Grade : > 95%

B1508 | 139962-97-3




Formula : $C_{14}H_{13}BO_4$
M.W. : 256.06 g/mole
Grade : > 97%

B1509 | 352535-81-0




Formula : $C_6H_4BBrF_2O_2$
M.W. : 236.81 g/mole
Grade : > 98%

B1510 | 480996-05-2




Formula : $C_{12}H_{10}BBrO_2$
M.W. : 276.92 g/mole
Grade : > 98%

B1511 | 263368-72-5




Formula : $C_8H_7BO_2$
M.W. : 145.95 g/mole
Grade : > 98%

B1512 | 182344-16-7




Formula : $C_7H_5BF_4O_2$
M.W. : 207.92 g/mole
Grade : > 98%

B1513 | 874219-21-3




Formula : $C_{10}H_{13}BFNO_3$
M.W. : 225.02 g/mole
Grade : > 98%

B1514 | 1310384-23-6




Formula : $C_8H_8BFO_3$
M.W. : 181.96 g/mole
Grade : > 98%

B1515 | 156428-81-8




Formula : $C_8H_9BO_3$
M.W. : 163.97 g/mole
Grade : > 98%

B1516 | 62306-78-9




Formula : $C_5H_5BO_4$
M.W. : 139.9 g/mole
Grade : > 97%

B1517 | 175883-62-2




Formula : $C_8H_{11}BO_3$
M.W. : 165.98 g/mole
Grade : > 98%

B1518 | 355004-67-0




Formula : $C_6H_{10}BNO_4$
M.W. : 170.96 g/mole
Grade : > 97%

B1519 | 162607-15-0




Formula : $C_9H_7BO_2S$
M.W. : 141.98 g/mole
Grade : > 96%

B1520 | 51067-38-0




Formula : $C_{12}H_{11}BO_3$
M.W. : 214.02 g/mole
Grade : > 97%

B1521 | 1215281-20-1




Formula : $C_9H_{11}BO_4$
M.W. : 193.99 g/mole
Grade : > 98%

B1522 | 1032231-30-3




Formula : $C_7H_5BBrNO_2$
M.W. : 225.84 g/mole
Grade : > 98%

B1523 | 850864-59-4




Formula : $C_6H_7BBrNO_3$
M.W. : 231.84 g/mole
Grade : > 97%

B1524 | 957060-94-5




Formula : $C_6H_7BBrNO_3$
M.W. : 231.84 g/mole
Grade : > 97%

B1525 | 730971-32-1




Formula : $C_8H_9BO_3$
M.W. : 195.97 g/mole
Grade : > 98%

B1526 | 1072952-42-1




Formula : $C_7H_7BClFO_2$
M.W. : 188.39 g/mole
Grade : > 98%

B1527 | 488713-34-4




Formula : $C_8H_{10}BFO_4$
M.W. : 199.97 g/mole
Grade : > 97%

B1528 | 1256355-30-2




Formula : $C_7H_6BFO_3$
M.W. : 167.93 g/mole
Grade : > 98%

B1529 | 1246633-53-3



Formula : $C_7H_6BFO_3$
M.W. : 169.95 g/mole
Grade : > 98%

B1530 | 871329-62-3




Formula : $C_8H_8BFO_4$
M.W. : 197.96 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1531 | 1043869-98-2




Formula : $C_6H_7BFNO_3$
M.W. : 170.93 g/mole
Grade : > 98%

B1532 | 1072952-28-3




Formula : $C_6H_7BO_3S$
M.W. : 169.97 g/mole
Grade : > 98%

B1533 | 175592-59-3




Formula : $C_5H_5BO_3S$
M.W. : 155.97 g/mole
Grade : > 97%

B1534 | 62306-79-0




Formula : $C_5H_7BO_3$
M.W. : 125.92 g/mole
Grade : > 97%

B1535 | 162607-20-7




Formula : $C_5H_7BO_2S$
M.W. : 141.98 g/mole
Grade : > 97%

B1536 | 913836-11-0




Formula : $C_6H_6BNO_4$
M.W. : 166.93 g/mole
Grade : > 98%

B1537 | 867333-04-8




Formula : $C_7H_7BClFO_3$
M.W. : 204.39 g/mole
Grade : > 98%

B1538 | 916336-19-1




Formula : $C_{27}H_{40}B_2O_4$
M.W. : 450.23 g/mole
Grade : > 97%

B1539 | 203927-98-4




Formula : $C_{25}H_{36}B_2O_4$
M.W. : 422.17 g/mole
Grade : > 97%

B1540 | 258865-48-4




Formula : $C_{29}H_{44}B_2O_4$
M.W. : 478.28 g/mole
Grade : > 97%

B1541 | 426268-09-9




Formula : $C_6H_5BN_2O_3$
M.W. : 163.93 g/mole
Grade : > 97%

B1542 | 27762-64-7




Formula : $C_7H_{15}BO_2$
M.W. : 142.0 g/mole
Grade : > 98%

B1543 | 63076-51-7




Formula : $C_5H_{11}BO_2$
M.W. : 113.95 g/mole
Grade : > 96%

B1544 | 100124-06-9




Formula : $C_{12}H_9BO_3$
M.W. : 212.01 g/mole
Grade : > 97%

B1545 | 3088-79-7




Formula : $C_{12}H_{27}BO_2$
M.W. : 214.15 g/mole
Grade : > 96%

B1546 | 144104-59-6




Formula : $C_8H_8BNO_2$
M.W. : 160.97 g/mole
Grade : > 98%

B1547 | 147621-18-9




Formula : $C_8H_8BNO_2$
M.W. : 160.97 g/mole
Grade : > 96%

B1548 | 98139-72-1




Formula : $C_9H_{13}BO_2$
M.W. : 115.97 g/mole
Grade : > 97%

B1549 | 371766-08-4




Formula : $C_9H_8BNO_2$
M.W. : 172.98 g/mole
Grade : > 97%

B1550 | 899438-92-7




Formula : $C_9H_8BNO_2$
M.W. : 172.98 g/mole
Grade : > 98%

B1551 | 1092790-21-0



Formula : $C_9H_8BNO_2$
M.W. : 172.98 g/mole
Grade : > 95%

B1552 | 721401-43-0




Formula : $C_9H_8BNO_2$
M.W. : 172.98 g/mole
Grade : > 98%

B1553 | 13061-96-6



Formula : CH_3BO_2
M.W. : 59.86 g/mole
Grade : > 98%

























B1555 | 475102-13-7



Formula : $C_{13}H_{15}BBrNO_4$
M.W. : 339.98 g/mole
Grade : > 97%

























Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|--|--|--|---|
| <p>B1556 213318-44-6</p>  <p>Formula : C₁₃H₁₆BNO₄ M.W. : 261.08 g/mole Grade : > 97%</p> | <p>B1557 17745-45-8</p>  <p>Formula : C₃H₉BO₂ M.W. : 87.91 g/mole Grade : > 97%</p> | <p>B1558 701261-35-0</p>  <p>Formula : C₅H₁₃BO₂ M.W. : 115.97 g/mole Grade : > 97%</p> | <p>B1559 4445-09-4</p>  <p>Formula : C₁₈H₃₉BO₂ M.W. : 298.31 g/mole Grade : > 96%</p> |
| <p>B1560 371764-64-6</p>  <p>Formula : C₉H₈BNO₂ M.W. : 172.98 g/mole Grade : > 98%</p> | <p>B1561 1072952-46-5</p>  <p>Formula : C₅H₁₁BO₃ M.W. : 129.95 g/mole Grade : > 95%</p> | <p>B1562 70523-22-7</p>  <p>Formula : C₄H₅BN₂O₄ M.W. : 155.9 g/mole Grade : > 97%</p> | <p>B1563 728911-52-2</p>  <p>Formula : C₃₇H₃₈B₂O₄ M.W. : 568.32 g/mole Grade : > 97%</p> |
| <p>B1564 476004-79-2</p>  <p>Formula : C₁₀H₁₆BNO₂ M.W. : 193.05 g/mole Grade : > 97%</p> | <p>B1565 365564-11-0</p>  <p>Formula : C₁₉H₃₆BNO₂Si M.W. : 349.39 g/mole Grade : > 97%</p> | <p>B1566 476004-81-6</p>  <p>Formula : C₁₄H₁₈BNO₂ M.W. : 243.11 g/mole Grade : > 97%</p> | <p>B1567 374790-93-9</p>  <p>Formula : C₁₀H₁₅BO₃ M.W. : 194.04 g/mole Grade : > 97%</p> |
| <p>B1568 193978-23-3</p>  <p>Formula : C₁₀H₁₅BO₂S M.W. : 210.1 g/mole Grade : > 97%</p> | <p>B1569 388116-27-6</p>  <p>Formula : C₁₄H₁₈BNO₂ M.W. : 243.11 g/mole Grade : > 97%</p> | <p>B1570 402960-38-7</p>  <p>Formula : C₁₀H₁₆BN₂O₂ M.W. : 221.06 g/mole Grade : > 98%</p> | <p>B1571 777061-36-6</p>  <p>Formula : C₁₉H₂₆BNO₄ M.W. : 343.23 g/mole Grade : > 98%</p> |
| <p>B1572 837392-62-8</p>  <p>Formula : C₁₅H₂₀BNO₂ M.W. : 257.14 g/mole Grade : > 97%</p> | <p>B1573 569343-09-5</p>  <p>Formula : C₂₁H₂₅BO₂ M.W. : 320.23 g/mole Grade : > 97%</p> | <p>B1574 325129-69-9</p>  <p>Formula : C₂₇H₃₆B₂O₄ M.W. : 446.19 g/mole Grade : > 97%</p> | <p>B1575 264925-45-3</p>  <p>Formula : C₃₁H₄₅BO₂ M.W. : 460.5 g/mole Grade : > 97%</p> |
| <p>B1576 302554-81-0</p>  <p>Formula : C₃₅H₅₃BO₂ M.W. : 516.61 g/mole Grade : > 97%</p> | <p>B1577 740812-14-0</p>  <p>Formula : C₃₅H₅₃BO₂ M.W. : 516.61 g/mole Grade : > 97%</p> | <p>B1578 884336-44-1</p>  <p>Formula : C₃₁H₂₇BO₂ M.W. : 442.36 g/mole Grade : > 97%</p> | <p>B1579 286961-14-6</p>  <p>Formula : C₁₆H₂₈BNO₄ M.W. : 309.21 g/mole Grade : > 98%</p> |

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

| | | | |
|--|---|---|--|
| <p>B1580 262444-42-8</p>  <p>Formula : C₁₇H₂₅BFNO₄ M.W. : 337.19 g/mole Grade : > 97%</p> | <p>B1582 1009033-87-7</p>  <p>Formula : C₁₇H₂₀BNO₂ M.W. : 281.16 g/mole Grade : > 97%</p> | <p>B1583 929203-04-3</p>  <p>Formula : C₁₇H₂₀BNO₂ M.W. : 281.16 g/mole Grade : > 97%</p> | <p>B1584 864772-18-9</p>  <p>Formula : C₁₈H₂₁BO₃ M.W. : 296.17 g/mole Grade : > 97%</p> |
| <p>B1585 908350-80-1</p>  <p>Formula : C₁₇H₂₀BNO₂ M.W. : 281.16 g/mole Grade : > 97%</p> | <p>B1586 24388-23-6</p>  <p>Formula : C₁₂H₁₇BO₂ M.W. : 204.1 g/mole Grade : > 97%</p> | <p>B1587 87100-28-5</p>  <p>Formula : C₁₃H₁₉BO₂ M.W. : 218.1 g/mole Grade : > 97%</p> | <p>B1588 210907-84-9</p>  <p>Formula : C₁₂H₁₈BNO₂ M.W. : 219.1 g/mole Grade : > 98%</p> |
| <p>B1589 195062-57-8</p>  <p>Formula : C₁₃H₁₉BO₂ M.W. : 218.1 g/mole Grade : > 98%</p> | <p>B1590 138500-85-3</p>  <p>Formula : C₁₃H₁₈BBrO₂ M.W. : 297.0 g/mole Grade : > 95%</p> | <p>B1591 73183-34-3</p>  <p>Formula : C₁₂H₂₄B₂O₄ M.W. : 253.9 g/mole Grade : > 99%</p> | <p>B1592 761446-44-0</p>  <p>Formula : C₁₀H₁₇BN₂O₂ M.W. : 208.1 g/mole Grade : > 97%</p> |
| <p>B1593 1073371-78-4</p>  <p>Formula : C₁₁H₁₄BCl₂NO₂ M.W. : 274.0 g/mole Grade : > 95%</p> | <p>B1594 377780-72-8</p>  <p>Formula : C₁₃H₁₈BBrO₂ M.W. : 297.0 g/mole Grade : > 96%</p> | <p>B1595 452972-12-2</p>  <p>Formula : C₁₁H₁₅BBrNO₂ M.W. : 284.0 g/mole Grade : > 97%</p> | <p>B1596 214360-62-0</p>  <p>Formula : C₁₁H₁₅BBrNO₂ M.W. : 284.0 g/mole Grade : > 97%</p> |
| <p>B1597 269409-70-3</p>  <p>Formula : C₁₂H₁₇BO₃ M.W. : 220.1 g/mole Grade : > 97%</p> | <p>B1598 349666-24-6</p>  <p>Formula : C₂₂H₂₁BO₂ M.W. : 328.2 g/mole Grade : > 97% (HPLC)</p> | <p>B1600 138500-86-4</p>  <p>Formula : C₁₄H₁₈BNO₂ M.W. : 243.1 g/mole Grade : > 98%</p> | <p>B1602 1046832-21-6</p>  <p>Formula : C₁₁H₁₉BN₂O₂ M.W. : 222.1 g/mole Grade : > 97%</p> |
| <p>B1603 1011460-68-6</p>  <p>Formula : C₉H₁₄BF₃O₂ M.W. : 222.0 g/mole Grade : > 97%</p> | <p>B1604 287944-13-2</p>  <p>Formula : C₁₃H₂₃BO₂ M.W. : 222.1 g/mole Grade : > 96%</p> | <p>B1605 141091-37-4</p>  <p>Formula : C₁₂H₂₁BO₂ M.W. : 208.1 g/mole Grade : > 98%</p> | <p>B1606 287944-10-9</p>  <p>Formula : C₁₁H₁₉BO₂ M.W. : 194.1 g/mole Grade : > 98%</p> |

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1607 | 885698-94-2




Formula : C₁₄H₁₉BN₂O₂
M.W. : 258.1 g/mole
Grade : > 98%

B1608 | 847818-74-0




Formula : C₁₀H₁₇BN₂O₂
M.W. : 208.1 g/mole
Grade : > 98%

B1609 | 239075-02-6




Formula : C₂₀H₂₈B₂O₄S₂
M.W. : 418.2 g/mole
Grade : > 98%

B1610 | 479719-88-5




Formula : C₁₄H₁₇BO₂S₂
M.W. : 292.2 g/mole
Grade : > 98%

B1612 | 883741-17-1




Formula : C₂₂H₃₆B₂O₄
M.W. : 386.1 g/mole
Grade : > 98%

B1613 | 1218790-41-0




Formula : C₁₆H₂₆BNO₄
M.W. : 307.2 g/mole
Grade : > 97%

B1614 | 627526-35-6




Formula : C₁₆H₁₈BFO₂
M.W. : 272.1 g/mole
Grade : > 96%

B1616 | 942922-07-8




Formula : C₁₅H₂₅BN₂O₂
M.W. : 304.2 g/mole
Grade : > 98%

B1617 | 957198-30-0




Formula : C₁₄H₂₂BN₂O₃
M.W. : 291.2 g/mole
Grade : > 98%

B1618 | 876316-33-5




Formula : C₁₇H₂₆BNO₃
M.W. : 303.2 g/mole
Grade : > 98%

B1619 | 1009307-13-4




Formula : C₁₁H₁₉BO₄
M.W. : 226.1 g/mole
Grade : > 98%

B1620 | 1056904-43-8




Formula : C₁₆H₂₂BNO₃
M.W. : 287.2 g/mole
Grade : > 98%

B1621 | 957065-99-5




Formula : C₁₃H₁₈BNO₄
M.W. : 263.1 g/mole
Grade : > 98%

B1622 | 940284-18-4




Formula : C₁₁H₁₇BN₂O₂S
M.W. : 252.1 g/mole
Grade : > 97%

B1624 | 956229-73-5




Formula : C₁₅H₂₂BNO₃
M.W. : 275.2 g/mole
Grade : > 97%

B1625 | 945863-21-8




Formula : C₁₃H₁₉BN₂O₃
M.W. : 262.1 g/mole
Grade : > 98%

B1626 | 852228-08-1




Formula : C₁₆H₂₃BN₂O₂
M.W. : 288.2 g/mole
Grade : > 98%

B1627 | 1015242-08-6




Formula : C₁₅H₂₄BN₂O₂
M.W. : 289.2 g/mole
Grade : > 98%

B1628 | 1015242-07-5




Formula : C₁₄H₂₂BN₂O₂
M.W. : 275.2 g/mole
Grade : > 98%

B1629 | 956229-69-9




Formula : C₁₇H₂₅BO₄
M.W. : 304.2 g/mole
Grade : > 97%

B1630 | 1218790-42-1




Formula : C₁₅H₂₀BNO₃
M.W. : 273.1 g/mole
Grade : > 98%

B1631 | 1256360-64-1




Formula : C₁₂H₁₇BBrNO₂
M.W. : 298.0 g/mole
Grade : > 97%

B1632 | 1010836-19-7



Formula : C₁₁H₁₅BO₄S
M.W. : 254.1 g/mole
Grade : > 98%

























B1633 | 883899-03-4



Formula : C₁₃H₁₃BF₃NO₂
M.W. : 283.1 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|---|---|---|--|
| B1634 765916-91-4  Formula : C ₁₃ H ₁₅ BFNO ₂ M.W. : 247.1 g/mole Grade : > 98% | B1635 883899-02-3  Formula : C ₁₃ H ₁₆ BNO ₃ M.W. : 245.1 g/mole Grade : > 98% | B1636 1073355-21-1  Formula : C ₁₄ H ₁₅ BF ₃ NO ₂ M.W. : 297.1 g/mole Grade : > 97% | B1637 461451-63-8  Formula : C ₁₃ H ₁₅ BFNO ₂ M.W. : 247.1 g/mole Grade : > 97% |
| B1638 463335-96-8  Formula : C ₁₃ H ₁₅ BFNO ₂ M.W. : 247.1 g/mole Grade : > 98% | B1639 883898-97-3  Formula : C ₁₃ H ₁₆ BNO ₃ M.W. : 245.1 g/mole Grade : > 98% | B1640 868944-75-6  Formula : C ₁₁ H ₁₃ BN ₂ O ₂ M.W. : 216.0 g/mole Grade : > 98% | B1641 741709-63-7  Formula : C ₁₂ H ₁₅ BN ₂ O ₂ M.W. : 230.1 g/mole Grade : > 98% |
| B1642 1025708-31-9  Formula : C ₁₁ H ₁₄ BN ₂ O ₂ M.W. : 231.1 g/mole Grade : > 98% | B1643 1032759-30-0  Formula : C ₁₂ H ₂₀ BN ₂ O ₂ M.W. : 249.1 g/mole Grade : > 98% | B1644 1073371-96-6  Formula : C ₁₂ H ₁₇ BFNO ₂ M.W. : 237.1 g/mole Grade : > 98% | B1646 846023-58-3  Formula : C ₁₂ H ₁₇ BO ₄ M.W. : 236.07 g/mole Grade : > 96% |
| B1647 1073354-14-9  Formula : C ₁₂ H ₁₆ BNO ₃ M.W. : 233.07 g/mole Grade : > 98% | B1648 61676-62-8  Formula : C ₉ H ₁₉ BO ₃ M.W. : 186.05 g/mole Grade : > 96% | B1649 532391-31-4  Formula : C ₁₂ H ₁₈ BNO ₃ M.W. : 235.08 g/mole Grade : > 97% | B1650 885698-95-3  Formula : C ₁₄ H ₁₉ BN ₂ O ₂ M.W. : 258.12 g/mole Grade : > 98% |
| B1651 1189746-27-7  Formula : C ₁₄ H ₁₉ BN ₂ O ₂ M.W. : 258.12 g/mole Grade : > 98% | B1652 1204580-79-9  Formula : C ₁₄ H ₁₉ BN ₂ O ₂ M.W. : 258.12 g/mole Grade : > 98% | B1653 1012084-56-8  Formula : C ₁₂ H ₁₈ BNO ₂ M.W. : 219.08 g/mole Grade : > 97% | B1654 660867-80-1  Formula : C ₁₂ H ₁₈ BNO ₂ M.W. : 219.08 g/mole Grade : > 98% |
| B1655 610768-32-6  Formula : C ₁₂ H ₁₈ BNO ₂ M.W. : 219.08 g/mole Grade : > 98% | B1656 1073354-54-7  Formula : C ₂₁ H ₃₄ BN ₃ O ₄ M.W. : 403.32 g/mole Grade : > 98% | B1657 1073355-13-1  Formula : C ₂₁ H ₃₄ BN ₃ O ₄ M.W. : 403.32 g/mole Grade : > 98% | B1658 1073354-59-2  Formula : C ₂₁ H ₃₃ BN ₂ O ₄ M.W. : 388.3 g/mole Grade : > 98% |

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Head Office: 31F-5, No. 99, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22175, Taiwan. TEL: +886-2-2697-5600, FAX: +886-2-2697-5601.


Factory: 2F, No. 17, R&D Road II, Science-Based Industrial Park, Hsin-Chu 30076, Taiwan. TEL: +886-3-666-3188, FAX: +886-3-666-9288.

Email: sales@lumtec.com.tw, Web: www.lumtec.com.tw

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1659 | 496786-98-2




Formula : $C_{20}H_{32}BN_3O_4$
M.W. : 389.29 g/mole
Grade : > 98%

B1660 | 940284-98-0




Formula : $C_{19}H_{31}BN_4O_4$
M.W. : 390.28 g/mole
Grade : > 98%

B1661 | 153737-25-8




Formula : $C_{13}H_{25}BO_4$
M.W. : 256.14 g/mole
Grade : > 95%

B1663 | 1025707-93-0




Formula : $C_{11}H_{19}BO_3$
M.W. : 210.07 g/mole
Grade : > 98%

B1664 | 944392-68-1




Formula : $C_{16}H_{21}BO_6$
M.W. : 320.14 g/mole
Grade : > 98%

B1665 | 832114-00-8




Formula : $C_{11}H_{18}BNO_3$
M.W. : 223.07 g/mole
Grade : > 98%

B1666 | 919197-88-9




Formula : $C_{10}H_{13}Cl_2N_2O_2$
M.W. : 274.93 g/mole
Grade : > 97%

B1667 | 287944-16-5




Formula : $C_{11}H_{19}BO_3$
M.W. : 210.07 g/mole
Grade : > 97%

B1668 | 862129-81-5




Formula : $C_{11}H_{19}BO_2S$
M.W. : 226.14 g/mole
Grade : > 98%

B1669 | 843646-72-0




Formula : $C_{14}H_{20}BNO_3$
M.W. : 261.12 g/mole
Grade : > 98%

B1670 | 852227-95-3




Formula : $C_{16}H_{24}BNO_3$
M.W. : 289.17 g/mole
Grade : > 98%

B1672 | 212127-71-4




Formula : $C_{12}H_{21}BO_3$
M.W. : 224.1 g/mole
Grade : > 98%

B1673 | 916326-10-8




Formula : $C_{14}H_{20}BNO_4$
M.W. : 277.12 g/mole
Grade : > 96%

B1674 | 134892-18-5




Formula : $C_{11}H_{22}BNO_3$
M.W. : 227.1 g/mole
Grade : > 98%

B1675 | 1036991-19-1




Formula : $C_{15}H_{25}BClNO_2$
M.W. : 297.62 g/mole
Grade : > 97%

B1676 | 486422-05-3




Formula : $C_{14}H_{22}BNO_2S$
M.W. : 311.2 g/mole
Grade : > 98%

B1677 | 1257554-93-0




Formula : $C_{17}H_{27}BN_2O_4$
M.W. : 334.21 g/mole
Grade : > 95%

B1678 | 903895-48-7




Formula : $C_{17}H_{25}BO_4$
M.W. : 304.18 g/mole
Grade : > 98%

B1679 | 850568-69-3




Formula : $C_{17}H_{25}BO_4$
M.W. : 304.18 g/mole
Grade : > 98%

B1680 | 883899-07-8




Formula : $C_{12}H_{13}BBrNO_2$
M.W. : 293.95 g/mole
Grade : > 98%

B1681 | 957198-28-6




Formula : $C_{15}H_{22}BClN_2O_3$
M.W. : 324.61 g/mole
Grade : > 98%

B1682 | 883899-06-7




Formula : $C_{12}H_{13}BClNO_2$
M.W. : 249.50 g/mole
Grade : > 98%

B1683 | 1245524-02-0



Formula : $C_{12}H_{15}BClFO_2$
M.W. : 256.50 g/mole
Grade : > 97%

B1684 | 153724-93-7




Formula : $C_9H_{16}BClO_2$
M.W. : 202.48 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1685 | 775351-57-0




Formula : C₁₃H₁₅BFNO₂
M.W. : 247.07 g/mole
Grade : > 98%

B1686 | 402718-29-0




Formula : C₁₂H₁₅BN₂O₂
M.W. : 230.07 g/mole
Grade : > 98%

B1687 | 957198-29-7




Formula : C₁₅H₂₂BFN₃O₃
M.W. : 308.15 g/mole
Grade : > 98%

B1688 | 445303-67-3




Formula : C₁₃H₁₅BF₄O₂
M.W. : 290.06 g/mole
Grade : > 98%

B1689 | 719268-92-5




Formula : C₁₁H₁₅BFNO₂
M.W. : 223.05 g/mole
Grade : > 98%

B1690 | 445264-60-8




Formula : C₁₂H₁₈BNO₃
M.W. : 235.08 g/mole
Grade : > 98%

B1691 | 540752-87-2




Formula : C₂₁H₃₃BN₂O₄
M.W. : 388.3 g/mole
Grade : > 97%

B1692 | 207611-87-8




Formula : C₂₄H₃₂B₂O₄
M.W. : 406.13 g/mole
Grade : > 98%

B1694 | 944591-57-5




Formula : C₁₇H₂₇BClNO₃
M.W. : 339.66 g/mole
Grade : > 98%

B1695 | 887757-48-4




Formula : C₁₃H₁₇BF₂O₃
M.W. : 270.08 g/mole
Grade : > 97%

B1696 | 473596-87-1




Formula : C₁₅H₂₁BO₄
M.W. : 276.13 g/mole
Grade : > 98%

B1697 | 616880-14-9




Formula : C₁₃H₂₀BNO₄S
M.W. : 297.17 g/mole
Grade : > 98%

B1698 | 878197-87-6




Formula : C₁₅H₂₅BClNO₂
M.W. : 297.62 g/mole
Grade : > 98%

B1699 | 486422-04-2




Formula : C₁₄H₂₂BNO₄S
M.W. : 311.2 g/mole
Grade : > 98%

B1700 | 330794-35-9




Formula : C₁₈H₂₈BNO₄
M.W. : 333.23 g/mole
Grade : > 98%

B1701 | 914610-50-7




Formula : C₁₅H₂₂BNO₄S
M.W. : 323.21 g/mole
Grade : > 98%

B1702 | 1073353-47-5




Formula : C₁₃H₂₀BNO₄S
M.W. : 297.17 g/mole
Grade : > 98%

B1703 | 1092390-02-7




Formula : C₂₂H₂₃BO₂
M.W. : 330.22 g/mole
Grade : > 98%

B1704 | 850568-72-8




Formula : C₁₇H₂₅BO₄
M.W. : 304.18 g/mole
Grade : > 98%

B1705 | 648905-63-9




Formula : C₁₆H₂₆BNO₄S
M.W. : 339.26 g/mole
Grade : > 98%

B1706 | 1073354-94-5




Formula : C₁₁H₁₅BO₃
M.W. : 238.04 g/mole
Grade : > 97%

B1707 | 445303-09-3




Formula : C₁₃H₁₅BClF₃O₂
M.W. : 306.52 g/mole
Grade : > 98%

B1708 | 1072944-28-5



Formula : C₁₇H₂₂B₂ClNO₄
M.W. : 361.44 g/mole
Grade : > 98%

B1709 | 452972-15-5




Formula : C₁₁H₁₅BClNO₂
M.W. : 239.51 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1710 | 868944-72-3




Formula : $C_{11}H_{13}BN_2O_2$
M.W. : 216.04 g/mole
Grade : > 98%

B1711 | 445303-14-0




Formula : $C_{13}H_{15}BF_4O_2$
M.W. : 290.06 g/mole
Grade : > 98%

B1712 | 1073354-66-1




Formula : $C_{14}H_{19}BO_3$
M.W. : 246.11 g/mole
Grade : > 98%

B1713 | 928664-98-6




Formula : $C_9H_{14}BNO_3$
M.W. : 195.02 g/mole
Grade : > 98%

B1714 | 470478-90-1




Formula : $C_{21}H_{33}BN_2O_4$
M.W. : 388.31 g/mole
Grade : > 98%

B1715 | 1073371-92-2




Formula : $C_{16}H_{23}BN_2O_4$
M.W. : 318.18 g/mole
Grade : > 98%

B1716 | 1073354-91-2




Formula : $C_{13}H_{16}BNO_2S$
M.W. : 261.15 g/mole
Grade : > 98%

B1717 | 942069-51-4




Formula : $C_{12}H_{15}BBrFO_2$
M.W. : 300.96 g/mole
Grade : > 97%

B1718 | 1073354-65-0




Formula : $C_{12}H_{14}BClF_2O_2$
M.W. : 274.5 g/mole
Grade : > 97%

B1719 | 883898-93-9




Formula : $C_{12}H_{13}BClNO_2$
M.W. : 249.5 g/mole
Grade : > 98%

B1720 | 706820-96-4




Formula : $C_{14}H_{18}BNO_3$
M.W. : 259.11 g/mole
Grade : > 97%

B1721 | 1083168-95-9




Formula : $C_{12}H_{17}BFNO_3$
M.W. : 253.08 g/mole
Grade : > 98%

B1722 | 848093-29-8




Formula : $C_{12}H_{16}BNO_3$
M.W. : 233.07 g/mole
Grade : > 98%

B1723 | 1171891-42-1




Formula : $C_{12}H_{16}BNO_2$
M.W. : 219.09 g/mole
Grade : > 98%

B1725 | 865350-17-0




Formula : $C_9H_{15}BO_2$
M.W. : 166.03 g/mole
Grade : > 98%

B1726 | 72824-04-5




Formula : $C_9H_{17}BO_2$
M.W. : 168.04 g/mole
Grade : > 98%

B1727 | 486422-08-6




Formula : $C_{12}H_{18}BNO_4S$
M.W. : 283.15 g/mole
Grade : > 98%

B1728 | 214360-51-7




Formula : $C_{12}H_{18}BNO_4S$
M.W. : 283.15 g/mole
Grade : > 98%

B1729 | 1000160-75-7




Formula : $C_{14}H_{17}BO_2S$
M.W. : 260.16 g/mole
Grade : > 98%

B1730 | 201733-56-4




Formula : $C_{10}H_{20}B_2O_4$
M.W. : 225.89 g/mole
Grade : > 98%

B1731 | 166330-03-6




Formula : $C_7H_{14}BBrO_2$
M.W. : 220.9 g/mole
Grade : > 97%

B1732 | 331958-92-0




Formula : $C_{10}H_{19}BO_2$
M.W. : 182.07 g/mole
Grade : > 98%

B1733 | 928773-42-6



Formula : $C_{15}H_{17}BO_4$
M.W. : 272.1 g/mole
Grade : > 98%

























B1734 | 87100-15-0



Formula : $C_{12}H_{23}BO_2$
M.W. : 210.12 g/mole
Grade : > 96%

Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

| | | | |
|--|---|--|---|
| <p>B1735 126689-01-8</p>  <p>Formula : $C_9H_{17}BO_2$ M.W. : 168.04 g/mole Grade : > 98%</p> | <p>B1736 1025708-01-3</p>  <p>Formula : $C_{15}H_{20}BBrO_4$ M.W. : 355.03 g/mole Grade : > 97%</p> | <p>B1737 302577-73-7</p>  <p>Formula : $C_{11}H_{21}BO_4$ M.W. : 228.09 g/mole Grade : > 98%</p> | <p>B1738 642494-37-9</p>  <p>Formula : $C_{14}H_{18}BNO_2$ M.W. : 243.11 g/mole Grade : > 98%</p> |
| <p>B1739 1150561-77-5</p>  <p>Formula : $C_{10}H_{19}BO_4$ M.W. : 214.07 g/mole Grade : > 98%</p> | <p>B1740 1073354-51-4</p>  <p>Formula : $C_{21}H_{24}BNO_4S$ M.W. : 397.3 g/mole Grade : > 98%</p> | <p>B1741 1025707-92-9</p>  <p>Formula : $C_{20}H_{26}BNO_5$ M.W. : 371.24 g/mole Grade : > 98%</p> | <p>B1742 69190-62-1</p>  <p>Formula : $C_{10}H_{21}BO_2$ M.W. : 184.08 g/mole Grade : > 98%</p> |
| <p>B1743 797755-05-6</p>  <p>Formula : $C_{14}H_{19}BO_4$ M.W. : 262.11 g/mole Grade : > 98%</p> | <p>B1744 797755-07-8</p>  <p>Formula : $C_{14}H_{19}BO_4$ M.W. : 262.11 g/mole Grade : > 98%</p> | <p>B1745 66080-23-7</p>  <p>Formula : $C_{13}H_{19}BO_2S$ M.W. : 250.16 g/mole Grade : > 98%</p> | <p>B1746 849677-21-0</p>  <p>Formula : $C_{14}H_{15}BO_5$ M.W. : 274.08 g/mole Grade : > 98%</p> |
| <p>B1747 1021186-08-2</p>  <p>Formula : $C_{18}H_{28}BCINO_2$ M.W. : 337.69 g/mole Grade : > 97%</p> | <p>B1748 1073372-05-0</p>  <p>Formula : $C_{18}H_{28}BCINO_2$ M.W. : 337.69 g/mole Grade :</p> | <p>B1751 1167418-13-4</p>  <p>Formula : $C_{14}H_{17}BN_2O_2$ M.W. : 256.11 g/mole Grade : > 97%</p> | <p>B1752 134892-19-6</p>  <p>Formula : $C_{13}H_{25}BO_4$ M.W. : 256.15 g/mole Grade : > 98%</p> |
| <p>B1753 1131912-76-9</p>  <p>Formula : $C_{11}H_{21}BO_3$ M.W. : 212.09 g/mole Grade : > 96%</p> | <p>B1754 943899-12-5</p>  <p>Formula : $C_{18}H_{16}BNO_2$ M.W. : 289.1 g/mole Grade : > 97%</p> | <p>B1755 1269004-46-7</p>  <p>Formula : $C_{42}H_{62}B_2N_2O_6S_2$ M.W. : 776.7 g/mole Grade : > 96%</p> | <p>B1756 214360-65-3</p>  <p>Formula : $C_{13}H_{16}BF_3O_2$ M.W. : 272.07 g/mole Grade : > 97%</p> |
| <p>B1757 890042-13-4</p>  <p>Formula : $C_{24}H_{23}BO_2$ M.W. : 354.25 g/mole Grade : > 97%</p> | <p>B1758 1334549-69-7</p>  <p>Formula : $C_{38}H_{56}B_2O_4$ M.W. : 598.47 g/mole Grade : > 97%</p> | <p>B1759 452972-14-4</p>  <p>Formula : $C_{11}H_{15}BFNO_2$ M.W. : 223.05 g/mole Grade : > 97%</p> | <p>B1760 474918-37-1</p>  <p>Formula : $C_{39}H_{44}B_2O_4$ M.W. : 598.39 g/mole Grade : > 97%</p> |

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Head Office: 31F-5, No. 99, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22175, Taiwan. TEL: +886-2-2697-5600, FAX: +886-2-2697-5601.


Factory: 2F, No. 17, R&D Road II, Science-Based Industrial Park, Hsin-Chu 30076, Taiwan. TEL: +886-3-666-3188, FAX: +886-3-666-9288.

Email: sales@lumtec.com.tw, Web: www.lumtec.com.tw

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1762 | 267221-88-5




Formula : C₂₄H₂₆BNO₂
M.W. : 371.28 g/mole
Grade : > 97%

B1763 | 1017967-97-3




Formula : C₄₂H₅₁B₂O₆
M.W. : 684.28 g/mole
Grade : > 97% (NMR)

B1764 | 792909-35-4




Formula : C₃₄H₃₂BNO₂
M.W. : 497.43 g/mole
Grade : > 97%

B1765 | 528610-01-7




Formula : C₂₈H₂₈BNO₂
M.W. : 421.34 g/mole
Grade : > 97%

B1767 | 618442-57-2




Formula : C₃₀H₃₅B₂NO₄
M.W. : 495.23 g/mole
Grade : > 97%

B1768 | 99770-93-1




Formula : C₁₈H₂₆B₂O₄
M.W. : 330.03 g/mole
Grade : > 97%

B1771 | 947533-51-9




Formula : C₆H₅BF₃NO₂
M.W. : 190.92 g/mole
Grade : > 96%

B1772 | 219834-95-4




Formula : C₁₁H₁₁BO₃
M.W. : 202.01 g/mole
Grade : > 97%

B1773 | 1126522-69-7




Formula : C₂₄H₂₄BNO₂
M.W. : 369.26 g/mole
Grade : > 97%

B1776 | 1146340-38-6




Formula : C₂₅H₂₅BN₂O₂
M.W. : 396.29 g/mole
Grade : > 97%

B1777 | 879291-27-7




Formula : C₁₇H₂₀BNO₂
M.W. : 281.16 g/mole
Grade : > 97%

B1778 | 912844-88-3




Formula : C₁₈H₂₁BO₂
M.W. : 280.17 g/mole
Grade : > 98%

B1780 | 562098-24-2




Formula : C₁₆H₁₉BN₂O₂
M.W. : 282.15 g/mole
Grade : > 97%

B1783 | 939430-30-5




Formula : C₁₇H₂₀BNO₂
M.W. : 281.16 g/mole
Grade : > 97%

B1784 | 226396-32-3




Formula : C₆H₄BF₃O₂
M.W. : 175.9 g/mole
Grade : > 97%

B1785 | 875667-84-8




Formula : C₂₆H₃₀BNO₄
M.W. : 431.33 g/mole
Grade : > 98%

B1788 | 214360-48-2




Formula : C₁₃H₁₆BNO₂
M.W. : 229.08 g/mole
Grade : > 98%

B1789 | 108847-20-7




Formula : C₁₂H₉BO₂S
M.W. : 228.07 g/mole
Grade : > 98%

B1794 | 374934-77-7




Formula : C₃₀H₅₂B₂O₄
M.W. : 498.35 g/mole
Grade : > 98%

B1796 | 1643935-09-4




Formula : C₂₇H₃₀BNO₂
M.W. : 411.34 g/mole
Grade : > 98% (HPLC)

B1797 | 1647121-47-8




Formula : C₂₄H₂₄BNO₃
M.W. : 385.26 g/mole
Grade : > 98%

B1798 | 747413-21-4




Formula : C₁₇H₂₇BN₂O₂
M.W. : 302.22 g/mole
Grade : > 98%

B1799 | 1028729-05-6



Formula : C₂₂H₂₃BO₂
M.W. : 330.23 g/mole
Grade : > 98%

B1800 | 196212-27-8




Formula : C₁₈H₂₆B₂O₄
M.W. : 330.0 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1801 | 1030834-61-7




Formula : $C_{47}H_{62}BNO_2$
M.W. : 683.81 g/mole
Grade : > 98%

B1802 | 1122650-91-2




Formula : $C_{32}H_{32}BNO_2$
M.W. : 473.41 g/mole
Grade : > 98% (NMR)

B1803 | 1776936-68-5




Formula : $C_{24}H_{20}BNO_2$
M.W. : 365.23 g/mole
Grade : > 98% (NMR)

B1804 | 851524-97-5




Formula : $C_{12}H_{10}BNO_2$
M.W. : 211.02 g/mole
Grade : > 98% (HPLC)

B1805 | 1001911-63-2




Formula : $C_{18}H_{14}BNO_2$
M.W. : 287.12 g/mole
Grade : > 98%

B1806 | 854952-58-2




Formula : $C_{18}H_{14}BNO_2$
M.W. : 287.12 g/mole
Grade : > 99.5% (HPLC)

B1807 | 654664-63-8




Formula : $C_{18}H_{13}BO_2$
M.W. : 272.11 g/mole
Grade : > 98%

B1808 | 128388-54-5




Formula : $C_{18}H_{15}BO_2$
M.W. : 274.12 g/mole
Grade : > 98%

B1809 | 400607-46-7




Formula : $C_{24}H_{17}BO_2$
M.W. : 348.2 g/mole
Grade : > 98% (HPLC)

B1810 | 597554-03-5




Formula : $C_{24}H_{17}BO_2$
M.W. : 348.2 g/mole
Grade : > 98% (HPLC)

B1811 | 867044-28-8




Formula : $C_{34}H_{23}BO_2$
M.W. : 474.36 g/mole
Grade : > 98%

B1812 | 952514-79-3




Formula : $C_{19}H_{15}BN_2O_2$
M.W. : 314.15 g/mole
Grade : > 98% (HPLC)

B1813 | 858131-73-4




Formula : $C_{24}H_{18}BNO_2$
M.W. : 363.22 g/mole
Grade : > 98% (HPLC)

B1814 | 1311408-02-2




Formula : $C_{30}H_{28}BNO_2$
M.W. : 445.36 g/mole
Grade : > 98% (HPLC)

B1815 | 1189047-28-6




Formula : $C_{18}H_{14}BNO_2$
M.W. : 287.12 g/mole
Grade : > 98% (HPLC)

B1816 | 1357634-60-6




Formula : $C_{24}H_{24}BNO_2$
M.W. : 369.26 g/mole
Grade : > 98% (HPLC)

B1817 | 1133057-98-3




Formula : $C_{22}H_{16}BNO_2$
M.W. : 337.18 g/mole
Grade : > 98% (HPLC)

B1818 | 1115639-92-3




Formula : $C_{30}H_{27}BO_2$
M.W. : 430.35 g/mole
Grade : > 98%

B1819 | 1235876-72-8




Formula : $C_{24}H_{17}BO_2$
M.W. : 348.2 g/mole
Grade : > 98%

B1820 | 141981-64-8




Formula : $C_{14}H_{11}BO_2$
M.W. : 222.05 g/mole
Grade : > 98%

B1821 | 668983-97-9




Formula : $C_{12}H_9BO_2S$
M.W. : 228.07 g/mole
Grade : > 98%

B1822 | 761405-37-2




Formula : $C_{12}H_{10}B_2O_4S$
M.W. : 271.89 g/mole
Grade : > 98%

B1823 | 1307859-67-1



Formula : $C_{18}H_{13}BO_2S$
M.W. : 304.17 g/mole
Grade : > 99%

B1824 | 402936-15-6



Formula : $C_{12}H_9BO_3$
M.W. : 212.01 g/mole
Grade : > 98%

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

























Head Office: 31F-5, No. 99, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22175, Taiwan. TEL: +886-2-2697-5600, FAX: +886-2-2697-5601.

Factory: 2F, No. 17, R&D Road II, Science-Based Industrial Park, Hsin-Chu 30076, Taiwan. TEL: +886-3-666-3188, FAX: +886-3-666-9288.

Email: sales@lumtec.com.tw, Web: www.lumtec.com.tw

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

| | | | |
|---|---|---|--|
| <p>B1826 1222008-13-0</p>  <p>Formula : $C_{12}H_{10}B_2O_5$ M.W. : 255.83 g/mole Grade : > 98%</p> | <p>B1827 785051-54-9</p>  <p>Formula : $C_{24}H_{24}BNO_2$ M.W. : 369.26 g/mole Grade : > 98%</p> | <p>B1828 871696-12-7</p>  <p>Formula : $C_{30}H_{43}B_2NO_4$ M.W. : 503.29 g/mole Grade : > 98%</p> | <p>B1829 871125-67-6</p>  <p>Formula : $C_{18}H_{20}BNO_2$ M.W. : 293.17 g/mole Grade : > 98%</p> |
| <p>B1830 1391729-66-0</p>  <p>Formula : $C_{30}H_{28}BNO_2$ M.W. : 445.36 g/mole Grade : > 98%</p> | <p>B1831 1246669-45-3</p>  <p>Formula : $C_{24}H_{24}BNO_2$ M.W. : 369.26 g/mole Grade : > 98%</p> | <p>B1832 1240963-55-6</p>  <p>Formula : $C_{24}H_{18}BNO_2$ M.W. : 363.22 g/mole Grade : > 98%</p> | <p>B1833 1219956-30-5</p>  <p>Formula : $C_{30}H_{28}BNO_2$ M.W. : 445.36 g/mole Grade : > 98%</p> |
| <p>B1834 1028648-22-7</p>  <p>Formula : $C_{24}H_{18}BNO_2$ M.W. : 363.22 g/mole Grade : > 98%</p> | <p>B1835 1133058-06-6</p>  <p>Formula : $C_{24}H_{18}BNO_2$ M.W. : 363.22 g/mole Grade : > 98%</p> | <p>B1836 462128-39-8</p>  <p>Formula : $C_{31}H_{29}BO_2$ M.W. : 444.37 g/mole Grade : > 98%</p> | <p>B1837 400607-31-0</p>  <p>Formula : $C_{25}H_{19}BO_2$ M.W. : 362.23 g/mole Grade : > 98%</p> |
| <p>B1838 1224976-40-2</p>  <p>Formula : $C_{25}H_{19}BO_2$ M.W. : 362.23 g/mole Grade : > 98%</p> | <p>B1839 1421789-05-0</p>  <p>Formula : $C_{25}H_{17}BO_2$ M.W. : 360.21 g/mole Grade : > 98%</p> | <p>B1840 371193-08-7</p>  <p>Formula : $C_{25}H_{35}BO_2$ M.W. : 378.36 g/mole Grade : > 98%</p> | <p>B1841 922518-84-1</p>  <p>Formula : $C_{30}H_{27}BO_2$ M.W. : 430.35 g/mole Grade : > 98%</p> |
| <p>B1842 334658-75-2</p>  <p>Formula : $C_{20}H_{15}BO_2$ M.W. : 298.14 g/mole Grade : > 98%</p> | <p>B1843 867004-35-7</p>  <p>Formula : $C_{34}H_{23}BO_2$ M.W. : 474.36 g/mole Grade : > 98%</p> | <p>B1844 256652-04-7</p>  <p>Formula : $C_{16}H_{19}BO_2$ M.W. : 254.13 g/mole Grade : > 98%</p> | <p>B1845 113893-08-6</p>  <p>Formula : $C_8H_7BO_2S$ M.W. : 178.02 g/mole Grade : > 97%</p> |
| <p>B1846 317830-83-4</p>  <p>Formula : $C_8H_7BO_3$ M.W. : 161.95 g/mole Grade : > 98%</p> | <p>B1847 1061350-97-7</p>  <p>Formula : $C_{16}H_{13}BO_2$ M.W. : 248.08 g/mole Grade : > 98%</p> | <p>B1848 881913-20-8</p>  <p>Formula : $C_{16}H_{13}BO_2$ M.W. : 248.08 g/mole Grade : > 97%</p> | <p>B1849 870774-29-1</p>  <p>Formula : $C_{16}H_{13}BO_2$ M.W. : 248.08 g/mole Grade : > 98%</p> |

Synthetic Intermediates and Reagents


Boronic Acids / Boronic Esters

B1850 | 870774-25-7




Formula : C₁₆H₁₃BO₂
M.W. : 248.08 g/mole
Grade : > 98%

B1851 | 918655-03-5




Formula : C₁₆H₁₃BO₂
M.W. : 248.08 g/mole
Grade : > 98%

B1852 | 372521-91-0




Formula : C₁₆H₁₃BO₂
M.W. : 248.08 g/mole
Grade : > 98%

B1853 | 363607-69-6




Formula : C₂₀H₁₅BO₂
M.W. : 298.14 g/mole
Grade : > 98%

B1854 | 145965-14-6




Formula : C₁₀H₈BBro₂
M.W. : 250.88 g/mole
Grade : > 97%

B1855 | 881811-83-2




Formula : C₂₂H₁₇BO₂
M.W. : 324.18 g/mole
Grade : > 98%

B1856 | 144432-80-4




Formula : C₁₈H₂₁BO₂
M.W. : 280.17 g/mole
Grade : > 98%

B1857 | 400607-47-8




Formula : C₂₆H₁₉BO₂
M.W. : 374.24 g/mole
Grade : > 98%

B1858 | 1365692-79-0




Formula : C₂₁H₂₅BO₂
M.W. : 320.23 g/mole
Grade : > 98%

B1859 | 1259280-37-9




Formula : C₃₁H₂₉BO₂
M.W. : 444.37 g/mole
Grade : > 98%

B1860 | 870119-58-7




Formula : C₂₄H₂₄BNO₂
M.W. : 369.26 g/mole
Grade : > 98%

B1861 | 1359833-28-5




Formula : C₃₀H₂₈BNO₂
M.W. : 445.36 g/mole
Grade : > 98%

B1862 | 1416814-68-0




Formula : C₂₄H₁₈BNO₂
M.W. : 363.22 g/mole
Grade : > 98%

B1863 | 1191076-27-3




Formula : C₄₄H₃₂BO₂
M.W. : 606.56 g/mole
Grade : > 98%

B1864 | 943836-24-6




Formula : C₃₀H₂₄BNO₂
M.W. : 441.33 g/mole
Grade : > 98%

B1866 | 1214723-26-8




Formula : C₁₉H₁₅BN₂O₂
M.W. : 314.15 g/mole
Grade : > 98%

B1868 | 745783-94-2




Formula : C₁₂H₁₀BNO₂
M.W. : 211.02 g/mole
Grade : > 98%

B1869 | 851775-62-7




Formula : C₃₇H₅₄B₂Br₂O₄
M.W. : 744.25 g/mole
Grade : >97%

B1870 | 2131092-68-5




Formula : C₅₀H₆₀B₄O₈
M.W. : 832.25 g/mole
Grade : >97%

B1871 | 628303-20-8




Formula : C₆₄H₁₀₀B₂O₄
M.W. : 955.1 g/mole
Grade : >98%

B1872 | 1235880-28-0




Formula : C₃₀H₂₈BNO₂
M.W. : 445.36 g/mole
Grade : >98% (HPLC)

B1873 | 1421789-04-9




Formula : C₂₅H₁₇BO₂
M.W. : 360.21 g/mole
Grade : >98% (HPLC)

B1875 | 677743-50-9



Formula : C₇H₇BCINO₂
M.W. : 181.38 g/mole
Grade : >98%

B1877 | 928055-49-6



Formula : C₃₆H₄₉B₂NO₄
M.W. : 581.4 g/mole
Grade : >98%


Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Head Office: 31F-5, No. 99, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22175, Taiwan. TEL: +886-2-2697-5600, FAX: +886-2-2697-5601.

Factory: 2F, No. 17, R&D Road II, Science-Based Industrial Park, Hsin-Chu 30076, Taiwan. TEL: +886-3-666-3188, FAX: +886-3-666-9288.

Email: sales@lumtec.com.tw, Web: www.lumtec.com.tw
























B1878 | 1073371-85-3



Formula : C₁₅H₂₅BClNO₂

M.W. : 297.63 g/mole

Grade : >98%


| | | | |
|--|--|---|--|
| <p>K0545 14221-01-3</p>  <p>Formula : Pd[(C₆H₅)₃P]₄ M.W. : 1155.56 g/mole Grade : > 99%</p> | <p>K0552 51364-51-3</p>  <p>Formula : (C₆H₅CH=CHCOCH=CHC₆H₅)₂Pd₂ M.W. : 915.72 g/mole Grade : > 97%</p> | <p>K0787 603-35-0</p>  <p>Formula : (C₆H₅)₃P M.W. : 262.29 g/mole Grade : > 99%</p> | <p>K0788 6002-40-0</p>  <p>Formula : [(CH₃)₃C]₂PCH₃ M.W. : 160.24 g/mole Grade : > 97%</p> |
| <p>K0790 247940-06-3</p>  <p>Formula : C₂₄H₃₁P M.W. : 350.48 g/mole Grade : > 97%</p> | <p>K0791 224311-51-7</p>  <p>Formula : C₆H₅C₆H₄P[C(CH₃)₃]₂ M.W. : 298.4 g/mole Grade : > 97%</p> | <p>K0792 53199-31-8</p>  <p>Formula : C₂₄H₅₄P₂Pd M.W. : 511.05 g/mole</p> | <p>K0793 14592-56-4</p>  <p>Formula : PdCl₂ · (CH₃CN)₂ M.W. : 259.43 g/mole Grade : > 99%</p> |
| <p>K0794 134620-00-1</p>  <p>Formula : C₂H₁₄N₄O₆Pd M.W. : 296.58 g/mole Grade : > 99%</p> | <p>K0795 13782-33-7</p>  <p>Formula : Pd(NH₃)₂Cl₂ M.W. : 211.39 g/mole Grade : > 99%</p> | <p>K0796 12107-56-1</p>  <p>Formula : C₈H₁₂Cl₂Pd M.W. : 285.51 g/mole Grade : > 99%</p> | <p>K0798 14220-64-5</p>  <p>Formula : (C₆H₅CN)₂PdCl₂ M.W. : 383.57 g/mole Grade : > 95%</p> |
| <p>K0799 19978-61-1</p>  <p>Formula : [(C₆H₅)₂PCH₂CH₂P(C₆H₅)₂]₂PdCl₂ M.W. : 575.74 g/mole Grade : > 98%</p> | <p>K0800 59831-02-6</p>  <p>Formula : C₂₇H₂₆P₂ · PdCl₂ M.W. : 589.77 g/mole</p> | <p>K0801 95464-05-4</p>  <p>Formula : C₃₅H₃₀Cl₄FeP₂Pd M.W. : 816.64 g/mole</p> | <p>K0802 10025-98-6</p>  <p>Formula : K₂PdCl₄ M.W. : 326.43 g/mole Grade : > 98%</p> |
| <p>K0803 7647-10-1</p> <p>PdCl₂</p> <p>Formula : PdCl₂ M.W. : 177.33 g/mole Grade : 59-60% palladium (Pd) basis</p> | <p>K0804 14024-61-4</p>  <p>Formula : Pd(C₅H₇O₂)₂ M.W. : 304.64 g/mole Grade : > 98%</p> | <p>K0806 14588-08-0</p>  <p>Formula : C₄₀H₃₆O₄P₂Pd M.W. : 749.08 g/mole Grade : > 98%</p> | <p>K0807 29934-17-6</p>  <p>Formula : [(C₆H₁₁)₃P]₂PdCl₂ M.W. : 738.18 g/mole Grade : > 95%</p> |
| <p>K0808 72287-26-4</p>  <p>Formula : (C₁₇H₁₄P)₂Fe · PdCl₂ M.W. : 731.7 g/mole</p> | <p>K0809 12012-95-2</p>  <p>Formula : C₆H₁₀Cl₂Pd₂ M.W. : 365.89 g/mole Grade : > 98%</p> | <p>K0810 32005-36-0</p>  <p>Formula : (C₆H₅CH=CHCOCH=CHC₆H₅)₂Pd M.W. : 575.00 g/mole</p> | <p>K0811 3375-31-3</p>  <p>Formula : Pd(OCOCH₃)₂ M.W. : 224.51 g/mole Grade : > 98%</p> |

K0812 | 1295-35-8




Formula : $C_{16}H_{24}Ni$
 M.W. : 275.06 g/mole
 Grade : > 98%

K0813 | 14264-16-5




Formula : $[(C_6H_5)_2P]_2NiCl_2$
 M.W. : 654.17 g/mole
 Grade : synthesis grade

K0814 | 12112-67-3























Formula : $C_{16}H_{24}Cl_2Ir_2$
 M.W. : 671.7 g/mole
 Grade : > 97%

K0815 | 13965-03-2



Formula : $[(C_6H_5)_2P]_2PdCl_2$
 M.W. : 701.9 g/mole
 Grade : > 98%

| | | | |
|--|---|---|---|
| K0040 216978-79-9  Formula : C ₁₇ H ₂₃ NO M.W. : 257.37 g/mole Grade : > 98% (HPLC) | K0041 33985-71-6  Formula : C ₁₃ H ₁₅ NO M.W. : 201.26 g/mole Grade : > 98% (HPLC) | K0055 39778-14-8  Formula : C ₁₄ H ₁₃ IN ₂ M.W. : 336.17 g/mole Grade : > 97% (HPLC) | K0056 28286-88-6  Formula : C ₁₀ H ₈ N ₂ O M.W. : 172.18 g/mole Grade : > 98% (HPLC) |
| K0057 479-59-4  Formula : C ₁₂ H ₁₅ N M.W. : 173.25 g/mole Grade : > 98% (HPLC) | K0070 1090-13-7  Formula : C ₁₈ H ₁₀ O ₂ M.W. : 258.27 g/mole Grade : > 98% (HPLC) | K0451 58519-06-5  Formula : C ₂₀ H ₁₇ N ₃ M.W. : 299.37 g/mole Grade : > 98% (HPLC) | K0488 3029-32-1  Formula : C ₂₂ H ₁₂ O ₂ M.W. : 308.33 g/mole Grade : > 97% (HPLC) |
| K0498 910324-13-9  Formula : C ₂₀ H ₁₁ I ₃ M.W. : 632.01 g/mole Grade : > 98% (HPLC) | K0534 1080-74-6  Formula : C ₁₂ H ₆ N ₂ O M.W. : 194.19 g/mole Grade : > 98% (HPLC) | K0535 2459928-39-1  Formula : C ₁₅ H ₁₇ NO M.W. : 227.30 g/mole Grade : > 97% (HPLC) | K0550 527-31-1  Formula : C ₆ H ₆ O ₁₄ M.W. : 312.18 g/mole Grade : > 98% (HPLC) |
| K0597 250734-47-5  Formula : C ₁₉ H ₁₈ BF ₂ IN ₂ M.W. : 450.07 g/mole Grade : > 97% (HPLC) | K0747 6239-48-1  Formula : C ₈ H ₆ Se ₂ M.W. : 260.05 g/mole Grade : > 99% (HPLC) | K0843 6528-85-4  Formula : C ₁₄ H ₁₂ N ₂ O M.W. : 224.26 g/mole Grade : > 98% (HPLC) | K0845 856650-39-0  Formula : C ₁₅ H ₁₅ NO ₂ M.W. : 241.29 g/mole Grade : > 98% (HPLC) |
| K0846 65880-17-3  Formula : C ₁₁ H ₁₅ NO ₂ M.W. : 193.24 g/mole Grade : > 98% (HPLC) | K0885 146823-30-5  Formula : C ₁₈ H ₁₈ I ₂ M.W. : 488.14 g/mole Grade : > 98% (HPLC) | K0890 89827-45-2  Formula : C ₁₂ H ₇ BrO M.W. : 247.09 g/mole Grade : > 98% (HPLC) | K1339 2083617-82-5  Formula : C ₁₂ H ₄ F ₂ N ₂ O M.W. : 230.17 g/mole Grade : > 98% |