

Organic Thin-Film Transistor (OTFT)

Codex International is LUMTEC official distributor in France


Organic Thin-Film Transistor (OTFT)

Small Molecular / Oligomer Materials

LT-S901 | Pentacene

Pentacene


CAS No. : 135-48-8
 Grade : Sublimed product
 Formula : $C_{22}H_{14}$
 M.W. : 278.35 g/mole
 UV : 300 nm (in CH_2Cl_2)
 PL : 509 nm (in CH_2Cl_2)
 TGA : > 240 °C (0.5% weight loss)



LT-S902 | PDCDT

N,N'-Bis(2,5-di-*tert*-butylphenyl)-3,4,9,10-perylene dicarboximide


CAS No. : 83054-80-2
 Grade : Sublimed product
 Formula : $C_{52}H_{50}N_2O_4$
 M.W. : 766.96 g/mole
 UV : 524 nm (in CH_2Cl_2)
 PL : 544, 574 nm (in CH_2Cl_2)
 TGA : > 350 °C (0.5% weight loss)



LT-S904 | PenPTC

N,N'-Dipentyl-3,4,9,10-perylene dicarboximide


CAS No. : 76372-75-3
 Grade : Sublimed product
 Formula : $C_{34}H_{30}N_2O_4$
 M.W. : 530.61 g/mole
 UV : 523 nm (in CH_2Cl_2)
 PL : 535, 573 nm (in CH_2Cl_2)
 TGA : > 350 °C (0.5% weight loss)



LT-S918 | PTCBI

Bisbenzimidazo[2,1-*a*:1',2'-*b*]anthra[2,1,9-*def*:6,5,10-*d'e'f'*]diisoquinoline-10,21-dione, with *cis* isomer


CAS No. : 55034-79-2
 Grade : Sublimed product
 Formula : $C_{36}H_{16}N_4O_2$
 M.W. : 536.54 g/mole
 PL : 414 nm (in CH_2Cl_2)
 TGA : > 420 °C (0.5% weight loss)



LT-S919 | ADIDI

Anthra[2",1",9":4,5,6,6",5",10":4',5',6']diisoquino[2,1-*a*:2',1'-*a'*]diperimidine-12,25-dione, with *cis* isomer


CAS No. : 6859-32-1
 Grade : Sublimed product
 Formula : $C_{44}H_{20}N_4O_2$
 M.W. : 636.66 g/mole
 PL : 413 nm (in CH_2Cl_2)
 TGA : > 430 °C (0.5% weight loss)



LT-S920 | PTCDA

3,4,9,10-Perylenetetracarboxylic dianhydride


CAS No. : 128-69-8
 Grade : Sublimed product
 Formula : $C_{24}H_8O_6$
 M.W. : 392.32 g/mole
 PL : 413 nm (in CH_2Cl_2)
 TGA : > 450 °C (0.5% weight loss)
 Reference : *Organic Electronics 8 (2007), 735~742*



LT-S921 | PTCDI

3,4,9,10-Perylenetetracarboxylic acid diimide

CAS No. : 81-33-4
 Grade : Sublimed product
 Formula : $C_{24}H_{10}N_2O_4$
 M.W. : 390.35 g/mole
 PL : 413 nm (in CH_2Cl_2)
 TGA : > 450 °C (0.5% weight loss)


**LT-S924** | NTDA

1,4,5,8-Naphthalenetetracarboxylic dianhydride


CAS No. : 81-30-1
 Grade : Sublimed, > 99%
 Formula : $C_{14}H_4O_6$
 M.W. : 268.18 g/mole
 UV : 366 nm (in CH_2Cl_2)
 PL : 394 nm (in CH_2Cl_2)
 TGA : > 270 °C (0.5% weight loss)

**LT-S925** | MePTC*N,N'*-Dimethyl-3,4,9,10-perylene dicarboximide

CAS No. : 5521-31-3
 Grade : Sublimed product
 Formula : $C_{26}H_{14}N_2O_4$
 M.W. : 419.40 g/mole
 UV : 522 nm (in CH_2Cl_2)
 PL : 571 nm (in CH_2Cl_2)
 TGA : > 440 °C (0.5% weight loss)


**LT-S926** | HepPTC*N,N'*-Diheptyl-3,4,9,10-perylene dicarboximide

CAS No. : 95689-91-1
 Grade : Sublimed product
 Formula : $C_{38}H_{28}N_2O_4$
 M.W. : 586.72 g/mole
 UV : 524 nm (in CH_2Cl_2)
 PL : 571 nm (in CH_2Cl_2)
 TGA : > 390 °C (0.5% weight loss)


Reference: *J. Am. Chem. Soc.* 2000, 122, 11057-11066**LT-S928** | F_{16} CuPC

Copper(II) 1,2,3,4,8,9,10,11,15,16,17,18,22,23,24,25-hexadecafluoro-29H,31H-phthalocyanine


CAS No. : 14916-87-1
 Grade : Sublimed product
 Formula : $C_{32}F_{16}CuN_8$
 M.W. : 863.92 g/mole
 UV : 690 nm (in CH_2Cl_2)
 TGA : > 400 °C (0.5% weight loss)
 Reference : *Orange Electronics*, vol.11 (No.8), pp1399-1402

**LT-S935** | 4CIPEPTC*N,N'*-Bis[2-(4-chlorophenyl)-ethyl]-3,4,9,10-perylene dicarboximide

CAS No. : 215726-51-5
 Grade : Sublimed, > 99%
 Formula : $C_{40}H_{24}Cl_2N_2O_4$
 M.W. : 667.53 g/mole
 UV : 524 nm (in CH_2Cl_2)
 PL : 544 nm (in CH_2Cl_2)
 TGA : > 370 °C (0.5% weight loss)

**LT-S936** | 4FPEPTC*N,N'*-Bis[2-(4-fluorophenyl)-ethyl]-3,4,9,10-perylene dicarboximide

CAS No. : 215726-57-1
 Grade : Sublimed, > 99%
 Formula : $C_{40}H_{24}F_2N_2O_4$
 M.W. : 634.63 g/mole
 UV : 524 nm (in CH_2Cl_2)
 PL : 538 nm (in CH_2Cl_2)
 TGA : > 370 °C (0.5% weight loss)




Organic Thin-Film Transistor (OTFT)

Small Molecular / Oligomer Materials

LT-S937 | 2,4CIPEPTC

N,N'-Bis[2-(2,4-dichlorophenyl)-ethyl]-3,4,9,10-perylene dicarboximide


Grade : Sublimed, > 99%
 Formula : $C_{40}H_{22}Cl_4N_2O_4$
 M.W. : 736.42 g/mole
 UV : 524 nm (in CH_2Cl_2)
 PL : 536 nm (in CH_2Cl_2)
 TGA : > 390 °C (0.5% weight loss)



LT-S938 | 2,6CIPEPTC

N,N'-Bis[2-(2,6-dichlorophenyl)-ethyl]-3,4,9,10-perylene dicarboximide


Grade : Sublimed, > 99%
 Formula : $C_{40}H_{22}Cl_4N_2O_4$
 M.W. : 736.42 g/mole
 UV : 524 nm (in CH_2Cl_2)
 PL : 536 nm (in CH_2Cl_2)
 TGA : > 440 °C (0.5% weight loss)



LT-S939 | PEPTC

N,N'-Bis(2-phenyl-ethyl)-3,4,9,10-perylene dicarboximide


CAS No. : 67075-37-0
 Grade : Sublimed, > 99%
 Formula : $C_{40}H_{26}N_2O_4$
 M.W. : 598.64 g/mole
 UV : 524 nm (in CH_2Cl_2)
 PL : 537 nm (in CH_2Cl_2)
 TGA : > 390 °C (0.5% weight loss)



LT-S940 | Tetracene

2,3-Benzanthracene


CAS No. : 92-24-0
 Grade : Sublimed, > 99% (HPLC)
 Formula : $C_{18}H_{12}$
 M.W. : 228.29 g/mole
 UV : 277 nm (in CH_2Cl_2)
 PL : 514 nm (in CH_2Cl_2)
 TGA : > 180 °C (0.5% weight loss)
 Reference : *J. Phys. Chem. B* 2005, 109 (50) pp23918-23924



LT-S941 | DP-PTCDI

N,N'-Diphenyl-3,4,9,10-perylene dicarboximide

CAS No. : 128-65-4
 Grade : Sublimed, > 99%
 Formula : $C_{36}H_{18}N_2O_4$
 M.W. : 542.54 g/mole
 UV : 481, 515 nm (in THF)
 PL : 531 nm (in THF)
 TGA : > 380 °C (0.5% weight loss)



LT-S956 | PDI1

N,N'-Bis(3,4,5-tridodecyloxyphenyl)-3,4,9,10-perylene dicarboximide


CAS No. : 351377-40-7
 Grade : > 99% (NMR)
 Formula : $C_{108}H_{162}N_2O_{10}$
 M.W. : 1648.45 g/mole
 UV : 489, 526 nm (in CH_2Cl_2)
 TGA : > 290 °C (0.5% weight loss)
 Reference : *Adv. Mater.* 2005, 17, 2580-2583



LT-S960 | 4MeOPEPTC

N,N'-Bis[2-(4-methoxyphenyl)-ethyl]-3,4,9,10-perylene dicarboximide


CAS No. : 119215-14-4
 Grade : Sublimed, > 99%
 Formula : $C_{42}H_{30}N_2O_6$
 M.W. : 658.70 g/mole
 UV : 458, 524 nm (in CH_2Cl_2)
 PL : 534 nm (in CH_2Cl_2)
 TGA : > 370 °C (0.5% weight loss)



LT-S968 | 6,13-DP-Penta

6,13-Diphenylpentacene

CAS No. : 76727-11-2
 Grade : Sublimed, > 99%
 Formula : $C_{34}H_{22}$
 M.W. : 430.54 g/mole
 UV : 307 nm (in CH_2Cl_2)
 PL : 447 nm (in CH_2Cl_2)
 TGA : > 280 °C (0.5% weight loss)
 Reference : *J. Inorg. Organomet. Polym.* (2010) 20: 161-167



LT-S969 | α-6T

α-Sexithiophene


CAS No. : 88493-55-4
 Grade : Sublimed, > 99%
 Formula : $C_{24}H_{14}S_6$
 M.W. : 494.76 g/mole
 UV : 437 nm (in CH_2Cl_2)
 PL : 511 nm (in CH_2Cl_2)
 TGA : > 330 °C (0.5% weight loss)
 Reference : *Solid State Commun.* 72, 381 (1989)



LT-S970 | PTCDI-C₈

N,N'-Dioctyl-3,4,9,10-perylene dicarboximide


CAS No. : 78151-58-3
 Grade : Sublimed, > 99%
 Formula : $C_{40}H_{42}N_2O_4$
 M.W. : 614.77 g/mole
 UV : 456, 524 nm (in CH_2Cl_2)
 PL : 573 nm (in CH_2Cl_2)
 TGA : > 390 °C (0.5% weight loss)



LT-S972 | α,ω-DH6T

5,5''''-Dihexyl-2,2':5',2''':5'',2''':5''',2''':5''''-sexithiophene


CAS No. : 151271-43-1
 Grade : Sublimed, > 99%
 Formula : $C_{36}H_{38}S_6$
 M.W. : 663.08 g/mole
 UV : 439 nm (in Toluene)
 TGA : > 230 °C (0.5% weight loss)
 Reference : *AIP Conf. Proc.* 1399, 859 (2011)



LT-S973 | TCNQ

7,7,8,8-Tetracyanoquinodimethane


CAS No. : 1518-16-7
 Grade : Sublimed product
 Formula : $C_{12}H_4N_4$
 M.W. : 204.19 g/mole
 UV : 259, 404 nm (in CH_2Cl_2)
 TGA : > 210 °C (0.5% weight loss)



LT-S975 | FTTF

5,5'-Di(9H-fluoren-2-yl)-2,2'-bithiophene


CAS No. : 369599-41-7
 Grade : Sublimed, > 99%
 Formula : $C_{34}H_{22}S_2$
 M.W. : 494.67 g/mole
 UV : 378 nm (in Toluene)
 TGA : > 200 °C (0.5% weight loss)
 Reference : *J. Am. Chem. Soc.*, 2001, 123, 9214



LT-S976 | DH-FTTF

5,5'-Bis(7-hexyl-9H-fluoren-2-yl)-2,2'-bithiophene

CAS No. : 369599-42-8
 Grade : Sublimed, > 99%
 Formula : $C_{46}H_{46}S_2$
 M.W. : 662.99 g/mole
 UV : 378 nm (in Toluene)
 TGA : > 200 °C (0.5% weight loss)
 Reference : *J. Am. Chem. Soc.*, 2001, 123, 9214




Organic Thin-Film Transistor (OTFT)

Small Molecular / Oligomer Materials

LT-S977 | TIPS

6,13-Bis(triisopropylsilylethynyl)pentacene


CAS No. : 373596-08-8
 Grade : > 99% (HPLC)
 Formula : $C_{44}H_{54}Si_2$
 M.W. : 639.07 g/mole
 UV : 307 nm (in CH_2Cl_2)
 TGA : > 230 °C (0.5% weight loss)
 Reference : *J. Am. Chem. Soc.*, 2001, 123, 9482



LT-S9026 | ADT

Anthra[2,3-b:6,7-b']dithiophene


CAS No. : 144413-58-1
 Grade : Sublimed, > 99%
 Formula : $C_{18}H_{10}S_2$
 M.W. : 290.40 g/mole
 UV : 320 nm (in CH_2Cl_2)
 TGA : > 250 °C (0.5% weight loss)



LT-S9034 | TES-ADT

5,11-Bis(triethylsilylethynyl)anthradithiophene


CAS No. : 851817-11-3
 Grade : > 99% (NMR)
 Formula : $C_{34}H_{38}S_2Si_2$
 M.W. : 566.97 g/mole
 UV : 306 nm (in CH_2Cl_2)
 TGA : > 230 °C (0.5% weight loss)
 Reference : *Nature Commun.* 3, 1259 (2012)



LT-S9035 | DPT

5,12-Diphenyltetracene

CAS No. : 27130-32-1
 Grade : Sublimed, > 99% (HPLC)
 Formula : $C_{30}H_{20}$
 M.W. : 380.48 g/mole
 UV : 262, 492 nm (in CH_2Cl_2)
 TGA : > 230 °C (0.5% weight loss)



LT-S9036 | DIP

Diindeno[1,2,3-cd:1',2',3'-lm]perylene


CAS No. : 188-94-3
 Grade : Sublimed product
 Formula : $C_{32}H_{16}$
 M.W. : 400.47 g/mole
 UV : 494, 532 nm (in CH_2Cl_2)
 TGA : > 230 °C (0.5% weight loss)
 Reference : *Adv. Funct. Mater.* 2010, 20, 4295-4303



LT-S9041 | PTCDI-C₁₈H₃₇

N,N'-Dioctadecyl-3,4,9,10-perylene dicarboximide


CAS No. : 25834-02-0
 Grade : Sublimed, > 99%
 Formula : $C_{60}H_{82}N_2O_4$
 M.W. : 895.30 g/mole
 UV : 485, 520 nm (in Toluene)
 TGA : > 340 °C (0.5% weight loss)
 Reference : *J. Appl. Phys. Lett.* 93, 033305 (2008)



LT-S9042 | PTCDI-C₁₃H₂₇

N,N'-Ditridecyl-3,4,9,10-perylene dicarboximide


CAS No. : 95689-92-2
 Grade : Sublimed, > 99%
 Formula : C₅₀H₆₂N₂O₄
 M.W. : 755.04 g/mole
 UV : 484, 520 nm (in Toluene)
 TGA : > 390 °C (0.5% weight loss)
 Reference : *Appl. Phys. Lett.* 93, 033305 (2008)



LT-S9043 | Ddodec-FTTF

5,5'-Bis(7-dodecyl-9*H*-fluoren-2-yl)-2,2'-bithiophene


CAS No. : 846542-27-6
 Grade : Sublimed, > 99%
 Formula : C₅₈H₇₀S₂
 M.W. : 831.31 g/mole
 UV : 254, 409 nm (in CH₂Cl₂)
 TGA : > 350 °C (0.5% weight loss)



LT-S9049 | 2,4-FPEPTC

N,N'-Bis[2-(2,4-difluorophenyl)-ethyl]-3,4,9,10-perylene dicarboximide


CAS No. : 1644439-37-1
 Grade : Sublimed, > 99%
 Formula : C₄₀H₂₂F₄N₂O₄
 M.W. : 670.61 g/mole
 UV : 245 nm (in CH₂Cl₂)
 TGA : > 340 °C (0.5% weight loss)



LT-S9057 | DFH-4T

5,5'-Bis((5-perfluorohexyl)thiophen-2-yl)-2,2'-bithiophene


CAS No. : 446043-85-2
 Grade : Sublimed, > 99%
 Formula : C₂₈H₈F₂₆S₄
 M.W. : 966.58 g/mole
 UV : 259, 404 nm (in CH₂Cl₂)
 TGA : > 300 °C (0.5% weight loss)



LT-S9059 | TEPTC

N,N'-Di(thiophen-2-yl)ethyl-3,4,9,10-perylene dicarboximide


CAS No. : 1559069-50-9
 Grade : Sublimed, > 99%
 Formula : C₃₆H₂₂N₂O₄S₂
 M.W. : 610.70 g/mole
 UV : 260 nm (in CH₂Cl₂)
 TGA : > 400 °C (0.5% weight loss)



LT-S9077 | BOBTP

1,6-Bis(5'-octyl-2,2'-bithiophen-5-yl)pyrene

CAS No. : 1430207-54-7
 Grade : Sublimed, > 99% (NMR)
 Formula : C₄₈H₅₀S₄
 M.W. : 755.17 g/mole
 UV : 322, 410 nm (in CHCl₃)
 Reference : *ACS Applied Materials & Interfaces* (2013), 5(9), 3855-3860



Organic Thin-Film Transistor (OTFT)


Small Molecular / Oligomer Materials

LT-S9080 | DCP

6,13-Dichloropentacene

CAS No. : 59156-92-2
 Grade : Sublimed, > 99%
 Formula : $C_{22}H_{12}Cl_2$
 M.W. : 347.24 g/mole
 TGA : > 350 °C (0.5% weight loss)

Reference : 1. *J. Mater. Chem.*, 2012, 22, 10496
 2. *Adv. Mater.* 2013, 25, 2229-2233



LT-S9092 | 3PenPTC

N,N'-Bis(ethylpropyl)perylene-3,4,9,10-tetracarboxylic acid


CAS No. : 110590-81-3
 Grade : Sublimed, > 99%
 Formula : $C_{34}H_{30}N_2O_4$
 M.W. : 530.61 g/mole
 PL : > 270 °C (0.5% weight loss)



LT-S9093 | DCyPTC

N,N'-Dicyclohexylperylene-3,4:9,10-tetracarboxylic acid bisimide


CAS No. : 41572-86-5
 Grade : Sublimed, > 99%
 Formula : $C_{36}H_{30}N_2O_4$
 M.W. : 554.63 g/mole
 TGA : > 350 °C (0.5% weight loss)



LT-S9094 | NTDA- C_6H_{13}

2,7-Dihexylbenzo[*lmn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 23536-15-4
 Grade : Sublimed, > 99%
 Formula : $C_{26}H_{30}N_2O_4$
 M.W. : 434.53 g/mole
 TGA : > 280 °C (0.5% weight loss)



LT-S9095 | NTDA- C_8H_{17}

2,7-Dioctylbenzo[*lmn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 34155-21-0
 Grade : Sublimed, > 99%
 Formula : $C_{30}H_{38}N_2O_4$
 M.W. : 490.63 g/mole
 TGA : > 280 °C (0.5% weight loss)



LT-S9096 | DCyNTDA

2,7-Dicyclohexylbenzo[*lmn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 173409-43-3
 Grade : Sublimed, > 99%
 Formula : $C_{26}H_{26}N_2O_4$
 M.W. : 430.50 g/mole
 TGA : > 280 °C (0.5% weight loss)



LT-S9097 | DPNTDA


2,7-Diphenylbenzo[*lmn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone

CAS No. : 24259-89-0
 Grade : Sublimed, > 99%
 Formula : $C_{26}H_{14}N_2O_4$
 M.W. : 418.40 g/mole
 TGA : > 280 °C (0.5% weight loss)



LT-S9098 | NTDA-C₅H₁₁2,7-Dipentylbenzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 173409-41-1
 Grade : Sublimed, > 99%
 Formula : C₂₄H₂₆N₂O₄
 M.W. : 406.47 g/mole
 TGA : > 280 °C (0.5% weight loss)

**LT-S9099** | NTDA-C₇H₁₅2,7-Diheptylbenzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 698370-78-4
 Grade : Sublimed, > 99%
 Formula : C₂₈H₃₄N₂O₄
 M.W. : 462.58 g/mole
 TGA : > 280 °C (0.5% weight loss)

**LT-S9100** | NTDA-C₁₃H₂₇2,7-Ditridecylbenzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 1373274-00-0
 Grade : Sublimed, > 99%
 Formula : C₄₀H₅₈N₂O₄
 M.W. : 630.90 g/mole
 TGA : > 280 °C (0.5% weight loss)

**LT-S9101** | NTDA-C₁₈H₃₇2,7-Dioctadecylbenzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 144742-50-7
 Grade : Sublimed, > 99%
 Formula : C₅₀H₇₈N₂O₄
 M.W. : 771.17 g/mole
 TGA : > 280 °C (0.5% weight loss)

**LT-S9102** | DTT-122,6-Bis(4-dodecylphenyl)-dithieno[3,2-*b*:2',3'-*d*]thiophene


CAS No. : 1446140-70-0
 Grade : Sublimed, > 99% (NMR)
 Formula : C₄₄H₆₀S₃
 M.W. : 685.14 g/mole
 TGA : > 270 °C (0.5% weight loss)

Reference : *Chem. Commun.*, 2013, 49, 6483-6485**LT-S9103** | DTT-82,6-Bis(4-octylphenyl)-dithieno[3,2-*b*:2',3'-*d*]thiophene


CAS No. : 1429377-95-6
 Grade : Sublimed, > 99% (NMR)
 Formula : C₃₆H₄₄S₃
 M.W. : 572.93 g/mole
 TGA : > 270 °C (0.5% weight loss)

Reference : *Chem. Commun.*, 2013, 49, 6483-6485**LT-S9128** | Dp-triene-2,5-CN(2*Z*,3*E*,5*Z*)-2,5-Dibenzylidenehex-3-enedinitrile

CAS No. : 1376166-32-3
 Grade : > 99%
 Formula : C₂₀H₁₄N₂
 M.W. : 282.34 g/mole

Reference : *Chemical Science* (2012), 3(4), 1007-1014**LT-S9129** | Dp-tetraene(1*E*,3*E*,5*E*,7*E*)-1,8-Diphenylocta-1,3,5,7-tetraene

CAS No. : 3029-40-1
 Grade : > 99%
 Formula : C₃₀H₁₈
 M.W. : 258.36 g/mole




Organic Thin-Film Transistor (OTFT)

Small Molecular / Oligomer Materials

LT-S9130 | Dp-pentaene

(1E,3E,5E,7E,9E)-1,10-Diphenyldeca-1,3,5,7,9-pentaene


CAS No. : 3029-41-2
 Grade : > 99%
 Formula : $C_{22}H_{20}$
 M.W. : 284.39 g/mole



LT-S9131 | Dp-triene

(1E,3E,5E)-1,6-Diphenylhexa-1,3,5-triene

CAS No. : 1720-32-7
 Grade : > 99%
 Formula : $C_{18}H_{16}$
 M.W. : 232.32 g/mole




LT-S9132 | PTCPI-CH2C3F7

N,N'-Bis(2,2,3,3,4,4,4-heptafluorobutyl)-3,4,9,10-perylene dicarboximide

CAS No. : 1150578-28-1
 Grade : Sublimed, > 99%
 Formula : $C_{32}H_{14}F_{14}N_2O_4$
 M.W. : 756.44 g/mole
 TGA : > 300 °C (0.5% weight loss)


Reference : *Journal of the American Chemical Society* (2009), 131(17), 6215-6228



LT-S9134 | F4-CuPC

Copper(II)-2,9,16,23-tetrafluoro-29H,31H-phthalocyanine


CAS No. : 65602-84-8
 Grade : Sublimed, > 99%
 Formula : $C_{32}H_{12}CuF_4N_8$
 M.W. : 648.03 g/mole
 TGA : > 350 °C (0.5% weight loss)



LT-S9159 | p-Septiphenyl

p-Septiphenyl

CAS No. : 70352-20-4
 Grade : > 99%
 Formula : $C_{42}H_{30}$
 M.W. : 534.69 g/mole
 TGA : > 280 °C (0.5% weight loss)




LT-S9171 | F4ZnPc

Zinc(II)-1,8,15,22-tetrafluoro-29H,31H-Phthalocyanin, mixture of isomers

CAS No. : 1120355-28-3
 Grade : Sublimed, > 99%
 Formula : $C_{32}H_{12}F_4N_8Zn$
 M.W. : 649.89 g/mole
 UV : 681 nm (in $CHCl_3$)
 TGA : > 300 °C (0.5% weight loss)

Reference : *Solar Energy Materials & Solar Cells* (2013), 118, 165-170




LT-S9172 | F8ZnPc

Zinc(II)-2,3,9,10,16,17,23,24-octafluoro-29H,31H-phthalocyanin

CAS No. : 676519-80-5
 Grade : Sublimed, > 99%
 Formula : $C_{32}H_8F_8N_8Zn$
 M.W. : 721.86 g/mole
 UV : 338, 656 nm (in DMF)
 TGA : > 300 °C (0.5% weight loss)

Reference : *ChemPhysChem* (2014), 15(12), 2462-2472




LT-S9173 | An-PDN

2,2'-(9,10-anthracenediylidene)-bis-propanedinitrile

CAS No. : 70359-39-6
 Grade : Sublimed, > 99% (HPLC)
 Formula : $C_{20}H_8N_4$
 M.W. : 304.30 g/mole
 UV : 283, 348 nm (in $CHCl_3$)
 TGA : > 250 °C (0.5% weight loss)


Reference : *Chemical Communications (Cambridge, United Kingdom) (2014), 50(7), 833-835*

**LT-S9174** | BD-PDN

2,2'-Benzo[1,2-b:4,5-b']dithiophene-4,8-diylidenebis-propanedinitrile

CAS No. : 109573-90-2
 Grade : Sublimed, > 99% (HPLC)
 Formula : $C_{16}H_4N_4S_2$
 M.W. : 316.36 g/mole
 UV : 231, 438 nm (in $CHCl_3$)
 TGA : > 250 °C (0.5% weight loss)


Reference : *Advanced Materials (Weinheim, Germany) (2014), 26(24), 4093-4099*

**LT-S9175** | 5,12-TIPS-Tetracene

5,12-Bis((triisopropylsilyl)ethynyl)tetracene

CAS No. : 628316-50-7
 Grade : > 99% (NMR)
 Formula : $C_{40}H_{52}Si_2$
 M.W. : 589.01 g/mole
 UV : 389 nm (in CH_2Cl_2)
 TGA : > 250 °C (0.5% weight loss)


Reference : *Chemical Communications, (2014), 50(85), 12828-12831*

**LT-S9177** | $F_{16}FePC$

Iron(II) 1,2,3,4,8,9,10,11,15,16,17,18,22,23,24,25-hexadecafluoro-29H,31H-phthalocyanine


CAS No. : 23844-93-1
 Grade : Sublimed, > 99%
 Formula : $C_{32}F_{16}FeN_8$
 M.W. : 856.22 g/mole
 UV : 333, 627 nm (in Acetone)
 TGA : > 300 °C (0.5% weight loss)

Reference : *Nano Letters (2014), 14(10), 5547-5554*

**LT-S9179** | BDT2TH


2,6-Bis[(5'-octyl[2,2'-bithiophene]][4,8-bis(5-octyl-2-thienyl)benzo[1,2-b:4,5-b']dithiophene]

Grade : > 99% (NMR)
 Formula : $C_{66}H_{82}S_8$
 M.W. : 1131.88 g/mole
 UV : 249, 359, 442 nm (in $CHCl_3$)

**LT-S9211** | DTT-8

Tribenzo[de,kl,rst]pentaphene

CAS No. : 188-72-7
 Grade : > 98% (HPLC)
 Formula : $C_{30}H_{16}$
 M.W. : 376.45 g/mole



Organic Thin-Film Transistor (OTFT)


Small Molecular / Oligomer Materials

LT-S9213 | DPA

2,6-Diphenylanthracene

CAS No. : 95950-70-2
 Grade : Sublimed, > 99% (HPLC)
 Formula : $C_{26}H_{18}$
 M.W. : 330.42 g/mole
 TGA : > 200 °C (0.5% weight loss)

Reference :



LT-S9259

2,7-Bis(2-(dimethylamino)ethyl)benzo[Imn][3,8]phenanthroline-1,3,6,8(2H,7H)-tetraone


CAS No. : 22291-04-9
 Formula : $C_{22}H_{24}N_4O_4$
 M.W. : 408.45 g/mole



LT-S9260

4,9-dibromoisochromeno[6,5,4-def]isochromene-1,3,6,8-tetraone


CAS No. : 83204-68-6
 Formula : $C_{14}H_2Br_2O_6$
 M.W. : 425.97 g/mole



LT-S9261

4,9-Dibromo-2,7-diethylbenzo[Imn][3,8]phenanthroline-1,3,6,8-tetraone


CAS No. : 1239327-73-1
 Formula : $C_{26}H_{28}Br_2N_2O_4$
 M.W. : 592.32 g/mole



LT-S9262

4,9-Dibromo-2,7-bis(2-ethylhexyl)benzo[Imn][3,8]phenanthroline-1,3,6,8(2H,7H)-tetraone


CAS No. : 1088205-02-0
 Formula : $C_{30}H_{36}Br_2N_2O_4$
 M.W. : 648.43 g/mole



LT-S9263

4,9-Dibromo-2,7-bis(2-butyldecyl)benzo[Imn][3,8]phenanthroline-1,3,6,8(2H,7H)-tetraone


CAS No. : 1614253-96-1
 Formula : $C_{38}H_{52}Br_2N_2O_4$
 M.W. : 760.64 g/mole



LT-S9264

4,9-Dibromo-2,7-bis(2-octyldecyl)benzo[Imn][3,8]phenanthroline-1,3,6,8(2H,7H)-tetraone


CAS No. : 1100243-35-3
 Formula : $C_{54}H_{84}Br_2N_2O_4$
 M.W. : 985.06 g/mole



LT-S9265

4,9-Dibromo-2,7-bis(2-hexyldecyl)benzo[*lmn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 1459168-68-3
Formula : $C_{46}H_{68}Br_2N_2O_4$
M.W. : 872.85 g/mole



LT-S9266

4,5,9,10-Tetrabromoisochromeno[6,5,4-*def*]isochromene-1,3,6,8-tetraone


CAS No. : 299962-88-2
Formula : $C_{14}Br_4O_6$
M.W. : 583.76 g/mole



LT-S9267

4,5,9,10-Tetrabromo-2,7-diocetylbenzo[*lmn*][3,8]phenanthroline-1,3,6,8-tetraone


CAS No. : 954374-43-7
Formula : $C_{30}H_{34}Br_4N_2O_4$
M.W. : 806.22 g/mole



LT-S9268

2,9-Bis(3-(dimethylamino)propyl)anthra[2,1,9-*def*:6,5,10-*d'e'*f']diisoquinoline-1,3,8,10(2*H*,9*H*)-tetraone


CAS No. : 117901-97-0
Formula : $C_{34}H_{32}N_4O_4$
M.W. : 560.64 g/mole



LT-S9269

N,N'-Bis(2-ethylhexyloxy)-1,7-dibromo-3,4,9,10-perylene diimide


CAS No. : 851786-15-7
Formula : $C_{40}H_{40}Br_2N_2O_4$
M.W. : 772.56 g/mole



LT-S9270

N,N'-Bis(2-decyl-tetradecyl)-1,7-dibromo-3,4,9,10-perylene diimide

CAS No. : 909019-78-9
Formula : $C_{72}H_{104}Br_2N_2O_4$
M.W. : 1221.42 g/mole



LT-S9285 C6-DPA

2,6-bis(4-hexylphenyl)anthracene

CAS No. : 1258209-99-2
Grade : > 99% (HPLC)
Formula : $C_{38}H_{42}$
M.W. : 498.74 g/mole

